

Chapter 7

Resident Physician and Medical Academic Faculty Burnout: A Review of Current Literature

Emma A. Omoruyi

University of Texas Health Science Center at Houston, USA

Fehintola Omidele

Johns Hopkins Bloomberg School of Public Health, USA

ABSTRACT

Physician burnout finds its roots in both undergraduate and graduate medical education and has emerged as an important cause of academic faculty turnover. Recognition of the need for resiliency training has led to the development and implementation of wellness programmes throughout the country and world. This chapter examines the causes and potential solutions of combating resident physician and academic faculty burnout in medical education. The authors reviewed current literature on wellness programmes in medical education, including both traditional and curricular approaches and provide a template for creating a well-rounded wellness programme to promote resident physician and academic faculty wellness.

INTRODUCTION

With the pressure of caring for patients, one can understand the importance of physicians maintaining good health, physically and emotionally. However, physician burnout is alarmingly prevalent in the current day with anywhere from 25%-70% experiencing the ‘emotional exhaustion, depersonalisation and decreased feelings of

DOI: 10.4018/978-1-5225-2811-1.ch007

personal accomplishment’ (Eckleberry-Hunt, Van Dyke, Lick, & Tucciarone, 2009). At one time, burnout has been present in ‘one-third to one-half of US medical students and academic faculty’ and also been observed with the same prevalence throughout the world in countries such as Japan, New Zealand and Canada (Benbassat, Bauml, Chan, & Nirel, 2011). When dissected, it is clear that physician burnout finds its roots in both undergraduate and graduate medical education.

BACKGROUND

When examining undergraduate medical education, two unique classifications of burnout predispositions have been studied: exogenous stressors and endogenous stressors. Exogenous or environmental stressors include ‘adjustment to medical school, student abuse, witnessing and unwillingly participating in unethical behaviour towards patients and exposure to death and suffering’ (Benbassat et al., 2011). Of note, the endogenous stressors were often related to qualities identified in one’s personality such as neuroticism and contentiousness.

People who chose the field of medicine are often concrete thinkers and interested scientists, looking for evidence to evaluate the strength of a concept. Incoming students are often not prepared for the uncertainty that lies within medicine, so students struggle with an ‘intolerance of uncertainty’ also known as a ‘perception of ambiguous situations as a threat’ often comes as an endogenous stressor. Three different types of uncertainty have been described in literature (Benbassat et al., 2011). The first and most common is an uncertainty of one’s personal adequacy; students were concerned that they would not learn all they needed to know to be a successful physician. This uncertainty can also be manifested in the competitiveness associated with undergraduate medical education, though newly addressed with curricular changes (Benbassat et al., 2011; Slavin, Schindler, & Chibnall, 2014). The other two uncertainties concerned the limitation of available medical knowledge and lastly, the uncertainty resulting from being unable to distinguish between the other two uncertainties (i.e. uncertainty of personal adequacy and limitation of one’s medical knowledge) (Benbassat et al., 2011).

Naturally, when examining graduate medical education (residency), life satisfaction was the lowest and prevalence of mental health problems was the highest within the first year. In fact, 76% of new doctors reported high levels of burnout. Yet again, with a global impact, it was observed that 30% had anxiety symptoms and 15% had depressive symptoms in Switzerland. In Canada, 14% reported they would change specialty and 22% would not pursue medicine if given the opportunity to relieve their career (Benbassat et al., 2011). Interestingly, physicians who attended

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/resident-physician-and-medical-academic-faculty-burnout/190265

Related Content

Neurophysiological and Neurobiological Basis of Emotions and Mood

Igor V. Pantic (2019). *Chronic Stress and Its Effect on Brain Structure and Connectivity* (pp. 73-89).

www.irma-international.org/chapter/neurophysiological-and-neurobiological-basis-of-emotions-and-mood/219998

Gaining Access and Treatment Equity (GATE): A Framework for Culturally Responsive Clinical Care

Ana Julia Bridges (2023). *Latinx Mental Health: From Surviving to Thriving* (pp. 268-280).

www.irma-international.org/chapter/gaining-access-and-treatment-equity-gate/314204

Understanding the Neuropsychology of Disruptive and Externalizing Disorders in Children

Susmita Halder and Madhurima Dey Sarkar (2024). *Handbook of Research on Child and Adolescent Psychology Practices and Interventions* (pp. 101-121).

www.irma-international.org/chapter/understanding-the-neuropsychology-of-disruptive-and-externalizing-disorders-in-children/334062

New Technologies and Neuropsychological Evaluation of Older Adults: Issues and Challenges

Stelios Zygouris and Magda Tsolaki (2015). *Handbook of Research on Innovations in the Diagnosis and Treatment of Dementia* (pp. 1-17).

www.irma-international.org/chapter/new-technologies-and-neuropsychological-evaluation-of-older-adults/129265

The Role of Interpersonal Neurobiology, Influence of Birth Trauma, and Colic in Attachment Failure

Christine E. Hagion-Rzepka (2024). *Handbook of Research on Child and Adolescent Psychology Practices and Interventions* (pp. 122-143).

www.irma-international.org/chapter/the-role-of-interpersonal-neurobiology-influence-of-birth-trauma-and-colic-in-attachment-failure/334063