

# Chapter 23

## Analysis of Different Feature Description Algorithm in object Recognition

**Sirshendu Hore**  
HETC, India

**Sankhadeep Chatterjee**  
University of Calcutta, India

**Shouvik Chakraborty**  
University of Kalyani, India

**Rahul Kumar Shaw**  
HETC, India

### ABSTRACT

*Object recognition can be done based on local feature description algorithm or through global feature description algorithm. Both types of these descriptors have the efficiency in recognizing an object quickly and accurately. The proposed work judges their performance in different circumstances such as rotational effect scaling effect, illumination effect and blurring effect. Authors also investigate the speed of each algorithm in different situations. The experimental result shows that each one has some advantages as well as some drawbacks. SIFT (Scale Invariant Feature Transformation) and SURF (Speeded Up Robust Features) performs relatively better under scale and rotation change. MSER (Maximally stable extremal regions) performs better under scale change, MinEigen in affine change and illumination change while FAST (Feature from Accelerated segment test) and SURF consume less time.*

### INTRODUCTION

Digital image processing makes the use of different algorithms to accomplish image processing on digital images. The object detection and extraction of feature from the object plays a vital role in case of digital image processing. To obtain some useful information from different digital media such as photo,

DOI: 10.4018/978-1-5225-5204-8.ch023

video or any form of multimedia content digital Image processing relies heavily on feature extraction and object detection and subsequent object recognition. Successful and efficient object recognition is an important research domain in computer vision and image processing. Though object recognition has started its journey four decades back, it has started making its acceptance rapidly in recent years due to the advances in computational intelligence. It is also influenced by the advancement made in the field of feature extraction techniques. Object recognition is the process of determining the distinctiveness of an object being perceived in the image. This is often done using a set of known labels. Significant effort has been made earlier to develop some generic methods to overcome the challenges often encountered in the case of object recognition. Recognition of object in cognitive way is much easier than recognizing the same object through computer vision or image processing. Pose of an object relative to a camera, variation in lighting under different conditions, and difficulty in generalizing across objects from a set of images causes much difficulties in object recognition process. In the literature different ways of recognizing an object are reported.

## **Feature**

The concept of feature is very common and choice of feature to be obtained has been depended heavily on given specific problem. Thus there is no complete or precise definition of what makes up a feature and the accurate definition often relies on the given problem; the application type. In image processing or in computer vision a portion of information which is substantial for resolving the computational job associated with a certain application, can be coined as feature. In other words a feature can be defined as an interesting section within an image; interest points in an image are the areas whose position does matter and can be detected under different changing circumstances. The noticeable part found within the interest points is that they store large number of local information and the information they store are rather same between different images; therefore many computer vision algorithms used features as a starting point. This concept of feature in general is also applicable in case of machine learning or pattern recognition. Features of digital image may have some precise structures in the image such as objects, points or edges. Features of any image can also be obtained by applying neighborhood operation in the adjacent region. In case of tracking a motion object it can be sequence of image, boundaries or curves of different image regions.

## **Feature Detector**

In digital Image processing and in computer vision to find the interested point or key point of an object feature detector plays a crucial role. A feature detector is nothing but an algorithm that takes an image as input and produces pixel coordinates or locations as outputs. These locations are significant areas of the targeted image or inputted image. An example of feature detector is a corner detector, template detector, blob etc. that produce locations of corners or templates or regions as an output in the observed image but does not provide user any type of information about the features it detected.

33 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/analysis-of-different-feature-description-algorithm-in-object-recognition/196971](http://www.igi-global.com/chapter/analysis-of-different-feature-description-algorithm-in-object-recognition/196971)

## Related Content

---

### Edge Detection by Maximum Entropy: Application to Omnidirectional and Perspective Images

Ibrahim Guelzim, Ahmed Hammouch, El Mustapha Mouaddib and Driss Aboutajdine (2011). *International Journal of Computer Vision and Image Processing* (pp. 1-15).

[www.irma-international.org/article/edge-detection-maximum-entropy/59875](http://www.irma-international.org/article/edge-detection-maximum-entropy/59875)

### Digital Image Matting: A Review

Sweta Singhand Anand Singh Jalal (2013). *International Journal of Computer Vision and Image Processing* (pp. 16-36).

[www.irma-international.org/article/digital-image-matting/103956](http://www.irma-international.org/article/digital-image-matting/103956)

### Intelligence-Based Adaptive Digital Watermarking for Images in Wavelet Transform Domain

V. Santhi and D. P. Acharjya (2016). *Handbook of Research on Emerging Perspectives in Intelligent Pattern Recognition, Analysis, and Image Processing* (pp. 243-263).

[www.irma-international.org/chapter/intelligence-based-adaptive-digital-watermarking-for-images-in-wavelet-transform-domain/141637](http://www.irma-international.org/chapter/intelligence-based-adaptive-digital-watermarking-for-images-in-wavelet-transform-domain/141637)

### A Novel Approach Towards Handwritten Digit Recognition Using Refraction Property of Light Rays

Roopkatha Samanta, Soulib Ghosh, Agneet Chatterjee and Ram Sarkar (2020). *International Journal of Computer Vision and Image Processing* (pp. 1-17).

[www.irma-international.org/article/a-novel-approach-towards-handwritten-digit-recognition-using-refraction-property-of-light-rays/258250](http://www.irma-international.org/article/a-novel-approach-towards-handwritten-digit-recognition-using-refraction-property-of-light-rays/258250)

### Early Recognition of Suspicious Activity for Crime Prevention

M. Kalaiselvi Geetha, J. Arunnehr and A. Geetha (2018). *Computer Vision: Concepts, Methodologies, Tools, and Applications* (pp. 2139-2165).

[www.irma-international.org/chapter/early-recognition-of-suspicious-activity-for-crime-prevention/197045](http://www.irma-international.org/chapter/early-recognition-of-suspicious-activity-for-crime-prevention/197045)