Chapter 37 Psychometric Assessment of Cardio–Respiratory Activity Using a Mobile Platform

Nicola Carbonaro University of Pisa, Italy

Pietro Cipresso IRCCS Istituto Auxologico Italiano, Italy

> Alessandro Tognetti University of Pisa, Italy

> **Gaetano Anania** University of Pisa, Italy

Danilo De Rossi University of Pisa, , Italy

Federica Pallavicini IRCCS Istituto Auxologico Italiano, Italy

Andrea Gaggioli IRCCS Istituto Auxologico Italiano, Italy & Catholic University of Milan, Italy

Giuseppe Riva

IRCCS Istituto Auxologico Italiano, Italy & Catholic University of Milan, Italy

ABSTRACT

It is increasingly recognized that stress has negative effects on growing numbers of people. Stress assessment is a complex issue, but different studies have shown that monitoring user psychophysiological parameter during daily life can be greatly helpful in stress evaluation. In this context, the European Collaborative Project INTERSTRESS is aimed at designing and developing advanced simulation and sensing technologies

DOI: 10.4018/978-1-5225-5484-4.ch037

Psychometric Assessment of Cardio-Respiratory Activity Using a Mobile Platform

for the assessment and treatment of psychological stress, based on mobile biosensors. In this study a wearable biosensor platform able to collect physiological and behavioral parameters is reported. The developed mobile platform, in terms of hardware and processing algorithms, is described. Moreover the use of this wearable biosensor platform in combination with advanced simulation technologies, such as virtual reality, offer interesting opportunities for innovative personal health-care solutions to stress.

1. INTRODUCTION

Research interest in psychological stress and its cognitive and bodily responses has been growing over the last decades.

It is increasingly recognized that stress has negative effects on growing numbers of people (Cipresso, Gaggioli, Serino, & Riva, 2012; Villani, Grassi, Cognetta, Toniolo, Cipresso, & Riva, 2011). Chronic stress is responsible for premature mortality in Western countries, and work-related stress accounts for premature cardiovascular mortality rates.

Growing interest has surrounded the roles of cognitive appraisal and emotions in psychological stress (Blascovich, Ernst, Tomaka, Kelsey, Salomon, & Fazio, 1993; Feldman, Cohen, Hamrick, & Lepore, 2004; Feldman, Cohen, Lepore, Matthews, Kamarck, & Marsland, 1999). According to Cohen, Janicki-Deverts, and Miller (2007), psychological stress occurs when an individual perceives that the environmental demands exceed his or her adaptive ability to meet them. This gap gives rise to the label of oneself as stressed and elicits a concomitant negative emotional response.

The previous definition of stress integrates and extends the following classical approaches to stress:

- 1. **Response-Based Model (Selye, 1974):** "Stress is the nonspecific response of the body to any demand made upon it."
- 2. **Stimulus-Based Model (Holmes & Rahe, 1967):** Stress involves "...events whose advent... requires a significant change in the ongoing life pattern of the individual."
- 3. **Transactional Model (Lazarus & Cohen, 1977):** Stress involves the "judgment that environmental or internal demands tax or exceed the individual's resources for managing them."

Within this panorama, it is easily understandable that stress assessment is a complex issue. Although discussion and verbal responses are generally the first approach in stress assessment, there are many evidences that nonverbal communication include a wider set of measures to assess stress and might represent a therapist's tool to coping with stress. More, many psychophysiological measures have come to age in the understanding of internal states and can be greatly helpful in stress assessment too (Magagnin, Mauri, Cipresso, Mainardi, Brown, Cerutti, Villamira, & Barbieri, 2010; Mauri, Magagnin, Cipresso, Mainardi, Brown, Cerutti, Villamira, 2010).

In particular Mauri and Colleagues (2010) highlighted the ability to automatically detect stress through psychophysiological measures. However, the role and the advantages in using behavioural measures to improve the automatic stress detection system, are still underinvestigated in literature, above all from an empiric point of view. One of the main problem, that highly contributed to this lack, has been the difficult to objectifying subjects' behaviours.

16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/psychometric-assessment-of-cardio-respiratoryactivity-using-a-mobile-platform/201989

Related Content

The Effect of Using Class PC and Interactive Boards on Students' Academic Achievement and Creative Thinking: Applied Study on 2nd Grade Science Students at Private Schools

Mohamad M. Hileh, Abdel-Aziz Ahmad Sharabati, Tamara Yacoub Nasereddinand Suheir Mustafa Hussein (2017). *International Journal of Interactive Communication Systems and Technologies (pp. 1-23).* www.irma-international.org/article/the-effect-of-using-class-pc-and-interactive-boards-on-students-academicachievement-and-creative-thinking/206567

Wearable Devices: Ethical Challenges and Solutions

Marc L. Resnickand Alina M. Chircu (2018). Wearable Technologies: Concepts, Methodologies, Tools, and Applications (pp. 1225-1243).

www.irma-international.org/chapter/wearable-devices/202010

Designing Goal-Oriented Online Speaking Activities for EFL Learners in a Post-Pandemic World: Insights From CEFR Companion Volume

Erkan Yüceand Zeynep Çetin Körolu (2023). *Implementing Rapid E-Learning Through Interactive Materials Development (pp. 95-114).* www.irma-international.org/chapter/designing-goal-oriented-online-speaking-activities-for-efl-learners-in-a-post-

pandemic-world/327065

Learning in the Primary School Classroom using the Interactive Whiteboard

Damian Maher (2012). Educational Stages and Interactive Learning: From Kindergarten to Workplace Training (pp. 150-162).

www.irma-international.org/chapter/learning-primary-school-classroom-using/63062

User Perception of Media Content Association in Olfaction-Enhanced Multimedia

Gheorghita Ghinea and Oluwakemi Ademoye (2012). *Multiple Sensorial Media Advances and Applications: New Developments in MulSeMedia (pp. 204-216).* www.irma-international.org/chapter/user-perception-media-content-association/55946