Chapter 68 Towards an Automated Model to Evaluate Collaboration Through Non–Verbal Interaction in Collaborative Virtual Environments

Luis Casillas University of Guadalajara, Mexico

Adriana Peña University of Guadalajara, Mexico

Alfredo Gutierrez University of Guadalajara, Mexico

ABSTRACT

Virtual environments represent a helpful resource for learning and training. In their multiuser modality, Collaborative Virtual Environments (CVE) support geographical distant people to experience collaborative learning and team training; a context in which the automatic monitor of collaboration can provide valuable and in time information, either for human instructors or intelligent tutor systems, about individual and group performance. CVE enable people to share a virtual space where they interact through a graphical representation, generating nonverbal behavior such as gaze-direction or deictic gestures, a potential means to understand collaboration. This paper presents an automated model and its inference mechanisms to evaluate collaboration in CVE based on the nonverbal activity of the participants. The model is a multi-layer analysis that includes: data filtering, fuzzy classification, and rule-based inference producing high-level assessment for group collaboration.

DOI: 10.4018/978-1-5225-5643-5.ch068

INTRODUCTION

Collaborative Virtual Environments (CVE) are a powerful setting for collaborative learning (Bratitsis & Demetriadis, 2013) and training (Peña & Jiménez, 2012), in which the apprentices can go through experimental and self-directed learning. CVE are shared virtual places and objects for multiple users to collaborate at a distance; a technology with a primarily visual and interactive interface in which the representation of information is achieved in a different way other media do, bringing remote people and remote objects together into a spatial and social proximity, and facilitating communication awareness (Wolff et al., 2008). On them, people interact with the virtual world and the actors in it, through a graphical representation, an avatar.

When people collaborate, interaction is performed through different communication channels other than words, that is, our nonverbal behavior that comprises most of what we do, except for the significance of the words (Patterson, 1983). In such a way that the avatar, as an embodied representation of the user in the CVE, aids conversation and understanding to the virtual space (Imai et al., 2000), adding nonverbal communication such as gaze-direction or by representing the pointing to a virtual object, deictic gestures.

Within this context, the automatic monitoring of collaboration in computer supported learning or team training, represents a resource for human or intelligent tutor systems in different ways such as creating the student or apprentice profile to adapt or personalize activities, to track the students' involvement, understanding the individual factors that influence the group and vice versa, measure of the participation equality or to understand the dynamics of the group (Foutsitzis & Demetriadis, 2013; Graham & Doore, 2015; Papanikolaou & Gouli, 2013; Reinig & Mejias, 2014).

In CVE, as computers systems, each performed activity can be bound to indicators through the users' log files, allowing collecting the whole phenomena data, including the avatars' performance and the situation of the virtual objects in it. Such logs collect dense data assemblies, enabling to infer high semantic indicators. In our proposed model, the raw data collected in the log files of the CVE is gathered and classified, throughout a multilevel mechanism capable to automate the production of high-level indicators; with the aim to automatically evaluate collaboration, based on the nonverbal behavior displayed by the participants through their avatars in CVE, as an alternative or a complement to the analysis of dialogue, just as if a human expertise had made such judgment.

RELATED WORK

Nonverbal behavior has been broadly studied in the real world and for the creation of artificial behavior in robots or animation (Breazeal, Kidd, Thomaz, Hoffman, & Berlin, 2005). However, there are few studies of the nonverbal cues people display in CVE through their avatars. In some cases, the developed CVE are focused on the automatic generation and scripting of nonverbal behaviors for autonomous agents; and in others on real-time interaction of human users with the primary goal to offer a tool that allows sending basic emotional nonverbal messages.

Guye-Vuillème et al. (1998) established the importance of non-verbal communication in face-to-face interaction and its conversion to an equivalent in virtual worlds, studying the advantages and disadvantages of complex embodiments. Using their Virtual Life Network (VLNET) they presented a solution that takes into account the practical limitations of input devices and social science aspects. Back then, 15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/towards-an-automated-model-to-evaluate-</u> <u>collaboration-through-non-verbal-interaction-in-collaborative-virtual-</u>

environments/205847

Related Content

Trust and Privacy Permissions for an Ambient World Linda Little, Stephen Marshand Pam Briggs (2008). *Intelligent Information Technologies: Concepts, Methodologies, Tools, and Applications (pp. 2014-2042).* www.irma-international.org/chapter/trust-privacy-permissions-ambient-world/24388

Arbitrary Generalized Trapezoidal Fully Fuzzy Sylvester Matrix Equation

Ahmed AbdelAziz Elsayed, Nazihah Ahmadand Ghassan Malkawi (2022). International Journal of Fuzzy System Applications (pp. 1-22).

www.irma-international.org/article/arbitrary-generalized-trapezoidal-fully-fuzzy-sylvester-matrix-equation/303564

Programmable Logic Controller Using Fuzzy Logic for Water Gate Re-Design and Condition Monitoring for Dams

(2018). *Fuzzy Logic Dynamics and Machine Prediction for Failure Analysis (pp. 188-243).* www.irma-international.org/chapter/programmable-logic-controller-using-fuzzy-logic-for-water-gate-re-design-andcondition-monitoring-for-dams/197323

Agent-Based Intrusion Detection in Wireless Networks

Leila Mechtri, Fatiha Tolba Djemiliand Salim Ghanemi (2020). *Implementing Computational Intelligence Techniques for Security Systems Design (pp. 97-130).* www.irma-international.org/chapter/agent-based-intrusion-detection-in-wireless-networks/250608

Home Service Engineering for Sensor Networks

Jochen Meisand Manfred Wojciechowski (2011). *Handbook of Research on Ambient Intelligence and Smart Environments: Trends and Perspectives (pp. 220-238).* www.irma-international.org/chapter/home-service-engineering-sensor-networks/54660