Chapter 2 Sampling in Qualitative Research

Musarrat Shaheen IFHE University, India

Sudeepta Pradhan IFHE University, India

Ranajee IFHE University, India

ABSTRACT

The chapter discusses different types of sampling methods used in qualitative research to select information-rich cases. Two types of sampling techniques are discussed in the past qualitative studies—the theoretical and the purposeful sampling techniques. The chapter illustrates these two types of sampling techniques relevant examples. The sample size estimation and the point of data saturation and data sufficiency are also discussed in the chapter. The chapter will help the scholars and researchers in selecting the right technique for their qualitative study.

INTRODUCTION

Compared to the quantitative research, the sampling procedures in qualitative research are not well defined. Selection of participants in qualitative research depends on the purpose of the research and is found to rely heavily on the researcher's discretion. This flexibility in the procedure of sampling in qualitative has led to confusion to some researchers and increases the chances of mistakes (Morse, 1991). Quantitative techniques, however, rely on randomly selected, larger samples. The sampling

DOI: 10.4018/978-1-5225-5366-3.ch002

techniques and logic behind each approach tend to be unique as the purpose of each strategy is different. The logic of probability or random sampling techniques of quantitative research depends on selecting a statistically representative sample from a larger population to get the generalized results.

Citing an instance where a researcher employed random sampling in qualitative research, Morse stated that it violates the principles of sampling method of quantitative research that requires 'an adequate sample size in order to ensure representativeness and the qualitative principle of appropriateness that requires purposeful sampling and a "good" informant" (Morse, 1991, p.127). A good informant is the one who is articulate, reflective and is interested in sharing the information with the interviewers. Qualitative research focuses in-depth on small samples, even a single sampling unit (n = 1), selected purposefully for the study (Patton, 1990). The reliability and generalizability of the findings of qualitative research rely heavily on the information provided by the participants of the sample. Studies have been criticised for not describing in detail the procedure by which respondent is selected which makes the interpretation of the results difficult and also affects the replication of the study (Kitson et al. 1982). To establish rigour and credibility in qualitative studies it is the responsibility of the researcher to select the right technique of sampling (Lowenberg 1993; Sandelowski, 1995).

The chapter intends to discuss the complexity associated with sampling procedure in qualitative research. The different types of sampling techniques used in qualitative research will also be explained to facilitate selection of right kind of sampling technique for the qualitative studies.

QUALITATIVE DESIGNS AND DATA COLLECTION

Qualitative researchers need to answer one important question: How to select samples for the study? In order to analyze the variation among programs, a random sample would be appropriate in order to generalize the findings. Limited resources and limited time tend to force a researcher to evaluate samples and events carefully. They may try looking at extreme cases for more insightful results. The evaluation then focuses on understanding which events are significant. The sample need not be random or excellent or structure, it depends on what the researcher believes to be relevant for their study. Qualitative inquiry works for researchers who can work effectively under ambiguity. Qualitative inquiry has no stringent rules regarding the sample size. It depends on the purpose of the research, what's at stake, what is useful, what is credible, and what is the line of research that can be undertaken within the timeframe and use the resources at hand. The same set of fixed resources and time can be used in various ways. A large sample can be used to study differences in

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/chapter/sampling-in-qualitative-research/207789

Related Content

Data Visualization of Big Data for Predictive and Descriptive Analytics for Stroke, COVID-19, and Diabetes

Richard S. Segalland Soichiro Takashashi (2023). *International Journal of Big Data and Analytics in Healthcare (pp. 1-31).*

www.irma-international.org/article/data-visualization-of-big-data-for-predictive-and-descriptiveanalytics-for-stroke-covid-19-and-diabetes/331996

Identifying the Factors Associated With Inpatient Admissions for Non-COVID-19 Illnesses: Application of Regression Analysis and NFL Theorem Chamila K. Dissanayakeand Dinesh R. Pai (2022). *International Journal of Big Data*

Chamila K. Dissanayakeand Dinesh R. Pai (2022). International Journal of Big Data and Analytics in Healthcare (pp. 1-24).

www.irma-international.org/article/identifying-the-factors-associated-with-inpatient-admissionsfor-non-covid-19-illnesses/312576

Side Channel Attacks in Cloud Computing

Ramanujam Elangovanand Prianga M. (2019). *Cognitive Social Mining Applications in Data Analytics and Forensics (pp. 77-98).* www.irma-international.org/chapter/side-channel-attacks-in-cloud-computing/218393

Attacks on Voice Assistant Systems

Jie Lien, Md Abdullah Al Mominand Xu Yuan (2022). *Security, Data Analytics, and Energy-Aware Solutions in the IoT (pp. 61-77).* www.irma-international.org/chapter/attacks-on-voice-assistant-systems/295901

Development of a New Means to Improve the Performance of Self-Organizing Maps

Vijaya Prabhagar Murugesanand Punniyamoorthy M. (2022). *International Journal of Data Analytics (pp. 1-16).*

www.irma-international.org/article/development-of-a-new-means-to-improve-the-performance-of-self-organizing-maps/307065