

# Chapter 11

## Spectrum Sensing and Identification Techniques of Cognitive Radio Networks

**Rashmi M. Kittali**

*Basaveshwar Engineering College, India*

**Ashok V. Sutagundar**

*Basaveshwar Engineering College, India*

### ABSTRACT

*Cognitive radio emerged as one of the key enabling technologies of dynamic spectrum access, addressing the problem of inefficient usage of the available radio spectrum. It aims at providing more effective and convenient communication capabilities. Cognitive radio which is considered as the key technology for future mobile computing and wireless communications can form cognitive radio networks (CRN) by extending the features of radio link to network layer functions and above. The cognitive radio systems have the ability to exploit the spectrum holes by detecting and using them in an opportunistic manner through spectrum sensing. This chapter will brief the various architectures of cognitive radio networks, terminal capabilities of cognitive radio as nodes of CRN highlighting the spectrum sensing ability and different methods of it, and some applications of CRN.*

### INTRODUCTION

Today, the production of new radio to get advancements is restricted by the deficiency of the accessible radio spectrum. These new innovations are ending up noticeably demanding because of their higher rate prerequisites. Cognitive radio systems and spectrum detecting strategies are a characteristic approach to enable these new advancements to be employed.

The need for higher information rates is expanding therefore of the move from voice-communication to sight and sound sort applications. Given the constraints on the characteristic frequency range, it winds up plainly indicating that the current static frequency allotment plans cannot oblige the prerequisites of an expanding number of higher information rate gadgets. Thus, creative procedures that can offer bet-

DOI: 10.4018/978-1-5225-5354-0.ch011

ter approaches for effectively utilizing the accessible spectrum are required. Cognitive radio emerges to be a fascinating answer for the ghostly blockage issue by presenting entrepreneurial utilization of the spectrum groups that are not vigorously involved by authorized clients (Mitola, & Maguire, 1999; FCC, 2003). While there is no concession to the formal meaning of cognitive radio starting at now, the idea has advanced as of late to incorporate different implications in a few situations. In this chapter, the author utilizes the definition embraced by Federal Correspondences Commission (FCC):


*Cognitive Radio: A radio or system that senses its operational electromagnetic environment and can dynamically and autonomously adjust its radio operating parameters to modify system operation, such as maximize throughput, mitigate interference, facilitate interoperability, access secondary markets. (FCC, 2003)*

Henceforth, one primary part of cognitive radio is identified with independently making use of locally unused spectrum i.e., spectrum holes as in Figure 1 to give new ways for utilizing it in a better way.

A standout amongst the most significant component of the cognitive radio idea is the capacity to quantify, sense, learn, and know about the parameters identified with the radio channel qualities, accessibility of range and power, radio's working condition, client prerequisites and applications, accessible systems (foundations) and hubs, neighborhood arrangements and other working confinements. In cognitive radio diction, primary clients can be characterized as the clients who have higher need or inheritance rights on the use of a particular piece of the spectrum whereas secondary clients, who have down need, employ this range of frequencies without disturbing primary clients. In this way, secondary (optional) clients need cognitive radio abilities, for example, detecting the spectrum dependably to check whether it is being utilized by a primary client and to change the radio parameters to exploit the unused piece of the spectrum.

Being the main objective of this chapter, spectrum detection by a wide margin is the most vital segment for the foundation of cognitive radio. Spectrum sensing is nothing but the process of acquiring knowledge about the spectrum utilization and presence of primary clients in a terrestrial range. This information can be acquired by utilizing geolocation and database, by utilizing reference signals, or by neighborhood spectrum detecting at cognitive radios (Marcus, 2005; Zhao, Morales, Gaeddert, Bae, Um, & Reed, 2007). Whenever reference signals are utilized, the transmitted data can be mixture of spectrum and also other propelled components, for example, channel quality.

*Figure 1. Illustration of spectrum holes*



12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/spectrum-sensing-and-identification-techniques-of-cognitive-radio-networks/210278](http://www.igi-global.com/chapter/spectrum-sensing-and-identification-techniques-of-cognitive-radio-networks/210278)

## Related Content

---

### Applications of Majorization Theory in Space-Time Cooperative Communications

Aydin Sezgin and Eduard A. Jorswieck (2010). *Cooperative Communications for Improved Wireless Network Transmission: Framework for Virtual Antenna Array Applications* (pp. 429-470).

[www.irma-international.org/chapter/applications-majorization-theory-space-time/36559](http://www.irma-international.org/chapter/applications-majorization-theory-space-time/36559)

### Detection of Virtual Private Network Traffic Using Machine Learning

Shane Miller, Kevin Curran and Tom Lunney (2020). *International Journal of Wireless Networks and Broadband Technologies* (pp. 60-80).

[www.irma-international.org/article/detection-of-virtual-private-network-traffic-using-machine-learning/257779](http://www.irma-international.org/article/detection-of-virtual-private-network-traffic-using-machine-learning/257779)

### The Use and Uptake of Information and Communication Technology: A Turkish Case of an Initial Teacher Education Department

Yasemin Krkgöz (2016). *Mobile Computing and Wireless Networks: Concepts, Methodologies, Tools, and Applications* (pp. 773-796).

[www.irma-international.org/chapter/the-use-and-uptake-of-information-and-communication-technology/138209](http://www.irma-international.org/chapter/the-use-and-uptake-of-information-and-communication-technology/138209)

### Networks of Underwater Sensor Wireless Systems: Latest Problems and Threats

Meenu Rani and Poonam Singal (2021). *International Journal of Wireless Networks and Broadband Technologies* (pp. 59-69).

[www.irma-international.org/article/networks-of-underwater-sensor-wireless-systems/272052](http://www.irma-international.org/article/networks-of-underwater-sensor-wireless-systems/272052)

### A New Global Ubiquitous Consumer Environment for 4G Wireless Communications

Ivan Ganchev, Máirtín S. O'Droma, Jeny István Jakab, Zhanlin Ji and Dmitry Tairov (2010). *Fourth-Generation Wireless Networks: Applications and Innovations* (pp. 20-45).

[www.irma-international.org/chapter/new-global-ubiquitous-consumer-environment/40695](http://www.irma-international.org/chapter/new-global-ubiquitous-consumer-environment/40695)