

# Chapter I

## Artificiality in Social Sciences

**Jean-Philippe Rennard**

*Grenoble Graduate School of Business, France*

### ABSTRACT

*This chapter provides an introduction to the modern approach of artificiality and simulation in social sciences. It presents the relationship between complexity and artificiality, before introducing the field of artificial societies which greatly benefited from the fast increase of computer power, gifting social sciences with formalization and experimentation tools previously owned by the “hard” sciences alone. It shows that as “a new way of doing social sciences,” artificial societies should undoubtedly contribute to a renewed approach in the study of sociality and should play a significant part in the elaboration of original theories of social phenomena.*

### INTRODUCTION

The “sciences of the artificial” deal with synthesized things which may imitate natural things, which have functions and goals and which are usually discussed in terms of imperatives as well as descriptives. Imitation with computer is now usually termed simulation and is used to understand the imitated system (Simon, 1996).

*Artificiality* has invaded science over the last thirty years, and physicists, chemists, or biologists now daily use widespread computing tools for simulations. Social sciences did not set

this trend aside (Halpin, 1999). This chapter will first introduce the essential link between complexity and artificiality before presenting the highly promising field of artificial societies.

### Complexity and Artificiality

Since the seminal book of Herbert Simon in 1969 (Simon, 1996), the sciences of the artificial knew a jerky evolution. In the field of artificial intelligence, the excessive ambitions of the sixties were considerably lowered in the seventies, before knowing a new wave of opti-

mism in the mid-eighties. The renewed interest toward artificiality originates in new approaches of artificial intelligence and in the success of the highly innovative related fields of *artificial life* (Langton, 1989) and *artificial societies* (Gilbert & Conte, 1995; Epstein & Axtell, 1996). Artificial life is at the crossroad of the rebirth of artificiality and offers many nice examples illustrating this revival, like this one:

*Many ant species tend to form piles of corpses (cemetery) in order to clean their nest. Experiments with different species showed that if corpses are randomly distributed, ants tend to gather them in some clusters within a few hours.*

Deneubourg et al. (1991) proposed a simple model of corpses gathering (see also Bonabeau, Dorigo, & Théraulaz, 1999). They designed virtual ants having the following behaviors:

- The probability for an ant to pick up a corpse is  $p_p = (k_1 / (k_1 + f))^2$  with  $k_1$  a threshold constant and  $f$  the fraction of perceived corpses in the neighborhood.
- The probability for an ant to deposit a corpse is:  $p_d = (f / (k_2 + f))^2$  with  $k_2$  a threshold constant. Deneubourg et al. (1991) computed  $f$  as the number of items perceived during the last  $t$  periods divided by

the largest number of items that can be encountered during the last  $t$  periods.

To put it simply, virtual ants tend to pick up isolated corpses to drop them in dense zones. The result (see Figure 1) is close to the real phenomenon.

Highly simple virtual individuals (“agents”) without any knowledge of the global process manage to carry out cemetery building. Furthermore, it “suffices” to define different types of objects to obtain sorting capabilities, like for example larval sorting observed in anthills. The gathering or the sorting process *emerges* from the interactions of simple agents.

### Emergence


Emergence can be defined as the qualities or properties of a system which are new compared with the qualities or properties of the components isolated or differently organized (Morin, 1977). According to Gilbert (1995b):

*Emergence occurs when interactions among objects at one level give rise to different types of objects at another level. More precisely, a phenomenon is emergent if it requires new categories to describe it that are not required to describe the behavior of the underlying components. For example, temperature is an emergent property of the motion of atoms. An individual atom has no temperature, but a collection of them does.*

Most authors consider that emergence relies on three conditions:

1. The global process is distributed, there is no central control, and the result depends on the interactions between components.
2. The process is autonomous, there is no external controller.

Figure 1. Virtual ant cemetery



13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/artificially-social-sciences/21116](http://www.igi-global.com/chapter/artificially-social-sciences/21116)

## Related Content

---

### Image Denoising Using Novel Social Grouping Optimization Algorithm with Transform Domain Technique

B V D S Sekhar, P V G D Prasad Reddy, S Venkataramana, Vedula V S S S Chakravarthy and P Satish Rama Chowdary (2019). *International Journal of Natural Computing Research* (pp. 28-40).

[www.irma-international.org/article/image-denoising-using-novel-social-grouping-optimization-algorithm-with-transform-domain-technique/237982](http://www.irma-international.org/article/image-denoising-using-novel-social-grouping-optimization-algorithm-with-transform-domain-technique/237982)

### Performance Evaluation of Feed-Forward Neural Network Models for Handwritten Hindi Characters with Different Feature Extraction Methods

Gunjan Singh, Sandeep Kumar and Manu Pratap Singh (2017). *International Journal of Artificial Life Research* (pp. 38-57).

[www.irma-international.org/article/performance-evaluation-of-feed-forward-neural-network-models-for-handwritten-hindi-characters-with-different-feature-extraction-methods/192176](http://www.irma-international.org/article/performance-evaluation-of-feed-forward-neural-network-models-for-handwritten-hindi-characters-with-different-feature-extraction-methods/192176)

### Framework for Visualization of GeoSpatial Query Processing by Integrating Redis With Spark

S. Vasavi, V.N. Priyanka and Anu A. Gokhale (2019). *International Journal of Natural Computing Research* (pp. 1-25).

[www.irma-international.org/article/framework-for-visualization-of-geospatial-query-processing-by-integrating-redis-with-spark/231570](http://www.irma-international.org/article/framework-for-visualization-of-geospatial-query-processing-by-integrating-redis-with-spark/231570)

### From Biologically Inspired Computing to Natural Computing

Leandro Nunes de Castro and Fernando J. Von Zuben (2005). *Recent Developments in Biologically Inspired Computing* (pp. 1-8).

[www.irma-international.org/chapter/biologically-inspired-computing-natural-computing/28321](http://www.irma-international.org/chapter/biologically-inspired-computing-natural-computing/28321)

### Mathematical Models of Desire, Need, Attention, and Will Effort

Alexander J. Ovsich (2017). *Advanced Research on Biologically Inspired Cognitive Architectures* (pp. 1-37).

[www.irma-international.org/chapter/mathematical-models-of-desire-need-attention-and-will-effort/176191](http://www.irma-international.org/chapter/mathematical-models-of-desire-need-attention-and-will-effort/176191)