

# Chapter 18

## Generative Trees: Architectural Modelling of an Olive to Estimate Morphology and Radiation Relationship

**Primo Proietti**

*Università degli Studi di Perugia, Italy*

**Marco Filippucci**

*Università degli Studi di Perugia, Italy*

**Luigi Nasini**

*Università degli Studi di Perugia, Italy*

**Luca Regni**

*Università degli Studi di Perugia, Italy*

**Antonio Brunori**

*Università degli Studi di Perugia, Italy*

### ABSTRACT

*The research integrates the study of trees with the sciences of representation, in order to investigate the relationship between morphology and light interception in a tree, starting from the case study of an olive, modeled without using automation in survey. The representation of canopy architecture, manipulated for agricultural purposes by men, describes the action of sunlight in the tree, testing the potential of advanced digital design tools, especially the generative modeling. Through the design of a specific algorithm, the tree is interpreted like a fragmented photovoltaic panel, analyzed using 14,000 control points, corresponding to each leaves. The possibility of selecting these classes of elements becomes the instrument in interpreting the canopy structure, by finding categories describing and simulating the annual radiance and illuminance.*

DOI: 10.4018/978-1-5225-7033-2.ch018

## INTRODUCTION

The objective of this study is to analyze the intersections between plant and representation, with the aim to discover new frontiers of knowledge where geometry is the starting point of creative and generative design processes. The chapter describes and quantifies relationship between morphology and light interception in tree and its canopy structure, in order to understand environmental changes effects (Béland et al., 2013), and to acquire elements in the agricultural resource management (Proietti et al., 2008), both connected to photosynthetic activity of tree plantations.

The survey methodology and visual computing potential is transferred from the architectural field to trees studies. In the same way, the research is available for all the modelled plant, therefore it can be applied in other agricultural systems. Nevertheless, in accordance with the bottom-up approach already theorized by Hanan and Room (1996), it starts from a measureable data, hypothesis that allows to develop generalizable theses. The olive tree it has been selected among various plants, being one of the most popular and representative fruit trees in the Mediterranean area, whose anthropization allows to clearly describe the relationship between form and light (Proietti et al., 1988; Proietti et al., 1994). Human intervention, in particular in the pruning of the tree, is aimed to the uniform distribution of the solar radiation on all the leaves of the crown, a technique developed following empirical experience, which has only partly found a more analytical verification.

In order to describe tree with incredible levels of detail, using digital tools hold a great potential. The model conception, as well as survey technique, both represent essential steps, developed with a cross-disciplinary approach, able to deal with complex requirements and evolving data structures, also with simple activity and instrument.

The generic modeling developed and its purely theoretical significance forms the basis for a variety of applications in data interpretation and comparison between different models, evaluations, theories and operational concretizations.

Maybe a theoretical approach in this research could have hidden the operative reason of the study. At the basis of interpretative process is the analysis of relationship between form and light in the examined tree. On the one hand, in order to guarantee an uniform light distribution, through generative model it is possible to select part of the tree to understand its functionality: in this way, all the achieved results can help in selecting pruning choice, or opening to make a comparison among different cultivar, pruning options... on the other hand, starting from the tree representation the selected as generalized case study, all the issues connected to the optimization of sunlight could be simulated in the digital space, with the aim to generate economic advantages.

## BACKGROUND

### Trees, Light, Prunings

The photosynthetic activity of an olive leaf responds to changes in light intensity according to a typical pattern. Photosynthesis does not occur in the absence of light, but there is emission of  $\text{CO}_2$  due to the leaf respiration process (as a consequence of the consumption of carbohydrates). During the growing season, the amount of  $\text{CO}_2$  emitted is around  $1.5 \mu\text{moles CO}_2 \text{ m}^{-2}\text{s}^{-1}$ . Increasing the light intensity, leaves start to photosynthesize; the point of compensation, that is equilibrium point between emitted (breath-

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/generative-trees/212952](http://www.igi-global.com/chapter/generative-trees/212952)

## Related Content

---

### Monetary Value Change of Some Provisioning Ecosystem Services of Middle Draa Valley, South of Morocco

Siham Zerouali, Mohammed Yacoubi-Khebizaand Fadoua El Qorchi (2019). *Climate Change and Its Impact on Ecosystem Services and Biodiversity in Arid and Semi-Arid Zones* (pp. 67-77).

[www.irma-international.org/chapter/monetary-value-change-of-some-provisioning-ecosystem-services-of-middle-draa-valley-south-of-morocco/223755](http://www.irma-international.org/chapter/monetary-value-change-of-some-provisioning-ecosystem-services-of-middle-draa-valley-south-of-morocco/223755)

### Achieving Climate Smart Agriculture with a Sustainable Use of Water: A Conceptual Framework for Sustaining the Use of Water for Agriculture in the Era of Climate Change

Sneha Kumariand Yogesh Patil (2017). *Reconsidering the Impact of Climate Change on Global Water Supply, Use, and Management* (pp. 122-143).

[www.irma-international.org/chapter/achieving-climate-smart-agriculture-with-a-sustainable-use-of-water/171254](http://www.irma-international.org/chapter/achieving-climate-smart-agriculture-with-a-sustainable-use-of-water/171254)

### Knowledge Extraction from Geographical Databases for Land Use Data Production

Hana Alouaoui, Sami Yassine Turkiand Sami Faiz (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1688-1710).

[www.irma-international.org/chapter/knowledge-extraction-from-geographical-databases-for-land-use-data-production/213015](http://www.irma-international.org/chapter/knowledge-extraction-from-geographical-databases-for-land-use-data-production/213015)

### Integrated Management of Water Resources in the Polesie Region

Vasyl Stashuk, Nadia Frolenkovaand Leonid Kozhushko (2023). *Handbook of Research on Improving the Natural and Ecological Conditions of the Polesie Zone* (pp. 417-437).

[www.irma-international.org/chapter/integrated-management-of-water-resources-in-the-polesie-region/324053](http://www.irma-international.org/chapter/integrated-management-of-water-resources-in-the-polesie-region/324053)

### Current Status of the Food Industry in Indonesia

Hendra Wijaya, Zaekhan Zaekhan, Lukman Junaidi, Ning Ima Arie Wardayanie, Yuliasri Ramadhani Meutia, Nona Widharosaand Tita Rosita (2023). *Food Sustainability, Environmental Awareness, and Adaptation and Mitigation Strategies for Developing Countries* (pp. 1-20).

[www.irma-international.org/chapter/current-status-of-the-food-industry-in-indonesia/319448](http://www.irma-international.org/chapter/current-status-of-the-food-industry-in-indonesia/319448)