Chapter 27 Aerial and Remote Sensing Archaeology

Dimitris Kaimaris Aristotle University of Thessaloniki, Greece

Charalampos Georgiadis Aristotle University of Thessaloniki, Greece

Petros Patias Aristotle University of Thessaloniki, Greece

Vassilis Tsioukas Aristotle University of Thessaloniki, Greece

ABSTRACT

New techniques and methodological procedures, which would allow at a short time and at low cost for the identification of a new archaeological site, were always in the interest of archaeologists. In this paper, aerial and remote sensing archaeology issues will be analyzed, both as measuring tools for the documentation of existing archaeological structures as well as tools of archaeology prospection, which are based on the appearance of the reflection of covered structures in images, i.e. the so-called marks.

AERIAL ARCHAEOLOGY

The first aerial photographs of known archaeological sites were made in the early 20th century by a balloon, with the photographs of the Roman Market excavations in Rome in 1899 by the archaeologist Giacomo Boni, and of the Stonehenge in southern England by Captain Sharpe (Guerra & Pilot, 2000; Driver, 2004; Bewley, 2003). Aerial photographs with a camera tied on the belly of a dove (Renfrew, 1996) took place in 1913 during excavations in Sudan by Sir Henry Wellcome.

The First World War marked the beginning of aerial archaeology, using the aircraft as a platform for air photographing of archaeological remains at Mount Sinai by German aviators.

During the 1920s the English archaeologist O.G.S. Crawford, founder of Aerial Archaeology, accidentally observed the formations of covered Celtic constructions in black and white aerial photographs of

DOI: 10.4018/978-1-5225-7033-2.ch027

Aerial and Remote Sensing Archaeology

the Windmill Hill area (England). He was the first to suggest that the covered structures can be observed on aerial photographs, when the conditions permit it. In 1928, he conducted the first, extensive at that time, systematic aerial photography in the Wessex region, emphasizing on the ability of air identification and mapping of covered archaeological remains (Doneus, 1996; Bewley, 2003).

A covered monument can be a "compact structure", e.g. the foundation of a building, or an 'open structure', for example an ancient trench. The interaction of covered monuments with the soil, or vegetation results in the appearance of traces. The types of traces and their intensity depend on the size, depth, and type of the covered monument, the air temperature, the soil, the amount of soil moisture, the type of soil coverage, the type of vegetation, the period and intensity of rainfall, etc. Therefore, different soil moisture and temperature, and, also, qualitative (height, density, color) and temperature difference in the vegetation are caused between the material covering the monument and the material on either side. These differences are recorded on aerial photographs, essentially revealing traces of covered structures (Figure 1).

In 1925, Antoine Poidebard, while presenting the identification of the ancient port in Lebanon, claimed that monuments at shallow depth beneath the sea can be detected in aerial photographs (Renfrew, 1996). In 1921-1922, Wells and McKinley mapped with the help of aerial photographs the monumental mounds of Cahokia near St. Louis (Illinois, USA). Reevers followed with the capture of vertical stereoscopic images in the same area. In 1930 new archaeological sites of the Mayas were identified from aerial photographs taken in Mexico by the Lindberghs (American Society for Photogrammetry and Remote Sensing, 1997).

After the Second World War systematic aerial archaeological researches were conducted both in Europe (mainly Italy, France, Austria, United Kingdom, Netherlands, Germany, Denmark, Sweden) and America (USA, Mexico, Canada) (American Society for Photogrammetry and Remote Sensing, 1997; Alvisi, 1963; American Society of Photogrammetry, 1983; Chevallier, 1963; Jalmain, 1963; Agache,




Figure 1. Anatomy of traces (Kaimaris, 2006)

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/aerial-and-remote-sensing-archaeology/212962

Related Content

Introduction to Phytoremediation

(2020). Nano-Phytoremediation Technologies for Groundwater Contaminates: Emerging Research and Opportunities (pp. 1-7).

www.irma-international.org/chapter/introduction-to-phytoremediation/241164

Sugeno Fuzzy-Inference-System-Based Land Cover Classification of Remotely Sensed Images

Jenicka S. (2019). Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 1247-1283).

www.irma-international.org/chapter/sugeno-fuzzy-inference-system-based-land-cover-classification-of-remotely-sensedimages/212993

Reverse Logistics: Automobile Recalls and Other Conditions

Yasin Galip Gencerand Ulas Akkucuk (2016). Handbook of Research on Waste Management Techniques for Sustainability (pp. 125-154).

www.irma-international.org/chapter/reverse-logistics/141893

Greenhouse Gas Mitigation through Energy Efficiency: Perform, Achieve, and Trade (PAT) – India's Emission Trading Scheme

Ali Reja Osmani (2017). Renewable and Alternative Energy: Concepts, Methodologies, Tools, and Applications (pp. 245-276).

www.irma-international.org/chapter/greenhouse-gas-mitigation-through-energy-efficiency/169598

The Effect of Working Capital Management on Firm's Profitability: Evidence from Istanbul Stock Exchange

Seda Erdogan (2016). Handbook of Research on Waste Management Techniques for Sustainability (pp. 244-261).

www.irma-international.org/chapter/the-effect-of-working-capital-management-on-firms-profitability/141899