Applications of Active Remote Sensing Technologies for Natural Disaster Damage Assessments

Muhammad Tauhidur Rahman

King Fahd University of Petroleum and Minerals, Saudi Arabia

ABSTRACT

Immediately following a natural disaster, it is imperative to accurately assess the damages caused by the disaster for effective rescue and relief operations. Passive remote sensing imageries have been analyzed and used for over four decades for such assessments. However, they do have their limitations including inability to collect data during violent weather conditions, medium to low spatial resolution, and assessing areas and pixels on a damages/no damage basis. Recent advances in active remote sensing data collection methods can resolve some of these limitations. In this chapter, the basic theories and processing techniques of active remote sensing data is first discussed. It then provides some of the advantages and limitations of using active remote sensing data for disaster damage assessments. Finally, the chapter concludes by discussing how data from active sensors are used to assess damages from various types of natural disasters.

INTRODUCTION

Every year, natural hazards such as hurricanes and floods cause immediate destruction and loss of human lives and economic assets both in the United States and around the world. They also cause long-term impacts on ecological conditions and the bio-physical environment. These impacts are a compound result of the disaster itself and existing environmental management practices, but they also shape the management of risks associated with future disasters, including the response and recovery processes. As shown by Hurricane Katrina and Asian Tsunami, post-disaster environmental conditions often exert even more long-lasting adverse multidimensional impacts on human welfare than the disaster itself (Dolfman & Bergman, 2007; Slattery, Willett, Cobb, & Benson, 2010).

DOI: 10.4018/978-1-5225-7033-2.ch045

In 1995, recognizing the range and similarity between environmental and ecological problems that can be induced by disasters, the Federal Emergency Management Agency (FEMA) of the United States has adopted an all- hazards approach to manage and handle disasters and crisis events. The goal of this approach is not only to reduce the risk of loss of life and injuries, but also reduce the economic losses of man-made buildings and infrastructures, and of natural environmental losses including trees and crops from all major natural hazards. To achieve this goal, the U.S. National Academies recommend that researchers as well as emergency management teams use geospatial technologies (GIS and Remote Sensing (RS)) to monitor and assess damages to the natural and built environment immediately following a disaster (Mileti, 1999). Utilizing them will not only help in saving lives but will also allow rescue and relief operations to be carried out smoothly, and societies to get back to normal.

Review of literature show that remote sensing technology has been used extensively to monitor changes in the landscape (Araya & Cabral, 2010; Fichera, 2012; Hassan, Mahmud-Ul-Islam, & Rahman, 2015; Jamali & Rahman, 2016; M. T. Rahman, 2016). However, most of the optical sensors observe change (or damage) in change/no change basis. Due to the medium to large spatial resolution of these sensors, their usability is also limited when damage needs to be assessed at an individual neighborhood basis. For such cases, active remote sensing data such as Light Detection and Ranging (LiDAR) can be used to resolve some of the limitations. They have been used extensively within the last several years to create highly accurate 3D-Maps of the features on earth's surface. They have also been used on moving vehicles to create 360-degrees vertical profiles of buildings, dams, levees, and other structures and assess how much damage they sustained from storms and floods (Zhou, Gong, & Guo, 2015).

In this chapter, the basic theories behind active remote sensing will be first discussed. This will be followed by a discussion on the advantages and limitations of using active remote sensing technologies for disaster damage assessments. Finally, keeping the theme of the book in mind, it will conclude by providing description of how active remote sensing data and technologies can be used to assess damages from various natural disasters.

FUNDAMENTALS OF ACTIVE REMOTE SENSING

Active remote sensing technology primarily includes two types of sensors: RAdio Detection and Ranging (RADAR) and Light Detection and Ranging (LiDAR) sensors. RADAR has been widely used for various purposes including assessing soil moisture, planning transportation routes, analyzing geological features, estimating canopy bulk density and foliage moisture content, exploring minerals, planning land-use, navigating aircraft, modeling hydrologic features, and mapping rivers and large volcanic cones (Kornelsen & Coulibaly, 2013; Soja, Persson, & Ulander, 2015; Zajc, Pogačnik, & Gosar, 2014). It primarily works by having side-looking airborne RADAR (SLAR) apparatus attached to a space shuttle or flying aircraft (Figure 1). The SLAR unit consists of a pulse-generating device, a transmitter, a duplexer, an antenna, a receiver, a recording device, and a monitor or display showing the data being collected from the unit (Campbell & Wynne, 2011). The sensor transmits a microwave (radio) signal at a given frequency towards the target and detects the time it takes to receive the echo back from the surface of the earth. The strength of the backscattered signal is measured to discriminate between different targets and the time delay between the transmitted and reflected signals determines the distance (or range) from the unit to the target. Finally, the recorder displays and records the signal as an image for the analyst

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/applications-of-active-remote-sensing-technologies-for-natural-disaster-damage-assessments/212981

Related Content

Aerial and Remote Sensing Archaeology

Dimitris Kaimaris, Charalampos Georgiadis, Petros Patiasand Vassilis Tsioukas (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 642-660).*www.irma-international.org/chapter/aerial-and-remote-sensing-archaeology/212962

Applications of Active Remote Sensing Technologies for Natural Disaster Damage Assessments

Muhammad Tauhidur Rahman (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 1014-1025).*

www.irma-international.org/chapter/applications-of-active-remote-sensing-technologies-for-natural-disaster-damage-assessments/212981

Role of Remote Sensing in Potential Fishing Zone Forecast

Abhisek Santraand Debashis Mitra (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 199-210).*

 $\underline{www.irma-international.org/chapter/role-of-remote-sensing-in-potential-fishing-zone-forecast/212944}$

Social Media Geographic Information: The Community Perspective in Planning Knowledge

Michele Campagna, Roberta Floris, Pierangelo Massaand Sara Mura (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 39-63).*

www.irma-international.org/chapter/social-media-geographic-information/212936

Anomaly Detection in Hyperspectral Imagery: An Overview

Karim Saheb Ettabaaand Manel Ben Salem (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 1587-1606).*

www.irma-international.org/chapter/anomaly-detection-in-hyperspectral-imagery/213010