# Chapter 59 Context-Aware Personalization for Mobile Services

Abayomi Moradeyo Otebolaku Liverpool John Moores University, UK

> Maria Teresa Andrade University of Porto, Portugal

# ABSTRACT

Audiovisual content consumption on mobile platforms is rising exponentially, and this trend will continue in the next years as mobile devices become more sophisticated. Thus, smartphones are gradually replacing our desktops as they increasingly become cheaper and more powerful with excellent multimedia processing support. As mobile users go about their routines, they continuously browse the web, seeking interesting content to consume, and also uploading personal content. However, users encounter huge volume of content that does not match their preferences, resulting in mobile information overload. Context-aware media personalization (CAMP) was proposed as a solution to this problem. CAMP assists users to select relevant content among alternatives considering users' preferences and contexts. This solution, however, are limited to static contexts. The contribution is mobile context-aware media personalization (MobCAMP), which is a special kind of personalization that utilizes users' contexts and activities to suggest media content according to the user's tastes and contextual situations.

# INTRODUCTION

The last decade has witnessed an unprecedented proliferation of multimedia-enabled mobile devices and an escalation of online multimedia content. In fact, consumption of audiovisual content in diverse mobile platforms has risen exponentially and this trend is expected to continue in the next few years as mobile devices become more and more sophisticated. According to Gartner, a world leading information technology research and advisory company, *Smartphone* sales represented two-thirds of global *mobile phone* market in 2014 with over 1.2 billion units sold (Gartner, 2015). Thus, it appears, smartphones are gradually replacing our desktops as they increasingly become cheaper and more powerful (in terms of processing capability, network connectivity) with excellent multimedia processing support (Flora, 2010;

DOI: 10.4018/978-1-5225-7598-6.ch059

Ricci, 2011). This development indicates global penetration and increasing acceptance of smartphones as the primary platform for information access and processing.

As mobile users go about their daily routines, they continuously browse the Web, seeking interesting content to consume, and occasionally also uploading their personal content. However, users encounter huge volume of content, which often does not match their preferences resulting in what we call *mobile information overload*. To address this problem, user preferences are usually learned to predict relevant content. However, user preferences are dynamic, changing as users move from one place to another, performing different activities. Therefore, it is important to mine, learn and understand contexts in which users perform such activities. This contextual information can be used to filter, customize and deliver interesting content, the process generally referred to as context-aware personalization. Its main goal is to assist users to overcome mobile information overload by selecting from overwhelming set of potential choices, services, etc. that match user's context dependent content to target users, tailoring such services to user's tastes, network and device characteristics. Consequently, users can focus more on important activities, minimizing distractions and time, while consuming multimedia services.

*Context-aware media personalization* (CAMP) has been the focus of researchers addressing mobile multimedia information overload problem in the last years (Ricci, 2011; Otebolaku & Andrade, 2015a; Lee et. al,2015). CAMP assists users to select content among a deluge of alternatives by considering users' preferences and contexts to improve their consumption experience. Existing solutions of this kind, however, are limited to static preferences. The traditional personalization solutions only consider user preferences without contexts such as location, activities, etc. Static solutions are not effective in mobile environments as users are increasingly mobile, moving from one location to another, engaging in diverse activities. For example, the type of content a user would consume at home would be, in most cases, different from those they would consume in the office or at airports. Even those solutions that consider contexts have relied on explicit *contextual information*. For example, they usually ask users to provide their current contexts. Systems relying on this kind of static context information have not been able to address information overload problem. Thus, our contribution to CAMP is Mobile Context-Aware *Media Personalization*(MobCAMP), which we define as a special type of personalization that utilizes user's contexts and activities to select and adapt media content according to user's tastes and contextual situations. Recommendation algorithms currently are the most popular techniques for realizing personalization, whilst context-aware recommendations deal with providing suggestions to users when and where content are needed, context-aware personalization can be used to provide such suggestions when, where and how such content is required.

MobCAMP is proposed as an extension of our previous solution (Otebolaku and Andrade, 2015b), built on a number of existing technologies. First, rapid development in the field of mobile and telecommunication networks enabled ubiquitous communications whereby smartphone users can connect to the Web and consume services anywhere, anytime. With this development, users can access content such as news, music, movies, etc. at their convenience. Second, mobile devices now come with cheap, built-in sensors, enabling ubiquitous context sensing (Otebolaku &Andrade, 2016; Kwapisz et. al., 2010). Sensors such as thermometers, accelerometer (sensing movement), and GPS sensor (sensing location), etc. now ship with smartphones. Third, context-awareness has enabled the ability to deliver personalized information based on user's contextual situations. Information such as location, activity, time, weather, etc. can now be obtained readily in real-time from smartphones. Fourth, traditional recommendation systems have matured, and are helping users to find relevant information (Adomavicius et. al., 2005). These solutions can be explored to realize context-aware mobile multimedia personalization. Thus, Mob-

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/context-aware-personalization-for-mobileservices/214663

# **Related Content**

#### A Secure Architecture for Nomadic User in IMS Network

A. Abou El Kalam, M. Maachaoui, N. Idboufker, H. Ait Lahcenand A.Ait Ouahman (2012). *International Journal of Mobile Computing and Multimedia Communications (pp. 1-17).* www.irma-international.org/article/secure-architecture-nomadic-user-ims/63047

### The Smart Card in Mobile Communications: Enabler of Next-Generation (NG) Services

Claus Dietze (2009). Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 1004-1028).

www.irma-international.org/chapter/smart-card-mobile-communications/26565

#### The Past, Present, and Future of UML

Rebecca Plattand Nik Thompson (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics (pp. 1452-1460).* www.irma-international.org/chapter/the-past-present-and-future-of-uml/214713

#### Multimodality in Mobile Applications and Services

M. Caschera (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 675-681).* www.irma-international.org/chapter/multimodality-mobile-applications-services/17155

# A Proposed Intelligent Denoising Technique for Spatial Video Denoising for Real-Time Applications

Amany Sarhan, Mohamed T. Faheemand Rasha Orban Mahmoud (2010). *International Journal of Mobile Computing and Multimedia Communications (pp. 20-39).* 

www.irma-international.org/article/proposed-intelligent-denoising-technique-spatial/40979