

Chapter 82

A Survey of People Localization Techniques Utilizing Mobile Phones

Levent Bayındır
Ataturk University, Turkey

ABSTRACT

With the ongoing diffusion of mobile computing and context-aware applications, knowledge of the current location of an individual can be leveraged in a number of different domains, from personal diaries and fitness-related applications to human behavior analysis and targeted advertising. This chapter presents a review of past research works describing techniques for utilizing smartphone sensors to identify the environment where a smartphone user is located. The review focuses on studies where user location can be computed autonomously and continuously by a smartphone without the need for an active involvement of the user, and where issues such as power consumption and dependence of sensor readings from the on-body position of the phone are addressed.

INTRODUCTION

With the ongoing diffusion of mobile computing and context-aware applications, knowledge of the current location of an individual can be leveraged in a number of different domains, from personal diaries and fitness-related applications to human behavior analysis and targeted advertising.

Mobile phones are routinely carried by their owner during daily activities, and the embedded sensors commonly found in modern devices can be used to capture data of interest from the area surrounding an individual; these data can then be processed to estimate the current location of the phone user.

Two different categories of localization studies can be identified: indoor/outdoor detection and indoor localization. In the first category, the aim is to differentiate between indoor and outdoor areas, while the second category comprises all the studies addressing the challenges encountered in identifying the location of a person in an indoor environment, where the majority of people spend most of their time, and where the technology typically used for outdoor localization (i.e. satellite-based positioning) is generally not available.

The capability to automatically differentiate between indoor and outdoor environments can be used for example to enable an efficient use of power-hungry sensors such as GPS receivers, possibly selecting

DOI: 10.4018/978-1-5225-7598-6.ch082

alternative localization methods while indoors; applications that recognize and analyze human activities can leverage indoor/outdoor detection for improved accuracy, given that many activities can only be executed either in indoor environments or outdoors; other examples of possible uses are automatic image annotation when a picture is taken with a smartphone, or adaptation of phone settings to the current environment type (e.g. increasing ringer and notification sound volume when outdoors).

A typical use of indoor localization techniques is for personal navigation, especially useful in large buildings such as shopping malls, hospitals, airport terminals, university campuses, or office buildings; more advanced uses are made possible by the proliferation of mobile apps that can leverage location information: for example, a museum visitor can access detailed information about the nearby items on display; a customer in a grocery store can search for a specific product and easily reach the aisle where the product is located; other applications allow precise tracking of people in need of care, such as children, elders or disabled people. In addition, human activity classification algorithms can greatly benefit from knowledge of the physical location of an individual, since in many cases location is highly correlated to the activity being carried out (e.g. sleeping is typically done in the bedroom, and cooking in the kitchen).

This article presents a review of past research works describing techniques for utilizing smartphone sensors to identify the environment where a smartphone user is located. The review focuses on studies where user location can be computed autonomously and continuously by a smartphone, without the need for an active involvement of the user, and where issues such as power consumption and dependence of sensor readings from the on-body position of the phone are addressed.

BACKGROUND

In the last few decades there has been an increasing interest in positioning technologies. The deployment of a number of satellites in the Earth's orbit enabled satellite-based positioning, whose main use case was vehicle navigation, but due to poor performance of this technology in indoor areas, indoor location methods have to rely on other means. The first indoor location techniques required carrying specialized devices and/or deploying ad-hoc hardware in the environment; then, the continuous enhancement of mobile phone sensing and computation capabilities, and the widespread deployment of infrastructure for wireless communication opened new frontiers for indoor localization; now, an increasing number of location-based services are made possible by different technologies for locating people in indoor environments.

Many pervasive computing applications are enabled or can be enhanced by knowledge of the current *user context*; while the exact definition of user context can vary between applications, physical location is an important piece of information in defining the context for many applications. Thus, methods for automatic localization of users can be considered as part of the more general issue of user context recognition (Hoseini-Tabatabaei, Gluhak, & Tafazolli, 2013).

Virtually all sensors and communication interfaces embedded in modern smartphones can be used for localization: receivers for wireless technologies such as GSM, GPS, Wi-Fi, Bluetooth, and even FM radio can detect and identify existing infrastructure such as cell towers or Wi-Fi access points; inertial and orientation sensors can detect physical movements and orientation changes of the phone, and thus their readings can be correlated to movements of the phone user; other sensors can capture characteristics of the surrounding environment from which useful information for localization can be extracted.

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-survey-of-people-localization-techniques-utilizing-mobile-phones/214686

Related Content

Health Wearables Turn to Fashion

Lambert Spaanenburg (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 912-922).

www.irma-international.org/chapter/health-wearables-turn-to-fashion/214670

The Influence of Image on the Acceptance of Mobile Technology: A Small Businesses Perspective

Renatus Michael Mushi (2022). *International Journal of Mobile Devices, Wearable Technology, and Flexible Electronics* (pp. 1-9).

www.irma-international.org/article/the-influence-of-image-on-the-acceptance-of-mobile-technology/311434

Partial Global Indexing for Location-Dependent Query Processing

J. Jayaputera (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 739-743).

www.irma-international.org/chapter/partial-global-indexing-location-dependent/17166

Healthcare Data Analysis in the Internet of Things Era

George Tzanis (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 589-601).

www.irma-international.org/chapter/healthcare-data-analysis-in-the-internet-of-things-era/214645

A Novel Application Offloading Algorithm and an Optimized Application Servers Placement for Mobile Cloud Computing

Amal Ellouzeand Maurice Gagnaire (2015). *International Journal of Handheld Computing Research* (pp. 19-38).

www.irma-international.org/article/a-novel-application-offloading-algorithm-and-an-optimized-application-servers-placement-for-mobile-cloud-computing/148287