Chapter 80 Search of Web Service Based on Weighted Association Rule

Lei Wang Shanghai University, China

Lingyu Xu Shanghai University, China

Yunlan Xue Shanghai University, China

Gaowei Zhang Shanghai University, China

Xiangfeng Luo Shanghai University, China

ABSTRACT

The rapid growth of web services need efficiently discovering the desired web services for the users. Web service interfaces are defined with WSDL that is described by a bag of terms. Many similarity metrics are proposed to solve this problem, it is hardly to resolve the problem that only few pairs of terms between two services have high semantic distance, the semantic distance of other terms between two services are low. Using traditional keyword search metrics may acquire a wrong result that these two web services are similar, in addition, semantics of the web services is hardly to exploit. In this work the authors firstly help the request service to find the services that belong to the same class, and then they use association rule to find terms that are often appear together and find the most similar terms. The authors weaken the weight of the most similar term contained in an association rule and enhance the other terms' weight contained in an association above. The experiments show that our approach outperforms some searching methods.

DOI: 10.4018/978-1-5225-7501-6.ch080

1. INTRODUCTION

Service-oriented computing has been widely applied in a variety of fields. A web service is composed of a series of operations. And each operation takes a SOAP package containing a list of input parameters, fulfills a certain task, and returns the result in an output SOAP package. A lot of enterprises are increasingly relying on web services as a method to provide services to the user. The rapid increasing of web services will bring a very challenging problem: how to accurately find the required web service.

To solve this problem, the current web service discovery methods are mainly divided into two categories (Hua, Liu, & Liu, 2008; Lv, Yang, & Yang, 2009): one is based on semantics, and the other is based on syntax known as a traditional web service discovery method. Traditional web service discovery method uses UDDI (Universal Description, Discovery and Integration)(WWW Companion, 2004)as an information registration specification and uses the language of WSDL (Web Services Description Language) (Christensen, Curbera, & Meredith, 2001) to describe the Web service. And the use of exactly match keyword-based algorithm can achieve web service matching. These two kinds of methods have some problems as follows: (1) semantics-based methods such as OWL-S (Martin, & Burstein, 2007) and WSMO (Battle, Bernstein & Boley, 2005) use formal language to describe web services, and develop similar algorithm based on reasoning similarity to search services. However, semantic annotation is an artificial process, and it also requires people to study the body and to mark the web services. However, web service providers and requesters may not use the same ontology, and ontology may contain a large number of concepts. Therefore, although accuracy is improved, time is wasted, the workload is still unpredictable; (2) There are some classic information retrieval algorithms based on WSDL. Some terms extracted from WSDL based on XML to form a vector, and use the traditional similarity algorithm to directly calculate the similarity of web services. This kind of method is very inefficient, because it is based on terms frequency, and these terms obtained from the WSDL document is relatively small and the frequency of occurrence is relatively low. Considering the problems above, Woogle (Dong, Halevy, Madhavan, Nemes & Zhang, 2009) and URBE (Plebani & Pernici, 2009) have been built. They use semantics of terms extracted from WSDL documents to support the calculation method of similarity. Some meaningful concepts are clustered from parameter names collected in web services in (Dong, Halevy, Madhavan, Nemes & Zhang, 2009), and then use the TF/IDF algorithm in these concepts to get similarity of services. The author in (Plebani & Pernici, 2009) utilizes additional knowledge, the lexical database and Wordnet to obtain the semantic distance of terms extracted from the operations, input/output parameters inside WSDL. Apart from the two representative methods, other numerous techniques have also been developed (Hess & Kushmerick, 2003; D.-S., & Coalition. Daml-s, 2002; Paolucci, Kawmura, Payne, & Sycara, 2002). Despite that much progress has been made, most of them employ information available only within the descriptions of services and hence only single similarity metric is applied. These restrictions often lead to the dilemma that no matter which metric we select, there are cases that we can't deal with correctly as illustrated below.

A service is regarded as a bag of words, the similar services will be calculated based on these semantic distance. Despite great progress has been achieved, these methods cannot correctly meet the following case.

In this case, all the terms described service in Figure 1 is taken from the WSDL documents in the name of the operation. Eight services are respectively divided in 3 categories. r_1 and r_2 are request services provided by users or developers. r_1 needs the services to provide comedy, and r_2 requires to provide the Apple co-company's services.

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/search-of-web-service-based-on-weighted-</u> association-rule/217901

Related Content

A Framework and Protocols for Service Contract Agreements Based on International Contract Law

Michael Parkin, Dean Kuoand John Brooke (2012). Innovations, Standards and Practices of Web Services: Emerging Research Topics (pp. 216-231).

www.irma-international.org/chapter/framework-protocols-service-contract-agreements/59925

Web Service Discovery and Composition for Virtual Enterprises

Jürgen Dorn, Peter Hrastnikand Albert Rainer (2007). *International Journal of Web Services Research (pp. 23-39).*

www.irma-international.org/article/web-service-discovery-composition-virtual/3093

Teaching Visualisation in the Age of Big Data: Adopting Old Approaches to Address New Challenges

Belinda A. Chieraand Malgorzata W. Korolkiewicz (2019). Web Services: Concepts, Methodologies, Tools, and Applications (pp. 1146-1165).

www.irma-international.org/chapter/teaching-visualisation-in-the-age-of-big-data/217881

A Survey of Cloud-Based Services Leveraged by Big Data Applications

S. ZerAfshan Goher, Barkha Javedand Peter Bloodsworth (2019). *Web Services: Concepts, Methodologies, Tools, and Applications (pp. 1706-1716).* www.irma-international.org/chapter/a-survey-of-cloud-based-services-leveraged-by-big-data-applications/217910

Adoption of Web Services in Digital Libraries: An Exploratory Study

Fatih Oguz (2009). *Managing Web Service Quality: Measuring Outcomes and Effectiveness (pp. 307-320).* www.irma-international.org/chapter/adoption-web-services-digital-libraries/26085