

Chapter 2.26

Auto–Personalization Web Pages

Jon T. S. Quah

Nanyang Technological University, Singapore

Winnie C. H. Leow

Singapore Polytechnic, Singapore

K. L. Yong

Nanyang Technological University, Singapore

INTRODUCTION

This project experiments with the designing of a Web site that has the self-adaptive feature of generating and adapting the site contents dynamically to match visitors' tastes based on their activities on the site. No explicit inputs are required from visitors. Instead a visitor's clickstream on the site will be implicitly monitored, logged, and analyzed. Based on the information gathered, the Web site would then generate Web contents that contain items that have certain relatedness to items that were previously browsed by the visitor. The relatedness rules will have multidimensional aspects in order to produce cross-mapping between items.

The Internet has become a place where a vast amount of information can be deposited and also

retrieved by hundreds of millions of people scattered around the globe. With such an ability to reach out to this large pool of people, we have seen the expulsion of companies plunging into conducting business over the Internet (e-commerce). This has made the competition for consumers' dollars fiercely stiff. It is now insufficient to just place information of products onto the Internet and expect customers to browse through the Web pages. Instead, e-commerce Web site designing is undergoing a significant revolution. It has become an important strategy to design Web sites that are able to generate contents that are matched to the customer's taste or preference. In fact a survey done in 1998 (GVU, 1998) shows that around 23% of online shoppers actually reported a dissatisfying experience with Web sites that are confusing or disorganized. Personalization features on the

Web would likely reverse this dissatisfaction and increase the likelihood of attracting and retaining visitors.

Having personalization or an adaptive site can bring the following benefits:

1. Attract and maintain visitors with adaptive contents that are tailored to their taste.
2. Target Web contents correspondingly to their respective audience, thus reducing information that is of no interest to the audience.
3. Advertise and promote products through marketing campaigns targeting the correct audience.
4. Enable the site to intelligently direct information to a selective or respective audience.

Currently, most Web personalization or adaptive features employ data mining or collaborative filtering techniques (Herlocker, Konstan, Borchers, & Riedl, 1999; Mobasher, Cooley, & Srivastava, 1999; Mobasher, Jain, Han, & Srivastava, 1997; Spiliopoulou, Faulstich, & Winkler, 1999) which often use past historical (static) data (e.g., previous purchases or server logs). The deployment of data mining often involves significant resources (large storage space and computing power) and complicated rules or algorithms. A vast amount of data is required in order to be able to form recommendations that made sense and are meaningful in general (Claypool et al., 1999; Basu, Hirsh, & Cohen, 1998).

While the main idea of Web personalization is to increase the 'stickiness' of a portal, with the proven presumption that the number of times a shopper returns to a shop has a direct relationship to the likelihood of resulting in business transactions, the method of achieving the goal varies. The methods range from user clustering and time framed navigation sessions analysis (Kim et al., 2005; Wang & Shao, 2004), analyzing relationship between customers and products (Wang, Chuang, Hsu, & Keh, 2004), performing collaborative filtering and data mining on transaction data (Cho

& Kim, 2002, 2004; Uchyigit & Clark, 2002; Jung, Jung, & Lee, 2003), deploying statistical methods for finding relationships (Kim & Yum, 2005), and performing recommendations bases on similarity with known user groups (Yu, Liu, & Li, 2005), to tracking shopping behavior over time as well as over the taxonomy of products. Our implementation works on the premise that each user has his own preferences and needs, and these interests drift over time (Cho, Cho, & Kim, 2005). Therefore, besides identifying users' needs, the system should also be sensitive to changes in tastes. Finally, a truly useful system should not only be recommending items in which a user had shown interest, but also related items that may be of relevance to the user (e.g., buying a pet => recommend some suitable pet foods for the pet, as well as suggesting some accessories that may be useful, such as fur brush, nail clipper, etc.). In this aspect, we borrow the concept of 'category management' use in the retailing industry to perform classification as well as linking the categories using shared characteristics. These linkages provide the bridge for cross-category recommendations.

DESCRIPTION OF SYSTEM

In this article, we seek to provide an adaptive feature using a fast and cost-effective means. The aim is to provide adaptiveness in the sense that when a visitor selects the next link or a new page, the contents of the page generated will have relatedness to previous pages' contents. This adaptive feature will be immediate and will not experience delay or repetitive computational filtering problems, as compared to using mining or collaborative filtering (Claypool et al., 1999; Basu et al., 1998).

The rules-based technique offers an excellent and flexible mechanism to specify rules that map categories that exhibit relatedness among themselves (IBM, 2000). Adding new product

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/auto-personalization-web-pages/22286

Related Content

Enhancing Self-Reflection with Wearable Sensors Workshop: A Commentary on the ACM MobileHCI 2014 Workshop

Genovefa Kefalidou, Vicky Shipp, James Pinchin and Alan Dix (2015). *International Journal of Mobile Human Computer Interaction* (pp. 93-101).

www.irma-international.org/article/enhancing-self-reflection-with-wearable-sensors-workshop/128326

The Systems Forum: What Value Have Systems Ideas in Making Sense of The Complexity of Issues Like Migration?

Ian Roderick and Frank Stowell (2016). *International Journal of Systems and Society* (pp. 50-73).

www.irma-international.org/article/the-systems-forum/172783

Behavioral Intention of Women to Use E-Learning

Hasan A. Abbas (2024). *International Journal of Technology and Human Interaction* (pp. 1-26).

www.irma-international.org/article/behavioral-intention-of-women-to-use-e-learning/343520

Youth, Sexuality and the Internet: Young People's Use of the Internet to Learn About Sexuality

Kristian Daneback and Cecilia Löfberg (2011). *Youth Culture and Net Culture: Online Social Practices* (pp. 190-206).

www.irma-international.org/chapter/youth-sexuality-internet/50700

Awareness-Based Recommendation Toward a New Preference: Evaluation of the Awareness Effect

Tomohiro Yamaguchi, Takuma Nishimura and Keiki Takadama (2019). *Human Performance Technology: Concepts, Methodologies, Tools, and Applications* (pp. 572-593).

www.irma-international.org/chapter/awareness-based-recommendation-toward-a-new-preference/226582