

# Chapter 63

## Spatial Data Mining, Spatial Data Warehousing, and Spatial OLAP

**Amira M. Idrees**  
*Fayoum University, Egypt*

**Mostafa Lamlom Ahmed Khaled**  
*Institute of Statistical Studies and Research, Egypt*

**Amal Hassan Ali Talkhan**  
*Institute of Statistical Studies and Research, Egypt*

### ABSTRACT

*Data mining is one of the current vital fields for all types of data including spatial data. An example of useful extracted patterns from spatial data is to describe changes in metropolitan poverty rates based on city distances from major highways. Geospatial is a term that has recently been gaining in popularity; moreover, many applications on geospatial have different uses in different fields such as geo-tagging, geospatial technology, and geo-fencing. Analyzing spatial data is considered a complex task due to its details as it is related to locations with a special representation such as longitude and latitude. Other attributes are involved in the description of objects which can be analyzed using different data mining techniques. In this chapter, a demonstration of the basic information is performed considering spatial data and spatial data mining including all aspects such as the different type of data, different methods of analysis, different mining techniques, and other related topics.*

### AN INTRODUCTION TO GEO-SPATIAL DATA

GIS (Geographic Information System) simply considered a computer system that enables users to do some analytical processing by capturing, storing, retrieving, sorting, and comparing spatial data. GIS provides various types of patterns displayed on different kinds of generated map with different resolutions that allow users to see the map features more easily and clearly which enable them to more understand the relationships among these patterns (ESRI, 2015) .

DOI: 10.4018/978-1-5225-8054-6.ch063

GIS provides user with detailed gathered information about geographic places and their spatial relationships. It is considered as a framework concerned with collecting information, providing relationships and making some analytical image processing (ESRI, 2015) .

GIS provides a set of layers as in Figure 1 after interpreting and translating the captured features on a map. These layers represent the spatial data and the relationships among them that reflected from the map processing like for example roads, rivers and political boundaries as in Figure 1 (ESRI, 2015).

## Spatial Data

Simply is the information about the locations and geographic features reflected on the processed maps stored as coordinates and topology (ESRI, 2015). There are two main types of spatial data Raster data and Vector data providing different ways in representing and storing data (ESRI, 2015).


## Vector Data

Represents data of the real world patterns as points, line and polygons. Streets, Land parcels and lighting poles are examples of vector data storing them as separated boundaries (ESRI, 2015).

The spatial objects are stored using data structures as point, Line and Polygon in the vector as the following (Kuba, 2001)

- **Point:** Simply defined by its coordinates.
- **Line:** The sequence of points connected together within a line.
- **Polygon:** The sequence of connected lines.

*Figure 1. Data layers*



29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/spatial-data-mining-spatial-data-warehousing-and-spatial-olap/222955](http://www.igi-global.com/chapter/spatial-data-mining-spatial-data-warehousing-and-spatial-olap/222955)

## Related Content

---

### Reference Services

Ardis Hanson (2008). *Integrating Geographic Information Systems into Library Services: A Guide for Academic Libraries* (pp. 175-201).

[www.irma-international.org/chapter/reference-services/24024](http://www.irma-international.org/chapter/reference-services/24024)

### GIS-Based Logistic Regression for Landslide Susceptibility Analysis in Western Washington State

Lucas A. Dailey and Sven Fuhrmann (2017). *International Journal of Applied Geospatial Research* (pp. 1-19).

[www.irma-international.org/article/gis-based-logistic-regression-for-landslide-susceptibility-analysis-in-western-washington-state/175834](http://www.irma-international.org/article/gis-based-logistic-regression-for-landslide-susceptibility-analysis-in-western-washington-state/175834)

### Costs and Benefits of GIS in Business

James Pick (2005). *Geographic Information Systems in Business* (pp. 56-79).

[www.irma-international.org/chapter/costs-benefits-gis-business/18863](http://www.irma-international.org/chapter/costs-benefits-gis-business/18863)

### Geovisualization of Socio-Spatial Data on Outdoor Activities and Values in the Southern Appalachians

Diane M. Styers, G. Rebecca Dobbs, Lee K. Cervený and Isaac T. Hayes (2018). *International Journal of Applied Geospatial Research* (pp. 55-80).

[www.irma-international.org/article/geovisualization-of-socio-spatial-data-on-outdoor-activities-and-values-in-the-southern-appalachians/204553](http://www.irma-international.org/article/geovisualization-of-socio-spatial-data-on-outdoor-activities-and-values-in-the-southern-appalachians/204553)

### Spatiotemporal Pattern Analysis of Rapid Urban Expansion Using GIS and Remote Sensing

Hyun Joong Kim (2010). *International Journal of Applied Geospatial Research* (pp. 55-70).

[www.irma-international.org/article/spatiotemporal-pattern-analysis-rapid-urban/42130](http://www.irma-international.org/article/spatiotemporal-pattern-analysis-rapid-urban/42130)