

Chapter 1

Advancements in Cardiovascular Diagnostics

Yan Li

Cleveland Clinic, USA

Karen L. Fang

Cleveland Clinic, USA

Zhi Huang

Cleveland Clinic, USA

Yun Lu

No. 1 Hospital of Lanzhou University, China

Bin Zhang

Mayo Clinic, USA

Yali Yao

No. 1 Hospital of Lanzhou University, China

ABSTRACT

The cardiology diagnostic are the methods of identifying current or past heart conditions, which can advise caregivers on patient diagnosis and provide a proper therapy plan, nowadays couple new diagnostic methods have been developed and some of them like radionuclide myocardial perfusion imaging, coronary computed tomography angiogram, cardiac magnetic resonance imaging, intravascular ultrasonography, optical coherence tomography, intravascular thermography, intravascular elastography, and near-infrared spectroscopy have been approved for clinical use. Not only the advanced technologies, the new biomarkers, and genetic markers may provide new potential targets for the diagnosis, therapy, and prevention of heart diseases.

DOI: 10.4018/978-1-5225-8185-7.ch001

INTRODUCTION

Since the x-ray was first applied to the chest in 1895 and the original galvanometer electrocardiogram was created by Dr. Willem Einthoven in 1902, cardiologists have been working to augment their history and physical exam with new objective information gleaned by the various technological advancements of each historical era. The first three-lead electrocardiographic machine was bought for everyday clinical use in 1908 by Sir Edward Schafer of the University of Edinburgh, and was used primarily to study arrhythmias. The idea of the myocardial infarction developed in 1910, and it was found by 1930 that the readout from an electrocardiogram could often produce patterns pathognomonic enough to diagnose cardiac-related chest pain. By 1954, the electrocardiogram had gradually developed into the 12-lead system used ubiquitously today by family practitioners and cardiologists alike (AlGhatrif & Lindsay, 2012). From these beginnings, the field of cardiovascular diagnosis has burst forth in leaps and bounds: within the last 25 years, ever-improving imaging techniques and laboratory assays for increasingly sensitive and specific biomarkers for cardiac muscle disruption have taken their places next to the electrocardiogram as pillars of cardiovascular diagnosis and care (Dolci & Panteghini, 2006). This chapter works to provide an updated snapshot of the current field, with a focus on areas in which great improvements have been made in the last few decades and a nod to the great discoveries now visible just beyond the next bend in the road.

Advancements in Disease Diagnosis

Real-Time Cardiac Monitors

The electrocardiogram (EKG) excels as a first-line diagnostic tool in cardiology because it is a noninvasive, inexpensive, and well-established test capable of providing a wealth of diagnostic information. The 12-lead system may not have changed in the last 60 years, but improvements and new applications are always of interest. One new direction in which the use of EKGs has been rapidly expanding is in monitoring at-risk patients in the community as they go about their daily lives. There is only so much any stress test in the hospital can show – many arrhythmias have previously gone undetected until they cause severe cardiac events, because it has been impossible to analyze a patient's intermittent arrhythmia unless the EKG is performed while the pathologic heart rhythm is actively happening.

The Holter monitor, a small battery-operated recorder that is capable of recording 2 or 3 channels of the standard 12-lead EKG, has been the mainstay of ambulatory monitoring since its inception in the 1980's (Barry, Campbell, Nabel, Mead, & Selwyn, 1987). The Holter can record patient-activated event markers, and it is cheap and records continuously, thereby allowing for the detection of asymptomatic arrhythmias. Unfortunately, monitoring in this way is limited, usually to 24-48 hours at a time. Wearing the device, with its external electrodes, may do more than inconvenience the patients for a day or two; it may also deter patients from going about all of their normal daily activities, thus causing the Holter to miss any arrhythmias generated by motions or situations which the patient avoids out of discomfort (Giada, Bertaglia, Reimers, Noventa, & Raviele, 2012).

Since then, new devices have been developed which are capable of transmitting information via telephone lines to the hospital, of storing and sending information recorded in the minutes before activation (loop recording), and of recognizing when an arrhythmia is occurring and activating automatically, then sending the information to a real-time station monitored by medical personnel.

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/advancements-in-cardiovascular-diagnostics/225352

Related Content

Coronary Artery Disease

Rakesh C. Arora and Rohit Singal (2015). *Modern Concepts and Practices in Cardiothoracic Critical Care* (pp. 643-682).

www.irma-international.org/chapter/coronary-artery-disease/136926

Antiarrhythmics, Inotropes, and Vasopressors

Bethany R. Tellor and Keki R. Balsara (2015). *Modern Concepts and Practices in Cardiothoracic Critical Care* (pp. 237-252).

www.irma-international.org/chapter/antiarrhythmics-inotropes-and-vasopressors/136912

Forensic Assessment of Natural Unexpected Cardiovascular Death

Gulnaz T. Javan, Sheree J. Finley and Sait Ozsoy (2017). *Emerging Applications, Perspectives, and Discoveries in Cardiovascular Research* (pp. 322-339).

www.irma-international.org/chapter/forensic-assessment-of-natural-unexpected-cardiovascular-death/176227

Cardiac Remodeling Under Hyperoxic Conditions: Hyperoxia and Heart Diseases

Siva Kumar Panguluri (2019). *Coronary and Cardiothoracic Critical Care: Breakthroughs in Research and Practice* (pp. 322-345).

www.irma-international.org/chapter/cardiac-remodeling-under-hyperoxic-conditions/225369

Image Fusion Method and the Efficacy of Multimodal Cardiac Images

Tadanori Fukami and Jin Wu (2019). *Coronary and Cardiothoracic Critical Care: Breakthroughs in Research and Practice* (pp. 128-137).

www.irma-international.org/chapter/image-fusion-method-and-the-efficacy-of-multimodal-cardiac-images/225358