

Chapter 13

Motor Imagery Classification Using EEG Signals for Brain–Computer Interface Applications

Subrota Mazumdar

Kalinga Institute of Industrial Technology University, India

Rohit Chaudhary

Kalinga Institute of Industrial Technology University, India

Suruchi Suruchi

Kalinga Institute of Industrial Technology University, India

Suman Mohanty

Kalinga Institute of Industrial Technology University, India

Divya Kumari

Kalinga Institute of Industrial Technology University, India

Aleena Swetapadma

Kalinga Institute of Industrial Technology University, India

ABSTRACT

In this chapter, a nearest neighbor (k -NN)-based method for efficient classification of motor imagery using EEG for brain-computer interfacing (BCI) applications has been proposed. Electroencephalogram (EEG) signals are obtained from multiple channels from brain. These EEG signals are taken as input features and given to the k -NN-based classifier to classify motor imagery. More specifically, the chapter gives an outline of the Berlin brain-computer interface that can be operated with minimal subject change. All the design and simulation works are carried out with MATLAB software. k -NN-based classifier is trained with data from continuous signals of EEG channels. After the network is trained, it is tested with various test cases. Performance of the network is checked in terms of percentage accuracy, which is found to be 99.25%. The result suggested that the proposed method is accurate for BCI applications.

DOI: 10.4018/978-1-5225-8567-1.ch013

INTRODUCTION

Until now, health research in developing countries like India has focused on highly pervasive infectious diseases and malnutrition. But, it is becoming increasingly important to study brain disorders as well, says an international team of neuroscientist. Types of brain imaging techniques prevalent now are fMRI, CT, PET, EEG etc. EEG is used to show brain activity in certain psychological states, such as alertness or drowsiness. It is useful in the diagnosis of seizures and other medical problems that involve an overabundance or lack of activity in certain parts of the brain. It can also be used for brain computer interface applications mostly helpful for paralyzed persons. Various methods have been suggested for motor imagery classification some of which are discussed below.

In Qin, Ding, and He (2005), source analysis methods such as dipole localization and cortical imaging have been applied to classification of motor imagery tasks for BCI applications. A combination of source analysis approach with signal pre-processing for classification of motor imagery tasks has been used which has classification rate of about 80%. In Sitaram et al. (2007), multichannel near-infrared spectroscopy (NIR) is studied for the development of BCI. Support vector machines (SVM) and hidden Markov model (HMM) are the pattern recognition algorithms which are used here for classification purpose. The result shows that the classification of left-hand imagery from right-hand imagery is done by SVM with an average accuracy of 73%. In Leuthardt, Schalk, Wolpaw, Ojemann, and Moran (2004), it has been shown that electrocorticographic (ECoG) based BCI is better than electroencephalographic (EEG) based BCI. It discusses that EEG based BCI works from the scalp or a single-neuron activity from within the brain is used. But both methods have disadvantages as EEG is inefficient and needs extensive training whereas the method involving single neuron can cause clinical risks.

In Wairagkar (2014), non linear artificial neural network (ANN) classifiers are combined with the signal processing techniques for classifying motor imagery for BCI. The communication with external devices such as computers can be done directly by brain with the help of BCI without using any motor pathways. The classification of the rest state, the right hand imagery and the left hand imagery could be done by BCI by using artificial neural network. Various features are classified into two classes using the non-linear radial basis function based (ANN) classifiers. The result for classifying imaginary hand movements of 16 different subjects shows 80% accuracy. In Batres-Mendoza et al. (2017), one of the most important phases in systems using BCI devices has been discussed which is feature extraction. Quaternion-based signal analysis (QSA) has been presented in this work with improved version called iQSA method. It is used in EEG signal feature extraction for real time which involves mental tasks using motor imagery. The results for QSA shows 3.31% to 40.82% without sampling window and from 33.44% to 41.07% with sampling window. iQSA method has 82.3% accuracy rate for 0.5 s sample and 73.16% accuracy rate for 3s sample.

In Millán, Renkens, Mouriño, and Gerstner (2003), a method had been proposed based on the recent experiments which show that the movement of robotics and prosthetic devices can be controlled by the use of brain electrical activity. A portable non-invasive BCI has been used which can control a mobile robot in home like environment. Advanced robotics, protocol for the analysis of online EEG signal and machine learning algorithms to report first results of a brain-actuated mobile robot by means of a portable non-invasive BCI. Various classification algorithms used to design BCI systems based on EEG are reviewed in Lotte, Congedo, Lsecuyer, Lamarche, and Arnaldi (2007) which focus on five different

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/motor-imagery-classification-using-eeg-signals-for-brain-computer-interface-applications/230119

Related Content

Childhood Neurodegenerative Disorders

Lal Devayanivasudevan Nair (2019). *Handbook of Research on Critical Examinations of Neurodegenerative Disorders* (pp. 385-412).

www.irma-international.org/chapter/childhood-neurodegenerative-disorders/209106

Machine Learning-Based Application for Long-Term Electrocardiogram Analysis

Jonathan Araujo Queiroz, Juliana M. Silva, Yonara Costa Magalhães, Will Ribamar Mendes Almeida, Bárbara Barbosa Correia, José Ricardo Santo de Lima, Edilson Carlos Silva Lima, Marcos Jose Dos Passos Saand Allan Kardec Barros Filho (2024). *Advances in Neuroscience, Neuropsychiatry, and Neurology* (pp. 51-64).

www.irma-international.org/chapter/machine-learning-based-application-for-long-term-electrocardiogram-analysis/342883

Executive Functions and Sociocognitive Abilities in Natural Metalanguage: The Case of Reported Speech

David Navarro Ciurana (2022). *Handbook of Research on Neurocognitive Development of Executive Functions and Implications for Intervention* (pp. 79-100).

www.irma-international.org/chapter/executive-functions-and-sociocognitive-abilities-in-natural-metalanguage/300936

Neuroscience of Social Understanding

Richa Thackerand K. Jayasankara Reddy (2024). *Cognitive Behavioral Neuroscience in Organizational Settings* (pp. 37-64).

www.irma-international.org/chapter/neuroscience-of-social-understanding/349322

Latest Advancements in Wearable Devices: A Review

Mohit Angurala (2022). *Futuristic Design and Intelligent Computational Techniques in Neuroscience and Neuroengineering* (pp. 58-64).

www.irma-international.org/chapter/latest-advancements-in-wearable-devices/294591