Chapter III

Integrated Goal, Data and Process Modeling: From TEMPORA to Model-Generated Work-Places

John Krogstie, Norwegian University of Science and Technology, Norway

Abstract

In organizations, goals and rules on different levels ranging from visions, to strategies, tactics, and operational goals have been expressed for a long time. In the IS-field, the interest on goals and rules has come from two directions. A) Business goals for use in requirements specification. B) Rule-based (expert) systems, focusing on automation of rule-execution. We were already 15 years ago involved in an EU-project Tempora together with Benkt Wangler and others where we tried to combine these worlds. Although able to produce interesting prototypes, the approaches we used then proved to be difficult to

Copyright © 2008, IGI Global. Copyright or distributing in print or electronic forms without written permission of IGI Global is prohibited.

scale to an industrial setting. 15 years later we are involved in taking these approaches to a new level. We will in this paper present our approach to combining goal, data, resource and process modeling, in the support of the development and user-led evolution of what we term Model-generated Workplaces (MGWP), with an emphasis on the use of goal and rule-modeling in combination with process modeling. A case study extending an ongoing industrial trial of production rule systems is provided to illustrate some of the benefits of the approach.

Introduction

Goal-oriented modeling focuses on goals and rules. A *rule* is something which influences the actions of a set of actors. A rule is either a rule of necessity or a deontic rule (Wieringa, 1989). A rule of necessity is a rule that must always be satisfied. A deontic rule is a rule which is only socially agreed among a set of persons and organizations. A deontic rule can thus be violated without redefining the terms in the rule. A deontic rule can be classified as being an obligation, a recommendation, permission, a discouragement, or a prohibition (Krogstie and Sindre, 1996).

The general structure of a rule is

"if condition then expression"

where *condition* is descriptive, indicating the scope of the rule by designating the conditions in which the rule apply, and the *expression* is prescriptive. According to Twining & Miers (1982) any rule, however expressed, can be analyzed and restated as a compound conditional statement of this form.

Representing knowledge by means of rules is not a novel idea. According to (Davis & King, 1977), production systems were first proposed as a general computational mechanism by Post in 1943. Today, goals and rules are used for knowledge representation in a wide variety of applications.

Several advantages have been experienced with a declarative, rule-based approach to information systems modeling (Krogstie and Sindre, 1996):

• Problem-orientation. The representation of business rules declaratively is independent of what they are used for and how they will be implemented. With an explicit specification of assumptions, rules, and constraints, the analyst has freedom from technical considerations to reason about application problems. This freedom is even more 21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/integratedgoal-data-process-modeling/23411

Related Content

An Energy Efficient Trust Aware Opportunistic Routing Protocol for Wireless Sensor Network

Nagesh Kumar, Yashwant Singhand Pradeep Kumar Singh (2017). *International Journal of Information System Modeling and Design (pp. 30-44).*

www.irma-international.org/article/an-energy-efficient-trust-aware-opportunistic-routing-protocol-forwireless-sensor-network/199001

Atomicity and Semantic Normalization

Andy Carverand Terry Halpin (2010). *International Journal of Information System Modeling and Design (pp. 23-39).* www.irma-international.org/article/atomicity-semantic-normalization/43607

Clustering Based on Two Layers for Abnormal Event Detection in Video Surveillance

Emna Fendri, Najla Bouarada Ghraband Mohamed Hammami (2017). *International Journal of Software Innovation (pp. 1-18).*

www.irma-international.org/article/clustering-based-on-two-layers-for-abnormal-event-detection-invideo-surveillance/187168

Mobile Interaction in Real Augmented Environments: Principles, Platforms, Models, Formalisms, Development Processes, and Applications

Bertrand Davidand René Chalon (2015). *Handbook of Research on Innovations in Systems and Software Engineering (pp. 511-561).* www.irma-international.org/chapter/mobile-interaction-in-real-augmented-environments/117940

Software Quality Modeling with Limited Apriori Defect Data

Naeem Seliyaand Taghi M. Khoshgoftaar (2009). Software Applications: Concepts, Methodologies, Tools, and Applications (pp. 2714-2727). www.irma-international.org/chapter/software-quality-modeling-limited-apriori/29530