

Chapter 1

Fog Resource Allocation Through Machine Learning Algorithm

Gowri A. S.

Pondicherry University, India

Shanthi Bala P.

Pondicherry University, India

ABSTRACT

Internet of things (IoT) prevails in almost all the equipment of our daily lives including healthcare units, industrial productions, vehicle, banking or insurance. The unconnected dumb objects have started communicating with each other, thus generating a voluminous amount of data at a greater velocity that are handled by cloud. The requirements of IoT applications like heterogeneity, mobility support, and low latency form a big challenge to the cloud ecosystem. Hence, a decentralized and low latency-oriented computing paradigm like fog computing along with cloud provide better solution. The service quality of any computing model depends on resource management. The resources need to be agile by nature, which clearly demarks virtual container as the best choice. This chapter presents the federation of Fog-Cloud and the way it relates to the IoT requirements. Further, the chapter deals with autonomic resource management with reinforcement learning (RL), which will forward the fog computing paradigm to the future generation expectations.

DOI: 10.4018/978-1-7998-0194-8.ch001

INTRODUCTION

Innovations in the Internet of Things (IoT) open an era for a quality life. The exponential growth in IoT also raises issues on the management of those resources that are used for its computation and storage. One of the main challenges of IoT services is the low latency requirement (Ray, 2018). As of now, the IoT services are either dealt with the cloud or edge computing. Though edge computing provides faster response, it neither permits sharing of data nor allows real-time analytics (due to their limited compute/storage power). The cloud on the other hand, in spite of its capability to support big data analytics, causes an intolerable delay in latency constraint IoT environment. That means cloud computing reduces the possibilities of acting over the situation by the time the data/request reaches the cloud. In real time application like emergency health care or hazardous industrial applications, a small delay may cost a life or some severe catastrophic damages. Therefore, cloud computing is not an advisable solution for IoT applications where low latency is of utmost priority. To overcome the limitations of edge and cloud, as the middle layer, fog computing proves itself as the best solution, especially for delay sensitive applications of enormous IoT devices.

Fog Computing is a distributed computing paradigm that brings cloud services near to the edge network of the IoT devices where the data/request is generated (Iorga et al., 2018). The fog layer as shown in Figure 1 performs the preprocessing of the data that are collected from various edge devices and moves only the necessary information on to the cloud as and when required. The filtered and preprocessed data can be later used by the cloud for historical analytics in order to reveal better insights for business (Aazam, M., & Eui-Nam Huh, 2015). Hence, for delay sensitive applications, timely solution is provided in the fog itself rather than overwhelming the communication network towards cloud. Thus by saving bandwidth, fog reduces the unnecessary overload on the cloud. Besides deciding, which or what type of data/request are to be forwarded to the cloud, dealing the resource management in fog is one of the key tasks as it has a significant impact on the low latency and power conservation.

The existing programming paradigms and management tools are inadequate to handle the complexity, heterogeneity and scalability requirements of the IoT devices dynamically. Apart from automated software-defined solutions, an autonomic system that can manage the resource allocation by itself with intelligence is required. Machine learning techniques like Reinforcement learning (RL) will better suite, to achieve efficient resource management in fogs (Dutreilh, Kirgizov, Melekhova, Malenfant, & Rivierre, 2011). The RL equipped fog control nodes can solve the resource management issues in fog at a paramount level of Quality of service (QoS).

39 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/fog-resource-allocation-through-machine-learning-algorithm/236438

Related Content

Software-Defined Networks (SDN): A Survey

Rabia Bilal and Bilal Muhammad Khan (2019). *Handbook of Research on Cloud Computing and Big Data Applications in IoT* (pp. 516-536).

www.irma-international.org/chapter/software-defined-networks-sdn/225430

An IoT-Based Framework for Health Monitoring Systems: A Case Study Approach

N. Sudhakar Yadav, K. G. Srinivasa and B. Eswara Reddy (2019). *International Journal of Fog Computing* (pp. 43-60).

www.irma-international.org/article/an-iot-based-framework-for-health-monitoring-systems/219360

IoT-Fog-Blockchain Framework: Opportunities and Challenges

Tanweer Alam (2020). *International Journal of Fog Computing* (pp. 1-20).

www.irma-international.org/article/iot-fog-blockchain-framework/266473

Classification Techniques for Thunderstorms and Lightning Prediction: A Survey

Kanchan Bala, Dilip Kumar Choubey, Sanchita Paul and Mili Ghosh Nee Lala (2018). *Soft-Computing-Based Nonlinear Control Systems Design* (pp. 1-17).

www.irma-international.org/chapter/classification-techniques-for-thunderstorms-and-lightning-prediction/197483

Fake Review Detection Using Machine Learning Techniques

Abhinandan V., Aishwarya C. A. and Arshiya Sultana (2020). *International Journal of Fog Computing* (pp. 46-54).

www.irma-international.org/article/fake-review-detection-using-machine-learning-techniques/266476