

Chapter 51

Can Computers Create Comics and Animations?

Miki Ueno

Toyohashi University of Technology, Japan

Kiyohito Fukuda

Osaka Prefecture University, Japan

Naoki Mori

Osaka Prefecture University, Japan

ABSTRACT

The objective of this chapter is to develop a method for generating and analyzing creative work by using computers. In this chapter, novels, comics, and animations are considered representative creative work because the main method for representing creative work is the use of natural language and pictures. These works focus on interesting issues, which can be explained by computational approaches to narratology. In this chapter, the authors discuss the following three topics. First, a method of semi-automatic story generation by agent-based simulation is presented. Second, methods of generating and analyzing comics on the basis of the features of pictures and stories used are described. Third, the authors introduce a method of estimating the difficulties of translating a storyboard into original pictures in the process of creating animations.

INTRODUCTION

How do humans produce creative work? What do individuals imagine, and what do they think of during the creative process? The ultimate purpose of this study is to find an algorithm for the generation of creative, intellectual works, such as novels, comics, and animations, with regard to artificial intelligence. The creative works listed above involve stories and are constructed using sequential components. Further, the popular representation of a narrative utilizes natural language and pictures. For example, novels are constructed using natural language, and this type of language is a very useful means of logically depicting

DOI: 10.4018/978-1-7998-0951-7.ch051

Can Computers Create Comics and Animations?

a given situation. However, the number of sentences comprising individual scenes varies considerably, and it is therefore difficult for computers to determine scene boundaries. In addition, comics are constructed using both pictures and natural language, and animations are comprised of pictures and sound based on natural language. Note that pictures constitute an effective means of creating stories, because they can convey postures and positions more directly than verbal or written language. This approach allows stories to become comprehensible to a wider audience, regardless of age or nationality.

In Japan, comics and animations are common in popular culture. A key characteristic of these representations are the deformation or exaggeration of characters and other objects in the story. These visual representations contain lyrical and descriptive aspects to depict each situation clearly. Further, these works are often very intellectual, and some popular authors have produced exceptional creative pieces.

Story creation is something of which the vast majority of humans are capable; however, computers can neither create nor understand stories. The authors are very interested in the process of story construction, particularly as regards the development of appropriate models to facilitate computer story creation. Therefore, our goal is to define complete models of story creation for use by computers. However, it is difficult to define models for the entire process and every objective, therefore the authors suggest models for a specific process of creation. Hence, the authors have conducted several studies regarding computational creative stories, focusing on the topics listed below.

- **Story Generation:** Semi-automatic story generation using log data. Continuous transitions are automatically created and are given to writers in order to write unexpected stories that cannot be created by humans only. The aim of this section is to propose a computational method of coherent and unexpected story creation.
- **Comic Generation:** Automatic comic generation focusing on the relationship between transitions of stories and expression of pictures and comic analysis based on two of their features. Continuous transitions expressed by pictures are modeled and the relations between characteristic expressions and the patterns of stories are analyzed. The aim of this section is to suggest computational models for comics focusing on the expressions in pictures.
- **Animation Generation:** Feature vector definition to provide storyboard information and to determine the difficulties involved in scene translation from storyboards to equivalent key animations. The difficulties in transitioning storyboards into original pictures are estimated. The aim of this section is to appropriately assign each scene to each creator of original pictures according to the index of difficulty by a computer functioning like a facilitator.

In this chapter, these studies are introduced using examples, in order to demonstrate the fundamental techniques of computational narratology and the challenges involved in the quantification of story creation.

BACKGROUND

Recently, automatic story generation and comprehension has attracted considerable interest as a challenging problem in the fields of artificial intelligence. The types of stories are broadly classified into two categories. One is utilizing natural language, the other is utilizing pictures. Novels are written in natural language, while comics and animations are described mainly by pictures. Story information is

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/can-computers-create-comics-and-animations/239979

Related Content

Structuring Abstraction to Achieve Ontology Modularisation

Zubeida Khan and C. Maria Keet (2021). *Advanced Concepts, Methods, and Applications in Semantic Computing* (pp. 72-92).

www.irma-international.org/chapter/structuring-abstraction-to-achieve-ontology-modularisation/271121

Multiple Influences on the Use of English Spatial Prepositions: The Case of "in" and "on"

Michele I. Feist and Dedre Gentner (2012). *Cross-Disciplinary Advances in Applied Natural Language Processing: Issues and Approaches* (pp. 305-323).

www.irma-international.org/chapter/multiple-influences-use-english-spatial/64595

Second Language Learners' Spoken Discourse: Practice and Corrective Feedback through Automatic Speech Recognition

Catia Cucchiari and Helmer Strik (2014). *Computational Linguistics: Concepts, Methodologies, Tools, and Applications* (pp. 618-639).

www.irma-international.org/chapter/second-language-learners-spoken-discourse/108742

Data Hiding for Text and Binary Files

Hioki Hirohisa (2014). *Computational Linguistics: Concepts, Methodologies, Tools, and Applications* (pp. 1495-1514).

www.irma-international.org/chapter/data-hiding-for-text-and-binary-files/108790

Two Distinct Sequence Learning Mechanisms for Syntax Acquisition and Word Learning

Anne McClure Walk and Christopher M. Conway (2014). *Computational Linguistics: Concepts, Methodologies, Tools, and Applications* (pp. 540-560).

www.irma-international.org/chapter/two-distinct-sequence-learning-mechanisms-for-syntax-acquisition-and-word-learning/108737