

# Chapter 4

## Berezin Number Inequalities of an Invertible Operator and Some Slater Type Inequalities in Reproducing Kernel Hilbert Spaces

**Ulaş Yamancı**

*Süleyman Demirel University, Turkey*

**Mehmet Gürdal**

*Süleyman Demirel University, Turkey*

### ABSTRACT

*A reproducing kernel Hilbert space (shortly, RKHS)  $H=H(\Omega)$  on some set  $\Omega$  is a Hilbert space of complex valued functions on  $\Omega$  such that for every  $\lambda \in \Omega$  the linear functional (evaluation functional)  $f \rightarrow f(\lambda)$  is bounded on  $H$ . If  $H$  is RKHS on a set  $\Omega$ , then, by the classical Riesz representation theorem for every  $\lambda \in \Omega$  there is a unique element  $k_{H,\lambda} \in H$  such that  $f(\lambda) = \langle f, k_{H,\lambda} \rangle$ ; for all  $f \in H$ . The family  $\{k_{H,\lambda}; \lambda \in \Omega\}$  is called the reproducing kernel of the space  $H$ . The Berezin set and the Berezin number of the operator  $A$  was respectively given by Karaev in [26] as following  $Ber(A) = \{A(\lambda); \lambda \in \Omega\}$  and  $ber(A) := \sup_{\lambda \in \Omega} |A(\lambda)|$ . In this chapter, the authors give the*

*Berezin number inequalities for an invertible operator and some other related results are studied. Also, they obtain some inequalities of the Slater type for convex functions of selfadjoint operators in reproducing kernel Hilbert spaces and examine related results.*

DOI: 10.4018/978-1-7998-0134-4.ch004

## INTRODUCTION

Firstly, we will mention about importance of the reproducing kernel as follows (Saitoh & Sawano, 2016; Saitoh, 1988).

The theory of reproducing kernels began with two papers of 1921 (Szegő, 1921) and 1922 (Bergman, 1922) which is related with typical reproducing kernels of Szegő and Bergman, and since then the theory has been improved into a large and deep theory in complex analysis by many mathematicians. But, exactly, reproducing kernels appeared previously during the first decade of the twentieth century by S. Zaremba (1907) in his work on boundary value problems for harmonic and biharmonic functions. But he did not improve any further theory for the reproducing property. Furthermore, in fact, we know many concrete reproducing kernels for spaces of polynomials and trigonometric functions from much older days. On the other hand, the general theory of reproducing kernels was established in a complete form by N. Aronszajn (1950) in 1950. Furthermore, L. Schwartz (1964), who is a Fields medalist and founded distribution theory, improved the general theory remarkably in 1964 with a paper of over 140 pages (see Saitoh & Sawano, 2016; Saitoh, 1988).

When linear mappings in the framework of Hilbert spaces are considered, we will encounter in a natural way the notion of reproducing kernels; then the general theory is not restricted to Bergman and Szegő kernels, but the general theory is as important as the concept of Hilbert spaces. It is a main concept and important mathematics. The general theory of reproducing kernels is depending on elementary theorems on Hilbert spaces. The theory of Hilbert spaces is the minimum core of functional analysis. But, when the general theory is combined with linear mappings on Hilbert spaces, it will have many relations in various fields, and its fruitful applications will spread over to differential equations, integral equations, generalizations of the Pythagorean theorem, inverse problems, sampling theory, nonlinear transforms in connection with linear mappings, various operators among Hilbert spaces, and many other broad fields. Furthermore, when we apply the general theory of reproducing kernels to the Tikhonov regularization, it produces approximate solutions for equations on Hilbert spaces which contain bounded linear operators. Looking from the point of view of computer users at numerical solutions, we will see that they are fundamental and have practical applications (see Saitoh & Sawano, 2016; Saitoh, 1988).

Concrete reproducing kernels such as Bergman and Szegő kernels will produce many wide and broad results in complex analysis. They improved some important theory and lead to profound results in complex analysis containing several complex variables. On the other hand, the formal general theory given by Aronszajn also has favorable connections with various fields such as learning theory, support vector machines, stochastic theory, and operator theory on Hilbert spaces (see Saitoh & Sawano, 2016; Saitoh, 1988).

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/berezin-number-inequalities-of-an-invertible-operator-and-some-slater-type-inequalities-in-reproducing-kernel-hilbert-spaces/242342](http://www.igi-global.com/chapter/berezin-number-inequalities-of-an-invertible-operator-and-some-slater-type-inequalities-in-reproducing-kernel-hilbert-spaces/242342)

## Related Content

---

### Information Therapy (Ix) Service and Patients' Preference

Vahideh Zarea Gavgani (2011). *International Journal of Computational Models and Algorithms in Medicine* (pp. 42-50).

[www.irma-international.org/article/information-therapy-service-patients-preference/55492](http://www.irma-international.org/article/information-therapy-service-patients-preference/55492)

### New Evolutionary Algorithm Based on 2-Opt Local Search to Solve the Vehicle Routing Problem with Private Fleet and Common Carrier

Jalel Euch, Habib Chabchoub and Adnan Yassine (2013). *Trends in Developing Metaheuristics, Algorithms, and Optimization Approaches* (pp. 125-148).

[www.irma-international.org/chapter/new-evolutionary-algorithm-based-opt/69722](http://www.irma-international.org/chapter/new-evolutionary-algorithm-based-opt/69722)

### A Semi-Supervised Approach to GRN Inference Using Learning and Optimization

Meroua Daoudi, Souham Meshoul and Samia Boucherkha (2021). *International Journal of Applied Metaheuristic Computing* (pp. 155-176).

[www.irma-international.org/article/a-semi-supervised-approach-to-grn-inference-using-learning-and-optimization/288742](http://www.irma-international.org/article/a-semi-supervised-approach-to-grn-inference-using-learning-and-optimization/288742)

### Leveraging Advanced Analytics for Financial Fraud Detection

Rishi Prakash Shukla, Prafulla Ranjan and Praveen Singh (2024). *Artificial Intelligence and Machine Learning-Powered Smart Finance* (pp. 109-124).

[www.irma-international.org/chapter/leveraging-advanced-analytics-for-financial-fraud-detection/339164](http://www.irma-international.org/chapter/leveraging-advanced-analytics-for-financial-fraud-detection/339164)

### Optimum Design of Carbon Fiber-Reinforced Polymer for Increasing Shear Capacity of Beams: Optimization of CFRP for RC Beams

(2020). *Metaheuristic Approaches for Optimum Design of Reinforced Concrete Structures: Emerging Research and Opportunities* (pp. 183-194).

[www.irma-international.org/chapter/optimum-design-of-carbon-fiber-reinforced-polymer-for-increasing-shear-capacity-of-beams/251020](http://www.irma-international.org/chapter/optimum-design-of-carbon-fiber-reinforced-polymer-for-increasing-shear-capacity-of-beams/251020)