

Chapter 2.11

Fuzzy Logic Usage in Emotion Communication of Human Machine Interaction

Zhe Xu

Bournemouth University, UK

David John

Bournemouth University, UK

Anthony C. Boucouvalas

Bournemouth University, UK

INTRODUCTION

As the popularity of the Internet has expanded, an increasing number of people spend time online. More than ever, individuals spend time online reading news, searching for new technologies, and chatting with others. Although the Internet was designed as a tool for computational calculations, it has now become a social environment with computer-mediated communication (CMC).

Picard and Healey (1997) demonstrated the potential and importance of emotion in human-computer interaction, and Bates (1992) illustrated the roles that emotion plays in user interactions with synthetic agents.

Is emotion communication important for human-computer interaction?

Scott and Nass (2002) demonstrated that humans extrapolate their interpersonal interaction patterns onto computers. Humans talk to computers, are angry with them, and even make friends with them. In our previous research, we demonstrated that social norms applied in our daily life are still valid for human-computer interaction. Furthermore, we proved that providing emotion visualisation in the human-computer interface could significantly influence the perceived performances and feelings of humans. For example, in an online quiz environment, human participants answered questions and then a software agent

judged the answers and presented either a positive (happy) or negative (sad) expression. Even if two participants performed identically and achieved the same number of correct answers, the perceived performance for the one in the positive-expression environment is significantly higher than the one in the negative-expression environment (Xu, 2005).

Although human emotional processes are much more complex than in the above example and it is difficult to build a complete computational model, various models and applications have been developed and applied in human-agent interaction environments such as the OZ project (Bates, 1992), the Cathexis model (Velasquez, 1997), and Elliot's (1992) affective reasoner.

We are interested in investigating the influences of emotions not only for human-agent communication, but also for online human-human communications. The first question is, can we detect a human's emotional state automatically and intelligently?

Previous works have concluded that emotions can be detected in various ways—in speech, in facial expressions, and in text—for example, investigations that focus on the synthesis of facial expressions and acoustic expression including Kaiser and Wehrle (2000), Wehrle, Kaiser, Schmidt, and Scherer (2000), and Zentner and Scherer (1998). As text is still dominating online communications, we believe that emotion detection in textual messages is particularly important.

BACKGROUND

Approaches for extracting emotion information from textual messages can be classified into the categories of keyword tagging, lexical affinity, statistical methods, or real-world models (Liu, Lieberman, & Selker, 2003).

We have developed a textual emotion-extraction engine that can analyze text sentences typed by users. The emotion extraction engine has been presented by Xu and Boucouvalas (2002).

The emotion-extraction engine can analyze sentences, detect emotional content, and display appropriate expressions. The intensity and duration of the expressions are also calculated and displayed in real time automatically. The first version of our engine searched for the first person, *I*, and the current tense, therefore the ability of the engine was very limited. In our latest version, the engine applies not only grammatical knowledge, but also takes real-word information and cyberspace knowledge into account. It intends to satisfy the demands of complicated sentence analysis.

The user's mood is defined as the feelings perceived from a user's series are input in the emotion-extraction engine. The current emotion of a user is based totally on the information assessed within a single sentence.

A user's mood may not be consistent with the current emotion of the user. For example, a user may present a sad feeling in one sentence, but previously the user was talking about happy and interesting things. The sad feeling presented may not be a significant emotion and overall the user's mood may be still happy.

To calculate the mood of a user, previous emotions and current emotions need to be analyzed together. We assume that emotions are additive and cumulative. One way of calculating the mood is to average the historic emotions and then find out what category the averaged emotion is in. This approach is described by Xu (2005). Here, an alternative fuzzy-logic approach is presented.

Fuzzy Logic

Fuzzy logic was developed to deal with concepts that do not have well-defined, sharp boundaries (Bezdek, 1989), which theoretically is ideal for emotion as no well-defined boundaries are defined for emotion categories (e.g., happiness, sadness, surprise, fear, disgust, and anger).

The transition from one physiological state to another is a gradual one. These states cannot be treated as classical sets, which either wholly

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/fuzzy-logic-usage-emotion-communication/24301

Related Content

Some Questions on the Possible Advent of the "Artificial Person"

László Gábor Lovász (2025). *Legal and Economic Perspectives on the Nexus of AI and Copyright* (pp. 1-16). www.irma-international.org/chapter/some-questions-on-the-possible-advent-of-the-artificial-person/374314

Mapping AI's Impact on Pharmaceuticals: A Bibliometric Analysis

Vihás Vijayand Sathish A. S. (2023). *AI and IoT-Based Technologies for Precision Medicine* (pp. 464-476). www.irma-international.org/chapter/mapping-ais-impact-on-pharmaceuticals/332850

The Role of Artificial Intelligence in Transforming Business Models

Mustafa Kayyali (2025). *AI-Driven Business Model Innovation* (pp. 71-98). www.irma-international.org/chapter/the-role-of-artificial-intelligence-in-transforming-business-models/371357

The Internet of Things: An Intelligent and Secure Path Approach for Cyber Critical Infrastructure

Imtiaz Hussain, Zainab Alansariand Mansoor Ebrahim (2025). *Generative AI for Web Engineering Models* (pp. 41-62). www.irma-international.org/chapter/the-internet-of-things/359998

AIFMS Autonomous Intelligent Fall Monitoring System for the Elderly Persons

Elangovan Ramanujamand Thinagaran Perumal (2022). *International Journal of Ambient Computing and Intelligence* (pp. 1-22). www.irma-international.org/article/aifms-autonomous-intelligent-fall-monitoring-system-for-the-elderly-persons/304727