Chapter 35 Constructing a Bioinformatics Platform with Web and Mobile Services Based on NVIDIA Jetson TK1

Chun-Yuan Lin Chang Gung University, Taiwan

Jin Ye Chang Gung University, Taiwan

Che-Lun Hung Providence University, Taiwan **Chung-Hung Wang** Chang Gung University, Taiwan

Min Su Beijing University of Technology, China

Jianjun Tan Beijing University of Technology, China

ABSTRACT

Current high-end graphics processing units (abbreviate to GPUs), such as NVIDIA Tesla, Fermi, Kepler series cards which contain up to thousand cores per-chip, are widely used in the high performance computing fields. These GPU cards (called desktop GPUs) should be installed in personal computers/ servers with desktop CPUs; moreover, the cost and power consumption of constructing a high performance computing platform with these desktop CPUs and GPUs are high. NVIDIA releases Tegra K1, called Jetson TK1, which contains 4 ARM Cortex-A15 CPUs and 192 CUDA cores (Kepler GPU) and is an embedded board with low cost, low power consumption and high applicability advantages for embedded applications. NVIDIA Jetson TK1 becomes a new research direction. Hence, in this paper, a bioinformatics platform was constructed based on NVIDIA Jetson TK1. ClustalWtk and MCCtk tools for sequence alignment and compound comparison were designed on this platform, respectively. Moreover, the web and mobile services for these two tools with user friendly interfaces also were provided. The experimental results showed that the cost-performance ratio by NVIDIA Jetson TK1 is higher than that by Intel XEON E5-2650 CPU and NVIDIA Tesla K20m GPU card.

DOI: 10.4018/978-1-7998-1204-3.ch035

1. INTRODUCTION

Current high-end graphics processing units (abbreviate to GPUs) become very popular in the high performance computing community fields. These GPU cards, such as NVIDIA Tesla, Fermi, Kepler series, contain up to thousand cores per chip. For example, NVIDIA Tesla K20m GPU card has 2496 CUDA cores. They contain massive multi-threaded processors; moreover, the thousands of threads can be declared and executed simultaneously to fully utilize GPU computing power. However, these GPU cards, called desktop GPUs, should be installed in a personal computer or a server with desktop CPUs. Moreover, the cost and power consumption of constructing a high performance computing platform with these desktop GPU cards are high. For example, a NVIDIA Tesla or Fermi GPU card may be needed to spend thousands of US dollars and a personal computer or a server may also spend about hundreds to thousands of US dollars. The overall power consumption by this platform may be up to a kilowatt. Besides, this platform is hard to provide the immediate and mobility requirements, i.e., the developers should demo the program by the remote control.

Jetson TK1 (or called Tegra K1, http://elinux.org/Jetson_TK1) released by NVIDIA is a full-featured platform for embedded applications and it contains 192 CUDA Cores (Kepler GPU), 4 ARM Cortex-A15 CPUs and 2 ISP cores. NVIDIA Jetson TK1 also contains Bluetooth and Wi-Fi modules for mobile applications. The cost of a NVIDIA Jetson TK1 is less than three hundred US dollars and its power consumption is about tens of watts by the tests (Paolucci et al., 2014). Several reports or literatures have been proposed to compare NVIDIA Jetson TK1 with other embedded platforms, desktop CPUs and desktop GPUs, respectively. In the NVIDIA Jetson TK1 Development Kit (http://www.nvidia.com/ object/jetson-tk1-embedded-dev-kit.html), it shows that the speedup ratios and the performance per watt by NVIDIA Jetson TK1 are better than those by Apple A7 used in the iphone5. James Wolfer (Wolfer, 2015) compared NVIDIA Jetson TK1 with Raspberry PI Model in terms of time and speedup ratios. The results showed that the single NVIDIA Jetson TK1 outperforms Raspberry PI Model in these two items. P.S. Paolucci et al. (Paolucci et al., 2014) also compared the ARM Cortex-A15 CPU in NVIDIA Jetson TK1 with the Intel XEON E5620 CPU in the SuperMicro server in terms of joule per synaptic event, total energy, power consumption, and execution time. For the first two items, NVIDIA Jetson TK1 achieves 4.5 and 4.4 times performance better than the SuperMicro server, respectively. NVIDIA Jetson TK1 achieves 14.4 times performance better than SuperMicro server for the power consumption. However, the execution time by NVIDIA Jetson TK1 is 3.3 times larger than that by the SuperMicro server. S. Fu et al. (Fu et al., 2015) do the comparison of performance, power efficiency, and cost efficiency among desktop Intel i7-3770 multi-core CPU, desktop NVIDIA GTX 690 GPU card and NVIDIA Jetson TK1. The results proved that the power efficiency and cost efficiency by NVIDIA Jetson TK1 are both better than those by desktop Intel i7-3770 CPU and desktop NVIDIA GTX 690 GPU card, respectively; the performance by NVIDIA Jetson TK1 is close to that by desktop Intel i7-3770 multi-core CPU, and the desktop NVIDIA GTX 690 GPU has the best performance. From above results, NVIDIA Jetson TK1 is a comparable embedded and mobile board by comparing with other embedded boards and desktop CPUs; moreover, NVIDIA Jetson TK1 has the low cost and low power consumption advantages by comparing with other desktop GPU cards. Hence, it will become a new research direction to study NVIDIA Jetson TK1 in the high performance computing community fields.

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/constructing-a-bioinformatics-platform-with-web-

and-mobile-services-based-on-nvidia-jetson-tk1/243137

Related Content

Big Data Analytics in Industrial IoT and Cybertwin

Rajendran T., Surya S., Mohamed Imtiaz N.and Babu N. (2023). *New Approaches to Data Analytics and Internet of Things Through Digital Twin (pp. 191-210).* www.irma-international.org/chapter/big-data-analytics-in-industrial-iot-and-cybertwin/312655

A Novel Framework of Health Monitoring Systems

Sonam Gupta, Lipika Goeland Abhay Kumar Agarwal (2021). *International Journal of Big Data and Analytics in Healthcare (pp. 1-14).* www.irma-international.org/article/a-novel-framework-of-health-monitoring-systems/268414

Human Resources Development for the Use of Big Data Analytics in the Customer Business of German Banks

Carsten Giebeand Michael Menrad (2023). Handbook of Research on Driving Socioeconomic Development With Big Data (pp. 197-223).

www.irma-international.org/chapter/human-resources-development-for-the-use-of-big-data-analytics-in-the-customerbusiness-of-german-banks/319517

Prediction of Heart Diseases Using Data Mining Techniques: Application on Framingham Heart Study

Nancy Masihand Sachin Ahuja (2018). International Journal of Big Data and Analytics in Healthcare (pp. 1-9).

www.irma-international.org/article/prediction-of-heart-diseases-using-data-mining-techniques/223163

A Novel Delay-Based GFSK Demodulator in 65 nm CMOS for Low Power Biomedical

Applications

Meng Fu, Stan Skafidasand Iven Mareels (2020). *Data Analytics in Medicine: Concepts, Methodologies, Tools, and Applications (pp. 852-864).*

www.irma-international.org/chapter/a-novel-delay-based-gfsk-demodulator-in-65-nm-cmos-for-low-power-biomedicalapplications/243147