Chapter 8.6 Facial and Body Feature Extraction for Emotionally – Rich HCI

Kostas Karpouzis

National Technical University of Athens, Greece

Spiros Ioannou National Technical University of Athens, Greece

Nicolas Tsapatsoulis National Technical University of Athens, Greece **Athanasios Drosopoulos**

National Technical University of Athens, Greece

Amaryllis Raouzaiou National Technical University of Athens, Greece

Stefanos Kollias National Technical University of Athens, Greece

INTRODUCTION

Emotionally-aware Man-Machine Interaction (MMI) systems are presently at the forefront of interest of the computer vision and artificial intelligence communities, since they give the opportunity to less technology-aware people to use computers more efficiently, overcoming fears and preconceptions. Most emotion-related facial and body gestures are considered to be universal, in the sense that they are recognized along different cultures; therefore, the introduction of an "emotional dictionary" that includes descriptions and perceived meanings of facial expressions and body gestures, so as to help infer the likely emotional state of a specific user, can enhance the affective nature of MMI applications (Picard, 2000).

As a general rule, our intuition of what a human expression represents is based on trying to mimic the way the human mind works, while making an effort to recognize such an emotion. This means that even though image or video input is necessary for this task, this process cannot come to robust results without taking into account features like hand gestures or body pose. These features are able to convey messages in a much more expressive and definite manner than mere wording, which can be misleading or ambiguous. Sometimes, a simple hand action, such as placing one's hands over the ears, can pass on the message that you've had enough of what you are hearing more expressively than any spoken phrase.

BACKGROUND

Emotion Representation

Most emotion analysis applications attempt to annotate video information with category labels that relate to emotional states. However, since humans use an overwhelming number of labels to describe emotion, we need to incorporate a higher level and continuous representation that is closer to our conception of how emotions are expressed and perceived.

Activation-emotion space (Cowie, 2001) is a simple representation that is capable of capturing a wide range of significant issues in emotion. It rests on a simplified treatment of two key themes:

- Valence: The clearest common element of emotional states is that the person is influenced by feelings that are "valenced" (i.e., they are centrally concerned with positive or negative evaluations of people, things, or events).
- Activation Level: Research has recognized that emotional states involve dispositions to act in certain ways. Thus, states can be rated in terms of the associated activation level (i.e., the strength of the person's disposition to take some action rather than none).

The axes of the activation-evaluation space reflect those themes, with the vertical axis showing activation level, while the horizontal axis represents evaluation. This scheme of describing emotional states is more tractable than using words and still can be translated into and out of verbal descriptions. Translation is possible because emotion-related words can be thought of as positions in activation-emotion space.

A surprising amount of emotional discourse can be captured in terms of activation-emotion space. Perceived full-blown emotions are not evenly distributed in activation-emotion space; instead, they tend to form a roughly circular pattern. In this framework, the center can be thought of as a natural origin, thus making emotional strength at a given point in activation-evaluation space proportional to the distance from the origin. The concept of a full-blown emotion can then be translated roughly as a state where emotional strength has passed a certain limit. An interesting implication is that strong emotions are more sharply distinct from each other than weaker emotions with the same emotional orientation. A related extension is to think of primary or basic emotions as cardinal points on the periphery of an emotion circle. Plutchik (1980) has offered a useful formulation of that idea—the emotion wheel—(see Figure 1).

Facial Expression Analysis

There is a long history of interest in the problem of recognizing emotion from facial expressions (Ekman, 1978), and there have been extensive studies on face perception during the last 20 years (Davis, 1975; Ekman, 1973; Scherer, 1984). The salient issues in emotion recognition from faces are parallel in some respects to the issues associated with voices, but divergent in others. In most cases, these studies attempt to define the facial expression of emotion in terms of qualitative patterns capable of being displayed in a still image. This usually captures the apex of the expression (i.e., the instant at which the indicators of emotion are most noticeable). More recently, emphasis has switched towards descriptions that emphasize gestures (i.e., significant movements of facial features).

In the context of faces, the task almost always has been to classify examples of the six emotions considered to be universal: joy, sadness, anger, fear, disgust, and surprise (Ekman, 1978). More recently, morphing techniques have been used to probe states that are intermediate between archetypal expressions. They reveal effects that are consistent with a degree of categorical structure in the domain of facial expression, but 8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/facial-body-feature-extraction-emotionally/24396

Related Content

Application of Fuzzy Logic for Adaptive Food Recommendation

Tousif Osman, Maisha Mahjabeen, Shahreen Shahjahan Psyche, Afsana Imam Urmi, J.M. Shafi Ferdousand Rashedur M. Rahman (2017). *International Journal of Fuzzy System Applications (pp. 110-133).* www.irma-international.org/article/application-of-fuzzy-logic-for-adaptive-food-recommendation/179323

Social Media Reviews' Influence on Spa and Wellness Consumer Choices: Conceptual Framework, Prospective Significance, and Future Research Directions

Md. Tariqul Islam, Biswabhusan Pradhanand Jeetesh Kumar (2024). Utilizing Smart Technology and Al in Hybrid Tourism and Hospitality (pp. 1-22).

www.irma-international.org/chapter/social-media-reviews-influence-on-spa-and-wellness-consumer-choices/341534

Persons and Personalization on Digital Platforms: A Philosophical Perspective

Travis Greeneand Galit Shmueli (2023). *Philosophy of Artificial Intelligence and Its Place in Society (pp. 214-270).*

www.irma-international.org/chapter/persons-and-personalization-on-digital-platforms/332607

Hybrid Intelligence Framework for Augmented Analytics

Alexander P. Ryjov (2021). Intelligent Analytics With Advanced Multi-Industry Applications (pp. 22-45). www.irma-international.org/chapter/hybrid-intelligence-framework-for-augmented-analytics/272777

Coordinative Optimization Control of Microgrid Based on Model Predictive Control

Changbin Hu, Lisong Bi, ZhengGuo Piao, ChunXue Wenand Lijun Hou (2018). *International Journal of Ambient Computing and Intelligence (pp. 57-75).*

www.irma-international.org/article/coordinative-optimization-control-of-microgrid-based-on-model-predictive-control/204349