

## Chapter 74

# Fake Empathy and Human– Robot Interaction (HRI): A Preliminary Study

**Jordi Vallverdú**

*Autonomous University of Barcelona, Spain*

**Toyoaki Nishida**

*Kyoto University, Japan*

**Yoshisama Ohmoto**

*Kyoto University, Japan*

**Stuart Moran**

*University of Nottingham, UK*

**Sarah Lázare**

*Autonomous University of Barcelona, Spain*

### ABSTRACT

*Empathy is a basic emotion trigger for human beings, especially while regulating social relationships and behaviour. The main challenge of this paper is study whether people's empathic reactions towards robots change depending on previous information given to human about the robot before the interaction. The use of false data about robot skills creates different levels of what we call 'fake empathy'. This study performs an experiment in WOZ environment in which different subjects (n=17) interacting with the same robot while they believe that the robot is a different robot, up to three versions. Each robot scenario provides a different 'humanoid' description, and our hypothesis is that the more human-like looks the robot, the more empathically can be the human responses. Results were obtained from questionnaires and multi- angle video recordings. Positive results reinforce the strength of our hypothesis, although we recommend a new and bigger and then more robust experiment.*

DOI: 10.4018/978-1-7998-1754-3.ch074

## **INTRODUCTION**

Empathy is the capacity of one entity to recognise or understand another's state of mind (at a cognitive level, Nummenmaa et al., 2008) or emotion. Humans and other animals are able to perform empathy. Empathy and imitation have the same neural correlates: mirror neurons. Recent studies have discovered the neural basis of learning by mirror neurons (Rizzolatti & Craighero, 2004; Ramachandran, 2005) and functional magnetic resonance imaging (fMRI) has been intensively employed to investigate the functional anatomy of empathy (for reviews see Decety & Jackson, 2006; Decety & Lamm, 2006; deVignemont & Singer, 2006; Krämer et al., 2010). Following this interest, very recently has appeared a research on neural correlated of empathy toward robotics (Rosenthal-von der Pütten et al., 2013). The emotional basis of empathy is something obvious and it makes possible the self-learning by imitation. Artificial empathy will be useful for robots that are performing learning-by-observation tasks following human actions. At the same time, humans working closely with robots will project and look for empathic responses of those artificial entities. Thus, the mechanisms by which humans establish empathic bonds with robots are of maximum interest. Kwak et al. (2013) have recently explored how human empathy toward a robot can be affected by the presence of a robot, showing that their study participants empathized more with a physically embodied robot than with a physically disembodied robot, indicating the impact of physical embodiment on human empathy. This question is critical for home-care robots, the next step into the spreading of robotics worldwide. And even for industrial robots, the human positive attitude towards the robot can improve the production results<sup>1</sup>. Leite et al. (2013) have also shown with their study that artificial companions capable of behaving in an empathic manner, which involves the capacity to recognise another's affect and respond appropriately, are more successful at establishing and maintaining a positive relationship with users.

## **CONCEPTUAL FRAMEWORK**

Our paper is mainly devoted to the possibility of managing human empathy towards robots, and, basically, it tries to answer to a very important question in Human-Robot Interaction Studies: how do humans develop expectations of robots? In order to find an answer, we will explore two different ideas into next subsections.

### **HRI and Expectations**

The field of Human-Robot Interactions despite of being relatively young is well studied (Goodrich & Schultz, 2007; Dautenhahn 2007a, 2007b). On the side, the list of human behavior studies is overwhelming, covering data from Anthropology, Sociology, Psychology, or Linguistics, among several fields. But something that it's clear is that "there is a property of behavior that could hardly be more basic and is, therefore, often overlooked: behavior has no opposite. In other words, there is no such thing as non-behavior or, to put it even more simply: one cannot not behave. Now, if it is accepted that all behavior in an interactional situation has message value, i.e., is communication, it follows that no matter how one may try, one cannot not communicate (Watzlawick, Beavin & Jackson, 1967; italics are ours). This is true for the target of our study: human beings. People behave and communicate to other people following a rich set of variables or constraints, some verbal, others non-verbal. At the same time, humans observe,

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/fake-empathy-and-human-robot-interaction-hri/244073](http://www.igi-global.com/chapter/fake-empathy-and-human-robot-interaction-hri/244073)

## Related Content

---

### Communication Improvement and Traffic Control Based on V2I in Smart City Framework

Mamata Rathand Bibudhendu Pati (2020). *Robotic Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1620-1636).

[www.irma-international.org/chapter/communication-improvement-and-traffic-control-based-on-v2i-in-smart-city-framework/244076](http://www.irma-international.org/chapter/communication-improvement-and-traffic-control-based-on-v2i-in-smart-city-framework/244076)

### 3D Scene Capture and Analysis for Intelligent Robotics

Ray Jarvis (2014). *Robotics: Concepts, Methodologies, Tools, and Applications* (pp. 69-84).

[www.irma-international.org/chapter/3d-scene-capture-and-analysis-for-intelligent-robotics/84889](http://www.irma-international.org/chapter/3d-scene-capture-and-analysis-for-intelligent-robotics/84889)

### State of the Art in Biomimetic Swimming Robots: Design Principles and Case Study

Sayyed Farideddin Masoomi, Stefanie Gutschmidtand XiaoQi Chen (2015). *Handbook of Research on Advancements in Robotics and Mechatronics* (pp. 118-152).

[www.irma-international.org/chapter/state-of-the-art-in-biomimetic-swimming-robots/126015](http://www.irma-international.org/chapter/state-of-the-art-in-biomimetic-swimming-robots/126015)

### Summarizing Opinions with Sentiment Analysis from Multiple Reviews on Travel Destinations

Argha Roy, Shyamali Guria, Suman Halder, Sayani Banerjeeand Sourav Mandal (2018). *International Journal of Synthetic Emotions* (pp. 111-120).

[www.irma-international.org/article/summarizing-opinions-with-sentiment-analysis-from-multiple-reviews-on-travel-destinations/214879](http://www.irma-international.org/article/summarizing-opinions-with-sentiment-analysis-from-multiple-reviews-on-travel-destinations/214879)

### Open Loop Force Control of Piezo-Actuated Stick-Slip Drives

Christoph Edelerand Sergej Fatikow (2011). *International Journal of Intelligent Mechatronics and Robotics* (pp. 1-19).

[www.irma-international.org/article/open-loop-force-control-piezo/52056](http://www.irma-international.org/article/open-loop-force-control-piezo/52056)