

## Chapter 1.3

# Knowledge Management Success Models

**Murray E. Jennex**  
*San Diego State University, USA*

### INTRODUCTION

Alavi and Leidner (2001, p. 114) defined knowledge management systems (KMSs) as “IT-based systems developed to support and enhance the organizational processes of knowledge creation, storage/retrieval, transfer, and application.” They observed that not all KM initiatives will implement an IT solution, but they support IT as an enabler of KM. Maier (2002) expanded on the IT concept for the KMS by calling it an ICT system that supported the functions of knowledge creation, construction, identification, capturing, acquisition, selection, valuation, organization, linking, structuring, formalization, visualization, distribution, retention, maintenance, refinement, evolution, access, search, and application. Stein and Zwass (1995) define an organizational memory information system (OMIS) as the processes and IT components necessary to capture, store, and bring to bear knowledge created in the past on decisions currently being made. Jennex and Olfman (2004) expanded this definition by

incorporating the OMS into the KMS and adding strategy and service components to the KMS.

Additionally, we have different ways of classifying the KMS and/or KMS technologies, where KMS technologies are the specific IT and ICT tools being implemented in the KMS. Alavi and Leidner (2001) classify the KMS and KMS tools based on the knowledge life-cycle stage being predominantly supported. This model has four stages: knowledge creation, knowledge storage and retrieval, knowledge transfer, and knowledge application. It is expected that the KMS will use technologies specific to supporting the stage for which the KMS was created to support. Marwick (2001) classifies the KMS and KMS tools by the mode of Nonaka’s (1994) SECI model (socialization, externalization, combination, and internalization) being implemented. Borghoff and Pareschi (1998) classify the KMS and KMS tools using their knowledge management architecture. This architecture has four classes of components—repositories and libraries, knowledge-worker communities, knowledge car-

tography or mapping, and knowledge flows—with classification being based on the predominant architecture component being supported. Hahn and Subramani (2001) classify KMS and KMS tools by the source of the knowledge being supported: a structured artifact, structured individual, unstructured artifact, or unstructured individual. Binney (2001) classifies the KMS and KMS tools using the knowledge spectrum. The knowledge spectrum represents the ranges of purposes a KMS can have and include transactional KM, analytical KM, asset management KM, process-based KM, developmental KM, and innovation and creation KM. Binney does not limit a KMS or KMS tool to a single portion of the knowledge spectrum and allows for multipurpose KMS and KMS tools. Zack (1999) classifies KMS and KMS tools as either integrative or interactive. Integrative KMS or KMS tools support the transfer of explicit knowledge using some form of repository and support. Interactive KMS or KMS tools support the transfer of tacit knowledge by facilitating communication between the knowledge source and the knowledge user. Jennex and Olfman (2004) classify the KMS and KMS tools by the type of users being supported. Users are grouped into two groups based on the amount of the common context of understanding they have with each other, resulting in the classifications of process- or task-based KMS and KMS tools, or generic or infrastructure KMS and KMS tools.

Regardless of the classification of the KMS, once a KMS is implemented, its success needs to be determined. Turban and Aronson (2001) list three reasons for measuring the success of a knowledge management system.

- To provide a basis for company valuation
- To stimulate management to focus on what is important
- To justify investments in KM activities

All are good reasons from an organizational perspective. Additionally, from the perspective

of KM academics and practitioners, the measurement of KMS success is crucial to understanding how these systems should be built and implemented.

To meet this need, several KM and/or KMS success models are found in the literature. Models of KM success are included as a Churchman (1979) view of a KMS can be defined to include the KM initiative driving the implementation of a KMS (also, the counterview is valid as looking at KM can also include looking at the KMS).

What is KM or KMS success? This is an important question that has not been fully answered as researchers are finding it difficult to quantify results of KM and KMS efforts. This article presents several KM and KMS success models. Two basic approaches are used to determine success. The first looks at the effective implementation of KM processes as the indicator of a successful implementation, with the expectation that effective processes will lead to successful knowledge use. These models identify KM processes by looking at KM and KMS success factors. The second approach looks at identifying impacts from the KM or KMS implementation, with the expectation that if there are impacts from using knowledge, then the KM or KMS implementation is successful. These models consider success a dependent variable and seek to identify the factors that lead to generating impacts from using knowledge. The following models, found through a review of the literature, use one or both of these approaches to determine KM or KMS success.

## **KNOWLEDGE MANAGEMENT SUCCESS MODELS**

### **Bots and de Bruijn: Knowledge Value Chain**

Bots and de Bruijn (2002) assessed KM and determined that the best way to judge good KM was through a knowledge value chain. Good KM

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/knowledge-management-success-models/25074](http://www.igi-global.com/chapter/knowledge-management-success-models/25074)

## Related Content

---

### Ethical Dilemmas and Big Data: The Case of the Swedish Transport Administration

Lena Hylvingand Susanne Lindberg (2022). *International Journal of Knowledge Management* (pp. 1-16).  
[www.irma-international.org/article/ethical-dilemmas-and-big-data/290021](http://www.irma-international.org/article/ethical-dilemmas-and-big-data/290021)

### Key Health Information Systems Outsourcing Issues from Six Hospital Cases

Chad Lin, Yu-An Huang, Chien-Fa Liand Geoffrey Jalleh (2011). *Cases on ICT Utilization, Practice and Solutions: Tools for Managing Day-to-Day Issues* (pp. 136-149).  
[www.irma-international.org/chapter/key-health-information-systems-outsourcing/49219](http://www.irma-international.org/chapter/key-health-information-systems-outsourcing/49219)

### On the Design of Knowledge Management System for R&D Organization: Integration of Process Management and Contents Management

Yongtae Park, Yongtae Kimand Intae Kang (2008). *Knowledge Management: Concepts, Methodologies, Tools, and Applications* (pp. 1473-1479).  
[www.irma-international.org/chapter/design-knowledge-management-system-organization/25192](http://www.irma-international.org/chapter/design-knowledge-management-system-organization/25192)

### Developing Knowledge Management Systems from a Knowledge-Based and Multi-Agent Approach

Aurora Vizacaino, Juan Pablo Soto, Javier Portillo-Rodriguesand Mario Piattini (2007). *International Journal of Knowledge Management* (pp. 67-83).  
[www.irma-international.org/article/developing-knowledge-management-systems-knowledge/2714](http://www.irma-international.org/article/developing-knowledge-management-systems-knowledge/2714)

### Deploying Knowledge Management in R&D Workspaces

Won-Chen Changand Sheng-Tung Li (2011). *Innovative Knowledge Management: Concepts for Organizational Creativity and Collaborative Design* (pp. 56-76).  
[www.irma-international.org/chapter/deploying-knowledge-management-workspaces/47221](http://www.irma-international.org/chapter/deploying-knowledge-management-workspaces/47221)