

Chapter 5

Ethnic Use, Phytochemistry, and Pharmacology of *Cyperus rotundus*: A Medicinal Plant

Mohammed Rahmatullah

University of Development Alternative, Bangladesh

Khoshnur Jannat

University of Development Alternative, Bangladesh

Gerald R. Reeck

Kansas State University, USA

Rownak Jahan

University of Development Alternative, Bangladesh

Taufiq Rahman

University of Cambridge, UK

Nasrin A. Shova

University of Development Alternative, Bangladesh

Maidul Islam

University of Development Alternative, Bangladesh

ABSTRACT

Cyperus rotundus (nut grass in English) is a perennial erect sedge plant and is distributed in over 90 countries of the world, where it has been mostly classified as a highly invasive weed. Despite this classification, the plant has been considered from traditional times to be medicinally important. The traditional uses of the plant in various countries include uses against various gastrointestinal tract disorders, skin

DOI: 10.4018/978-1-7998-1320-0.ch005

diseases, leprosy, fever, and neurological disorders. Evaluation of the plant and especially its rhizomes in a scientific manner has revealed the presence of numerous phytochemicals and wide-ranging pharmacological activities, which include anti-microbial, gastrointestinal, wound healing, anti-diabetic, anti-cancer, anti-malarial, anti-obesity, hepatoprotective, and anti-pyretic activity. The scientific validation of a number of traditional uses strongly indicates that the plant may prove useful in the discovery of a number of lead compounds and novel drugs.

INTRODUCTION

Cyperus rotundus L. is a perennial herbaceous plant belonging to the Cyperaceae family. It has an extensive network of rhizomes, tubers, bulbs and roots through which it can propagate easily, which has made it a very invasive plant and as such been classified as an invasive weed in the more than 90 countries that the plant is now found. The plant is believed to have originated from India, where its Sanskrit name as in Ayurveda is 'nagarmotha' (Bajpay, Nainwal, Singh & Tewari, 2018). The plant is found at present in various countries of Asia, Africa, Europe, North America, South America, and the Pacific Islands. Being present in so many countries, the plant has numerous names in the local vernacular. Some of the vernacular names given in The Global Invasive Species Database (GISD) [<http://www.iucngisd.org/gisd/species.php?sc=1448>] are tiririca-vermelha (Portuguese, Brazil), oniani lau (Maori, Cook Islands), vuthesa (Fijian), souchet à tubercules (French), zigolo infestante (Italian), soro ni kabani (Fijian), pakopako (Tongan, Tonga), coco grass (English), mauku'oniani (Maori, Cook Islands), mothe (English, Nepal), chufa (Spanish), mumuta (Samoan), oniani tita (Maori, Cook Islands), ya khon mu (Thai), vucesa (Fijian), juncia (Spanish), tiririca (Portuguese, Brazil), sur-sur (Pampangan), capim-alho (Portuguese, Brazil), tuteoneon (Marshallese), mala-apulid (Pampangan), alho-bravo (Portuguese, Brazil), castanuela (Spanish), brown nut sedge (English), almendra de tierra (Spanish), Rundes Zypergras (German), xiang fu zi (Chinese), mutha (Tagalog), coquito (Spanish), coquillo purpura (Spanish), ya hao mu (Thai, Central Thailand), coquillo (Spanish), tamanengi (Palauan), coco (Spanish), purple nut sedge (English), pakopako (Tagalog), herbe à oignons (French), and juncia real (Spanish). In Bangladesh, the plant is known as 'mutha' or 'mutha ghas'.

The plant also has a number of synonyms. Some of the synonyms according to the Plant List [<http://www.theplantlist.org/tpl1.1/record/kew-238342>] are *Chlorocyperus rotundus* (L.) Palla, *Chlorocyperus salaamensis* Palla, *Cyperus agrestis* Willd. ex Spreng. & Link, *Cyperus arabicus* Ehrenb. ex Boeckeler, *Cyperus bicolor* Vahl, *Cyperus bifax* C.B. Clarke, *Cyperus bulbosostoloniferus* Miq., and *Cyperus comosus* Sm. The taxonomic hierarchy of the plant is given below.

Kingdom: Plantae

SubKingdom: Viridiplantae

Division: Tracheophyta

Subdivision: Spermatophytina

Class: Magnoliopsida

21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/ethnic-use-phytochemistry-and-pharmacology-of-cyperus-rotundus/251617

Related Content

Turkish Herbal Medicine in the Treatment of Back Pain

Mustafa Eray Bozyel, Elif Merdamert Bozyeland Kerem Canli (2020). *Ethnomedicinal Plant Use and Practice in Traditional Medicine* (pp. 235-251).

www.irma-international.org/chapter/turkish-herbal-medicine-in-the-treatment-of-back-pain/251625

Data Warehouse and Data Virtualization

Kanishka Mukherjee (2016). *Software Innovations in Clinical Drug Development and Safety* (pp. 14-32).

www.irma-international.org/chapter/data-warehouse-and-data-virtualization/138977

Architecture of an Integrated Collaboration Portal for Clinical Trial: A Case Study

Partha Chakraborty (2016). *Software Innovations in Clinical Drug Development and Safety* (pp. 127-162).

www.irma-international.org/chapter/architecture-of-an-integrated-collaboration-portal-for-clinical-trial/138982

Ethnobotanical Wealth of Home Gardens

Bimal K. Chetri, Namgay Rinchenand Karma Wangchuck (2020). *Ethnomedicinal Plant Use and Practice in Traditional Medicine* (pp. 17-37).

www.irma-international.org/chapter/ethnobotanical-wealth-of-home-gardens/251613

Safety Signal Detection in the Drug Development Process

Ramin B. Araniand Antoni F.Z. Wisniewski (2016). *Software Innovations in Clinical Drug Development and Safety* (pp. 64-89).

www.irma-international.org/chapter/safety-signal-detection-in-the-drug-development-process/138980