

Chapter 5.16

Health Portals and Menu-Driven Identities

Lynette Kvasny

The Pennsylvania State University, USA

Jennifer Warren

The Pennsylvania State University, USA

INTRODUCTION

In this article, we make a case for research which examines the cultural inclusiveness and salience of health portals. We make our case from the standpoint of African-American women. While healthcare should be a ubiquitous social good, health disparities exist among various demographic groups. In fact, health disparities have been placed on the U.S. disease prevention and health promotion agenda. *Healthy People 2010* is an initiative sponsored by policy makers, researchers, medical centers, managed care organizations, and advocacy groups across the country. Although there is no consensus regarding what a health disparity is, sponsors agree that “racial and ethnic minorities experience multiple barriers to accessing healthcare, including not having health insurance, not having a usual source of care, location of providers, lack of transportation, lack of child care, and other factors. A growing body of

evidence shows that racial and ethnic disparities in health outcomes, healthcare access, and quality of care exist even when insurance, income, and other access-related factors are controlled.”¹

In addition to healthcare, African American women have less access to the internet. Even at equivalent income levels, African Americans are less likely than either whites or English speaking Hispanics to go online. Demographically, the composition of populations not online has not changed dramatically since 2000. Overall, 60% of the total U.S. population is online with African Americans making up 11% of the total U.S. population, 8% of the online population, and 14% of the offline population. However, when looking at those who are offline, African Americans are more likely than offline whites or Hispanics to believe that they will eventually go online (Lenhart, 2003).

Although online health information is available from multiple sources, we focus solely on those

health portals sponsored by the U.S. government. We made this choice based upon some early interviews with physicians and managers at a health-care facility which serves predominantly African American clients. We learned that most clients exhibited a low degree of trust in information provided by pharmaceutical companies and other sources which seemed too commercial. Instead, clients searched for information from recognizable sources, and tended to use portals and search pages like Yahoo and Google. We found that portals sponsored by U.S. government agencies were received positively by clients. Also, portals like healthfinder.gov and cdc.gov are highly regarded by the Medical Library Association². Moreover, the government is entrusted to uphold values of democracy and social justice therefore the health information that they provide should be accessible to a demographically diverse audience.

To gain insights into the cultural inclusiveness and salience of health portals, we use Nakumura's notion of menu-driven identities. For Nakumara (2002), the internet is a discursive place in which identity is enacted. She uses the term "menu-driven identities" to signify the ways in which content providers represent identities through the design of the interface and the personalization of content, and users perform their identity as they engage with the content. In what follows, we discuss health disparities and the promise of the internet in redressing inequities. Next, we further explain the ways in which users perform identity and health portals represent identities. We do this by theorizing about the health portals as mediating two-way communication between users and information providers. We conclude with directions for future research.

BACKGROUND

Health portals hold promise as an informational source for improving the health of historically underserved populations. This promise is ex-

tremely exciting given the state of health disparities in the U.S. We know from prior studies that health provider bias, stereotyping, prejudice, and clinical uncertainty may contribute to disparities along the lines of gender, class, race, and ethnicity (Balsa & McGuire, 2003). For instance, in a study by Bird and Bogart (2001), 63% of survey participants indicated that they had experienced discrimination in their interactions with their healthcare provider because of their race or ethnicity. Similarly, African Americans interviewees reported perceived discriminatory experiences such as inferior treatment, negative attitudes, being treated as if they were unintelligent, being ignored, inappropriate allegations, and racist remarks (Hobson, 2001). These negative experiences may profoundly impact attitudes towards receiving care, and willingness to comply with physician recommendations. For example, Hobson (2001) found that nearly 27% of African American survey respondents reported that, as a result of a discriminatory event, they were more hesitant to seek health services. Others avoided the healthcare facility (25.6%), avoided the provider (23.1%), avoided the personnel involved (10.3%), stopped using specific services (15.4%), or used service less frequently (7.7%).

Computer mediated communication may help minorities, women and other underserved groups to receive healthcare information in a more hospitable climate. The popularity of the internet as a medium for health communication is evidenced in two ways. First, the number of health-related Web sites has dramatically increased from a mere 15,000 sites in 1999 (Rice, 2001) to 100,000 as of 2003 (Cates, 2003). Secondly, although these sources vary in quality and relevance, the number of people seeking online health information rose to 97 million in 2001 from 60 million in 1999 (Rimal & Adkins, 2003). In a 2002 national survey (see Figure 2), researchers found that 73 million people in the U.S. or 62% of internet users have gone online to search for health information. On a typical day, about 6 million Americans go online

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/health-portals-menu-driven-identities/26317

Related Content

Multimodal Neuroimaging to Visualize Human Visual Processing

Sunao Iwaki (2013). *Biomedical Engineering and Cognitive Neuroscience for Healthcare: Interdisciplinary Applications* (pp. 274-282).

www.irma-international.org/chapter/multimodal-neuroimaging-visualize-human-visual/69927

Bone Age Assessment

S. Kavya, Pavithra Pugalendi, Rose Martina P. A., N. Sriraam, K. S. Babu and Basavaraj Hiremath (2013). *International Journal of Biomedical and Clinical Engineering* (pp. 1-10).

www.irma-international.org/article/bone-age-assessment/101925

The Relationship between Knee Extension Strength and Activities of Daily Living in Patients with Dementia

Makoto Suzuki, Hikari Kirimoto, Atsushi Inamura, Yoshitsugu Omori and Sumio Yamada (2011). *Early Detection and Rehabilitation Technologies for Dementia: Neuroscience and Biomedical Applications* (pp. 244-256).

www.irma-international.org/chapter/relationship-between-knee-extension-strength/53446

Improved Patient Safety Due to Catheter-Based Gas Bubble Removal During TURBT

Holger Fritzsche, Elmer Jeto Gomes Ataide, Axel Boese and Michael Friebe (2020). *International Journal of Biomedical and Clinical Engineering* (pp. 1-11).

www.irma-international.org/article/improved-patient-safety-due-to-catheter-based-gas-bubble-removal-during-turbt/253092

Low Noise EEG Amplifier Board for Low Cost Wearable BCI Devices

Ravimand Suma K. V. (2016). *International Journal of Biomedical and Clinical Engineering* (pp. 17-28).

www.irma-international.org/article/low-noise-eeeg-amplifier-board-for-low-cost-wearable-bci-devices/170459