# Chapter 8.23 Mobile Decision Support for Time-Critical Decision Making

### F. Burstein

Monash University, Australia

## J. Cowie

University of Stirling, UK

## INTRODUCTION

The wide availability of advanced information and communication technology has made it possible for users to expect a much wider access to decision support. Since the context of decision making is not necessarily restricted to the office desktop, decision support facilities have to be provided through access to technology anywhere, anytime, and through a variety of mediums. The spread of e-services and wireless devices has increased accessibility to data, and in turn, influenced the way in which users make decisions while on the move, especially in time-critical situations. For example, on site decision support for fire weather forecasting during bushfires can include realtime evaluation of quality of local fire weather forecast in terms of accuracy and reliability. Such decision support can include simulated scenarios indicating the probability of fire spreading over nearby areas that rely on data collected locally

at the scene and broader data from the regional and national offices. Decision Support Systems (DSS) available on mobile devices, which triage nurses can rely on for immediate, expert advice based on available information, can minimise delay in actions and errors in triage at emergency departments (Cowie & Godley, 2006).

Time-critical decision making problems require context-dependent metrics for representing expected cost of delaying an action (Greenwald & Dean, 1995), expected value of revealed information, expected value of displayed information (Horvitz, 1995) or expected quality of service (Krishnaswamy, Loke, & Zaslavsky, 2002). Predicting utility or value of information or services is aimed at efficient use of limited decision making time or processing time and limited resources to allow the system to respond to the time-critical situation within the required time frame. Sensitivity analysis (SA) pertains to analysis of changes in output due to changes in inputs (Churilov et al.,

1996). In the context of decision support, traditionally SA includes the analysis of changes in output when some aspect of one or more of the decision model's attributes change, and how these affect the final DSS recommendations (Triantaphyllou & Sanchez, 1997). In time-critical decision making monitoring, the relationship between the changes in the current input data and how these changes will impact on the expected decision outcome can be an important feature of the decision support (Hodgkin, San Pedro, & Burstein, 2004; San Pedro, Burstein, Zaslavsky, & Hodgkin, 2004). Thus, in a time-critical decision making environment, the decision maker requires information pertaining to both the robustness of the current model and ranking of feasible alternatives, and how sensitivity this information is to time; for example, whether in 2, 5, or 10 minutes, a different ranking of proposed solutions may be more relevant. The use of graphical displays to relay the sensitivity of a decision to changes in parameters and the model's sensitivity to time has been shown to be a useful way of inviting the decision maker to fully investigate their decision model and evaluate the risk associated with making a decision now (whilst connectivity is possible), rather than at a later point in time (when perhaps a connection has been lost) (Cowie & Burstein, 2006).

In this article, we present an overview of the available approaches to mobile decision support and specifically highlight the advantages such systems bring to the user in time-critical decision situations. We also identify the challenges that the developers of such systems have to face and resolve to ensure efficient decision support under uncertainty is provided.

## MOBILE DECISION SUPPORT

Recent work on mobile decision support focuses on the implementation of knowledge-based services on hand-held computers. Work on mobile clinical support systems, for example, addresses different forms of intelligent decision support such as knowledge delivery on demand, medication consultant, therapy reminder (Spreckelsen et al., 2000), preliminary clinical assessment for classifying treatment categories (Michalowski, Rubin, Slowinski, & Wilk, 2003; San Pedro, Burstein, Cao, Churilov, Zaslavsky, & Wassertheil, 2004), and providing alerts of potential drugs interactions and active linking to relevant medical conditions (Chan, 2000). These systems also address mobility by providing intelligent assistance on demand, at the patient's bedside or on-site.

Research on location-based mobile support systems uses search, matching, and retrieval algorithms to identify resources that are in proximity to the location of the mobile users and that satisfy multi-attribute preferences of the users and the e-service providers. Examples of such location-based systems are those that recommend best dining options to mobile users (Tewari et al., 2001), locate automatic teller machines nearby (Roto, 2003), and locate nearest speed cameras and intersections using GPS-enabled mobile devices. Most of these mobile decision support systems use intelligent technologies and soft computing methodologies (e.g., rule-based reasoning, rough sets theory, fuzzy sets theory, multi-attribute utility theory) as background frameworks for intelligent decision support. However, none of these systems address the issue of quality of data or quality of decision support while connected or disconnected from the network or consider a comprehensive measure of reliability of data as part of supporting time-critical decision-making.

It should be noted that not all real-time decision situations, which could benefit from mobile DSS, are also constringed by the period of time, in which this decision support should be provided. For example, if a decision problem is more of a strategic, rather than operation nature, the time factor could be less critical, hence, more time can be devoted to improve the quality of data before the final decision has to be accepted by the user. In this article, we mainly address the needs of 7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/mobile-decision-support-time-critical/26741

## **Related Content**

#### Security in Mobile Agent Systems

Chua Fang Fangand G. Radhamani (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 2600-2613).* 

www.irma-international.org/chapter/security-mobile-agent-systems/26680

## Design and Implementation of Mobile-Based Technology in Strengthening Health Information System: Aligning mHealth Solutions to Infrastructures

Saptarshi Purkayastha (2012). *Mobile Computing Techniques in Emerging Markets: Systems, Applications and Services (pp. 158-182).* www.irma-international.org/chapter/design-implementation-mobile-based-technology/62195

# High-Efficiency Multihomed Multimedia Transmission in Wireless Sensors

Haitao Wangand Yanli Chen (2022). International Journal of Mobile Computing and Multimedia Communications (pp. 1-19). www.irma-international.org/article/high-efficiency-multihomed-multimedia-transmission-in-wireless-sensors/297966

#### Security in 2.5G Mobile Systems

Christos Xenakis (2009). Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 2752-2765).

www.irma-international.org/chapter/security-mobile-systems/26690

#### Network Codes Based on Symmetric Matrices

Edidiong Anselm Attang, Yuteng Wu, Mandana Norouziand Guillermo E. Atkin (2016). *International Journal of Handheld Computing Research (pp. 1-14).* 

www.irma-international.org/article/network-codes-based-on-symmetric-matrices/176415