Chapter IX Routing Protocols for Ad-Hoc Networks

Muhammad Mahmudul Islam

Monash University, Clayton, Australia

Ronald Pose

Monash University, Clayton, Australia

Carlo Kopp

Monash University, Clayton, Australia

ABSTRACT

Ad-hoc networks have been the focus of research interest in wireless networks since 1990. Nodes in an ad-hoc network can connect to each other dynamically in an arbitrary manner. The dynamic features of ad-hoc networks demand a new set of routing protocols that are different from the routing schemes used in traditional wired networks. A wide range of routing protocols has been proposed to overcome the limitations of wired routing protocols. This chapter outlines the working mechanisms of state-of-the-art ad-hoc routing protocols. These protocols are evaluated by comparing their functionalities and characteristics. Related research challenges are also discussed.

INTRODUCTION


An ad-hoc network consists of a set of nodes that communicate using a wireless medium over single or multiple hops and do not need any preexisting infrastructure such as access points or base stations. Ad-hoc networks can comprise of mobile, static, or both types of nodes. Ad-hoc networks containing mobile nodes are known as MANETs (mobile ad-hoc networks). An example of ad-hoc networks with static nodes is SAHN (suburban ad-hoc network) (Kopp & Pose, 1998).

Routing Protocols for Ad-Hoc Networks

Since ad-hoc networks can be rapidly deployed, they are attractive for digital communication in battlefields, rescue operations after a disaster, and so forth. Ad-hoc networks are also useful in civilian forums for running demanding multimedia applications such as video conferencing.

The topology of an ad-hoc network can change dynamically due to dynamic link failure

Figure 1. Classification of ad-hoc routing protocols based on routing strategy and network structure



42 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/routing-protocols-hoc-networks/26786

Related Content

Interaction through Textures

(2011). Interactive Textures for Architecture and Landscaping: Digital Elements and Technologies (pp. 171-186).

www.irma-international.org/chapter/interaction-through-textures/47245

Knowledge-Building through Collaborative Web-Based Learning Community or Ecology in Education

Percy Kwok (2009). *Encyclopedia of Multimedia Technology and Networking, Second Edition (pp. 821-828).* www.irma-international.org/chapter/knowledge-building-through-collaborative-web/17486

Client-Side Relevance Feedback Approach for Image Retrieval in Mobile Environment

Ning Yu, Kien A. Huaand Danzhou Liu (2011). *International Journal of Multimedia Data Engineering and Management (pp. 42-53).*

www.irma-international.org/article/client-side-relevance-feedback-approach/54461

An Image Clustering and Feedback-based Retrieval Framework

Chengcui Zhang, Liping Zhou, Wen Wan, Jeffrey Birchand Wei-Bang Chen (2010). *International Journal of Multimedia Data Engineering and Management (pp. 55-74).*

www.irma-international.org/article/image-clustering-feedback-based-retrieval/40985

Wireless Video Transmission

Supavadee Aramvithand Rhandley D. Cajote (2009). *Handbook of Research on Secure Multimedia Distribution* (pp. 211-240).

www.irma-international.org/chapter/wireless-video-transmission/21315