



Chapter XI

**RAC: A Soft-QoS
Framework for Supporting
Continuous Media
Applications**

Wonjun Lee
Ewha Womans University, Korea

Jaideep Srivastava
University of Minnesota, USA

In this chapter, we present a novel disk admission control algorithm that exploits the degradability property of continuous media applications to improve the performance of the system. The algorithm is based on setting aside a portion of the resources, i.e., disk I/O bandwidth, as reserves and managing it intelligently so that the total utility of the system is maximized. This reserve-based admission control strategy (RAC) is a compromise between purely greedy and non-greedy strategy, and it leads to an efficient protocol that improves the performance of the system. While the protocol is simple for admission decision, it also results in better performance for the system by reserving some resources for the important future applications. The framework consists of two parts. One is the reserve-based admission control mechanism in which new streams, arriving during periods of congestion, are offered lower QoS, instead of being blocked. The other one is a resource scheduler for continuous media with dynamic resource allocation to achieve higher utilization than non-dynamic schedulers by effectively sharing available resources among contending streams and by reclamation, which is a scheduler-initiated negotiation to reallocate resources among streams to improve overall QoS.

INTRODUCTION

The emergence of varied high-speed networked multimedia systems opens up the possibility that a much more varied collection of continuous media applications could be handled in real-time. However, due to the limitation of available resources in such systems, we still need to develop more intelligent mechanisms for efficient admission control, negotiation, resource allocation and resource scheduling, so that we could optimize the total system utilization. In particular, there has been increased interest in I/O issues for multimedia or continuous media (CM). The goal of conventional disk scheduling policies is to reduce the cost of seek operations and to achieve a high throughput, while providing fair access to every process that seeks its services. The goal of disk scheduling for continuous media is to meet the deadlines of the periodic I/O requests generated by the stream manager to meet rate requirements. An additional goal is to minimize buffer requirements. In order to ensure continuous and stringent real-time constraints of video delivery in CM servers (Harinath et al., 2000; Haskin & Schmuck, 1996; and Lelend et al., 1994), several factors such as disk bandwidth, buffer capacity, network bandwidth, etc., should be considered carefully and should be handled efficiently. The reservations of these resource factors are required for supporting an acceptable level of display quality and for providing on-time delivery constraints. In particular, disk bandwidth constraint may be the most important factor, given that the I/O bandwidth reserved for each stream on disk depends on latency overhead time, transfer time, defined cycle length and contention of multiple streams. Hence, we should be able to guarantee that the request of each stream can be fairly supported with good disk utilization and server cost-performance.

The goal of disk/server scheduling for CM is to satisfy QoS requirements (Vin, Goyal & Goyal, 1994) by meeting deadlines of periodic I/O requests generated by some server resident CM stream manager with minimum buffers and with a fair scheduling algorithm (Kenchammana-Hosekote & Srivastava, 1997). A video stream being viewed requires timely delivery of data, but it is able to tolerate some loss of the data for small amounts of time. The problem here is dual (i.e., admission control and disk I/O bandwidth management in CM server systems) to that of network call admission control and dynamic bandwidth management (Lau & Lui, 1995). Admission control in CM servers or video-on-demand systems restricts the number of applications supported on the resources. For example, the applications may be video streams, and the resources used could be connections on the network or on continuous media servers (Lee & Sabata, 1999, 2001; Lee et al., 1998). To handle these issues in CM server systems, we propose an adaptive admission control strategy which achieves better performance than the conventional greedy admission control strategies generally used for CM servers. It recognizes that CM (e.g., video) applications can tolerate certain variations on QoS parameters. It develops an algorithm for sharing processing resources at the server to share available resources effectively among contending streams (Lee & Srivastava, 1998). The proposed algorithm provisions are for *reclamation* (i.e., scheduler-initiated negotiation) to reallocate resources among streams to improve the QoS overall.

In this chapter, we present a dynamic and adaptive admission control strategy for providing a fair disk bandwidth scheduling and better performance for video streaming. It efficiently services multiple clients simultaneously and satisfies the real-time requirement for continuous delivery of video streaming at specified bandwidths in distributed environments. This new stream scheduler provides a proficient admission control functionality which can optimize disk utilization with a good response ratio for the requests of clients--

16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/rac-soft-qos-framework-supporting/27035

Related Content

Conceptual, Methodological, and Ethical Challenges of Internet-Based Data Collection

Jonathan K. Lee (2009). *Encyclopedia of Multimedia Technology and Networking, Second Edition* (pp. 240-246).

www.irma-international.org/chapter/conceptual-methodological-ethical-challenges-internet/17407

What Does Digital Media Allow Us to “Do” to One Another?: Economic Significance of Content and Connection

Donna E. Alvermann, Crystal L. Beach and George L. Boggs (2018). *Digital Multimedia: Concepts, Methodologies, Tools, and Applications* (pp. 1192-1215).

www.irma-international.org/chapter/what-does-digital-media-allow-us-to-do-to-one-another/189524

Traitor Tracing in Mobile Multimedia Communication

Shiguo Lian (2009). *Handbook of Research on Mobile Multimedia, Second Edition* (pp. 437-451).

www.irma-international.org/chapter/traitor-tracing-mobile-multimedia-communication/21020

Design and Performance Evaluation of Smart Job First Multilevel Feedback Queue (SJFMLFQ) Scheduling Algorithm with Dynamic Smart Time Quantum

Amit Kumar Gupta, Narendra Singh Yadav and Dinesh Goyal (2017). *International Journal of Multimedia Data Engineering and Management* (pp. 50-64).

www.irma-international.org/article/design-and-performance-evaluation-of-smart-job-first-multilevel-feedback-queue-sjfmfq-scheduling-algorithm-with-dynamic-smart-time-quantum/178934

Digital Story-Making in Support of Student Meaning-Making

Gail Matthews-DeNatale (2013). *Enhancing Instruction with Visual Media: Utilizing Video and Lecture Capture* (pp. 192-203).

www.irma-international.org/chapter/digital-story-making-support-student/75422