

Chapter 29

Infant Cry Recognition System: A Comparison of System Performance based on CDHMM and ANN

Yosra Abdulaziz Mohammed

University of Fallujah, Baghdad, Iraq

ABSTRACT

Cries of infants can be seen as an indicator of pain. It has been proven that crying caused by pain, hunger, fear, stress, etc., show different cry patterns. The work presented here introduces a comparative study between the performance of two different classification techniques implemented in an automatic classification system for identifying two types of infants' cries, pain, and non-pain. The techniques are namely, Continuous Hidden Markov Models (CHMM) and Artificial Neural Networks (ANN). Two different sets of acoustic features were extracted from the cry samples, those are MFCC and LPCC, the feature vectors generated by each were eventually fed into the classification module for the purpose of training and testing. The results of this work showed that the system based on CDHMM have better performance than that based on ANN. CDHMM gives the best identification rate at 96.1%, which is much higher than 79% of ANN whereby in general the system based on MFCC features performed better than the one that utilizes LPCC features.

INTRODUCTION

For infants, crying is a communication tool, a very limited one, but similar to the way an adult communicates. They use cries to express their physical, emotional and psychological states and needs (Drummond & McBride, 1993). An infant may cry for a variety of reasons, and many scientists believe that there are different types of cries which reflects different states and needs of infants, thus it is possible to analyze and classify infant cries for clinical diagnosis purposes.

Based on the information carried by the crying wave, the infant's physical state can be determined, and thus it can be detected if the infant is suffering a physical pain or just hunger or anger. Given that

DOI: 10.4018/978-1-6684-2408-7.ch029

the processing of the information in the infant cry is basically a kind of pattern recognition, the task was approached by using the same techniques used for automatic speech recognition.

Hidden Markov Model is based on double stochastic processes, whereby the first process produces a set of observations which in turns can be used indirectly to reveal another hidden process that describes the states evolution (Rabiner,1989). This technique has been used extensively to analyze audio signals such as for biomedical signal processing (Lederman, Cohen, & Zmora, 2002) and speech recognition (Al-Alaoui, Al-Kanj, Azar, & Yaacoub, 2008). Neural Networks are defined as systems which have the capability to model highly complex nonlinear problems and composed of many simple processing elements, that operate in parallel and whose function is determined by the network's structure, the strength of its connections, and the processing carried out by the processing elements or nodes.

In this work, a series of an observable feature vector is used to reveal the cry model hence assists in its classification. First, the paper describes the overall architecture of an automatic recognition system which main task is to differentiate between an infant 'pain' cries from 'non-pain' cries. The performance of both systems is compared in terms of recognition accuracy, classification error rate and F-measure under the use of two different acoustic features, namely Mel Frequency Cepstral Coefficient (MFCC) and Linear Prediction Cepstral Coefficients (LPCC). Separate phases of system training and system testing are carried out on two different sample sets of infant cries recorded from a group of babies which ranges from newborns up to 12 months old.

The prime objective of this paper is to compare the performance of an automatic infant's cry classification system applying two different classification techniques, Artificial Neural Networks and continuous Hidden Markov Model.

Background

A number of research work related to this line have been reported, whereby many of which are based on Artificial Neural Network (ANN) classification techniques. (Petroni, Malowany, Johnston, & Stevens,1995) for example, have used three different varieties of supervised ANN technique which include a simple feed-forward, a recurrent neural network (RNN) and a time-delay neural network (TDNN) in their infant cry classification system. In their study, they have attempted to recognize and classify three categories of cry, namely 'pain', 'fear' and 'hunger' and the results demonstrated that the highest classification rate was achieved by using feed-forward neural network. Another research work carried out by (Cano & Escobedo, 1999) used the Kohonen's self-organizing maps (SOM) which is basically a variety of unsupervised ANN technique to classify different infant cries. (Rosales-Pérez, Reyes-Garcia, Gonzalez, & Arch-Tirado, 2012) used Genetic Selection of a Fuzzy Model (GSFM) for classification of infant cry where GSFM selects a combination of feature selection methods, type of fuzzy processing, learning algorithm, and its associated parameters that best fit to the data and have obtained up to 99.42% in recognition accuracy. (Al-Azzawi, 2014) designed an automatic infant cry recognition system based on the fuzzy transform (F-transform) that classifies two different kinds of cries, which come from physiological status and medical disease, a supervised MLP scaled conjugate ANN was used and the classification accuracy obtained was 96%.

Apart from the traditional ANN approach, another infant cry classification technique studied is Support Vector Machine (SVM) which has been reported by (Barajas & Reyes, 2005). Here, a set of Mel Frequency Cepstral Coefficients (MFCC) was extracted from the audio samples as the input features.

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/infant-cry-recognition-system/288978

Related Content

Artificial Higher Order Neural Network Models

Ming Zhang (2016). *Applied Artificial Higher Order Neural Networks for Control and Recognition* (pp. 282-350).

www.irma-international.org/chapter/artificial-higher-order-neural-network-models/152109

Optimization of Evolutionary Algorithm Using Machine Learning Techniques for Pattern Mining in Transactional Database

Logeswaran K., Suresh P., Savitha S. and Prasanna Kumar K. R. (2020). *Handbook of Research on Applications and Implementations of Machine Learning Techniques* (pp. 173-200).

www.irma-international.org/chapter/optimization-of-evolutionary-algorithm-using-machine-learning-techniques-for-pattern-mining-in-transactional-database/234124

Heterogeneous Large-Scale Distributed Systems on Machine Learning

Karthika Paramasivam, Prathap M. and Hussain Sharif (2020). *Deep Neural Networks for Multimodal Imaging and Biomedical Applications* (pp. 47-68).

www.irma-international.org/chapter/heterogeneous-large-scale-distributed-systems-on-machine-learning/259486

Improving Algorithms for Learning Radial Basic Functions Networks to Solve the Boundary Value Problems

Vladimir Gorbachenko and Konstantin Savenkov (2020). *Avatar-Based Control, Estimation, Communications, and Development of Neuron Multi-Functional Technology Platforms* (pp. 66-106).

www.irma-international.org/chapter/improving-algorithms-for-learning-radial-basic-functions-networks-to-solve-the-boundary-value-problems/244787

Analysis of Precipitation Variability using Memory Based Artificial Neural Networks

Shyama Debbarma, Parthasarathi Choudhury, Parthajit Roy and Ram Kumar (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 955-970).

www.irma-international.org/chapter/analysis-of-precipitation-variability-using-memory-based-artificial-neural-networks/288994