^{Chapter 36} Therapeutic and Pharmaceutical Potential of Cinnamon

Neha Mishra

Sam Higginbottom University of Agriculture, Technology, and Sciences, India

Rashmi Srivastava

Centre of Food Technology, University of Allahabad, India

ABSTRACT

Cinnamon has been used as a spice, condiment, and aromatic plant since centuries ago. Cinnamon is a small evergreen tree belonging to the genus Cinnamomum in the family Lauraceae. There are more than 250 species of cinnamon worldwide. In India, Cinnamomum verum and Cinnamomum cassia are the most common species grown in the Himalaya region. They have been used as folk medicine for the treatment of nausea, flatulent dyspepsia, coughs, diarrhea, malaria, gastric disorder, and to alleviate pain and inflammation in rheumatic arthritis. Therapeutic properties of cinnamon are due to the presence of bioactive constituents such as p-coumaric, cinnamaldehyde, cinnamic acid, and eugenol. Cinnamaldehyde and eugenol are the major active constituents responsible for its characteristic flavor, aroma, and therapeutic properties. Pharmacological studies found that it could be a promising candidate with potential for designing new drugs. This review is aimed to summarize the ethanomedicinal importance, phytochemistry, and wide spectrum of pharmacological and therapeutic applications of cinnamon.

INTRODUCTION

Cinnamon is a medicinal plant belonging to the Lauraceae family. The bark of the plant is commonly used as a spice and an aromatic and flavoring agent since ancient times. The botanical name Cinnamomum is derived from the Hebraic and Arabic term amomon, meaning fragrant spice plant. All over the world, there are about over 250 species belonging to the genus *Cinnamomum* in the family Lauraceae; however, only a few *Cinnamomum* species are grown commercially (Sangal 2011; Vangalapati et al. 2012). Among them, four species are most commonly used as spices including *Cinnamon cassia*, *Cinnamon verum*, *Cinnamon loureiroi* and *Cinnamon burmanni* Blume (Ravindran 2004).

DOI: 10.4018/978-1-6684-3546-5.ch036

Therapeutic and Pharmaceutical Potential of Cinnamon

Cinnamon is native to South Asia, although now it is distributed all over the world. These are evergreen trees and shrubs, and most of the species are aromatic. Cinnamomum verum and Cinnamomum cassia is the most common species of India and Sri Lanka (USDA-ARS, 2009). In India, it generally cultivated in the upper Himalayas at altitudes of 900 meters to 2500 meters. Different parts of cinnamon, especially bark and leaves, have been used as spices since Ayurvedic times. In India, dry bark is known as dalchin and leaves known as bay leaves. It is used as a folk medicine for the treatment of nausea, flatulent dyspepsia, coughs, diarrhea, malaria, gastric disorder, and to alleviate pain and inflammation in rheumatic arthritis. Around the world it is commonly used as a flavoring agent in a wide variety of cuisines, confectionery, sweets, snack foods, beverages, and chewing gums. In addition, they are commonly used in the soap and perfume industry due to its unique fragrance and aroma. Bark and leaves of the plant are a good source of aromatic essential oil that contains more than 80 phytochemical compounds and commonly used as spices. The primary constituents of the essential oil are cinnamaldehyde (65-80%) and less amount of eugenol (5-10%). It also contains mucilage, starch, and tannins (Trease and Evans 1989). The characteristic aroma and flavor of cinnamon derive from the principal component, cinnamaldehyde, and *trans*-cinnamaldehyde (Cin) present in essential oil (Yeh et al 2013). The pungent taste is attributed to cinnamic aldehyde, whereas sweetness in cinnamon arises from mannitol. This is well established that it also contributes to various biological activities such as anti-inflammatory, antioxidant, anti-ulcer, anti-microbial, hypoglycemic and hepatoprotective activities (Lin et al. 2003). The pharmacological and therapeutic properties of cinnamon are due to the presence of bioactive constituents such as vanillic, caffeic, gallic, protocatechuic, p-coumaric, ferulic acids, cinnamaldehyde, cinnamate, cinnamic acid and eugenol. It is also documented that it is active against many pathogenic gram-positive and gram-negative bacteria. It could serve as an ideal preservative agent as it would increase the safety and shelf life of food products by acting against foodborne pathogens and spoilage bacteria. Cinnamon is being practiced in Ayurvedic medicine, unani medicine, traditional Chinese medicine for cold, diarrhea, digestive disorder and as an appetizer. In European, it is approved by German health authorities for the same. Several types of research have been done on exploring its biological activities since last two decades. The aim of this review article is to summarize the ethnomedicinal importance, phytochemistry and wide spectrum of pharmacological and therapeutic applications of Cinnamon.

Taxonomic Tree

Domain: Eukaryota Kingdom: Plantae Phylum: Spermatophyta Subphylum: Angiospermae Class: Dicotyledonae Order: Laurales Family: Lauraceae Genus: Cinnamomum Species: Cinnamomum verum 11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/therapeutic-and-pharmaceutical-potential-ofcinnamon/289509

Related Content

Red Meat and Health: Evidence Regarding Red Meat, Health, and Chronic Disease Risk

Kate Marsh, Angela Saundersand Carol Zeuschner (2017). Oncology: Breakthroughs in Research and Practice (pp. 216-266).

www.irma-international.org/chapter/red-meat-and-health/158920

CAM Recommended by Standard Guidelines for Chronic Illnesses

Annalisa Casarin (2018). *Complementary and Alternative Medicine and Kidney Health (pp. 124-155).* www.irma-international.org/chapter/cam-recommended-by-standard-guidelines-for-chronic-illnesses/191966

The Chemical Constituents, Anti-Inflammatory, Anti-Oxidant, and Ethnomedicinal Properties of Aloe barbadensis

Dickson Adom, Paul Appiah Sekyereand Mohan Kumar Krishnappa (2022). *Research Anthology on Recent Advancements in Ethnopharmacology and Nutraceuticals (pp. 454-471).* www.irma-international.org/chapter/the-chemical-constituents-anti-inflammatory-anti-oxidant-and-ethnomedicinal-properties-of-aloe-barbadensis/289496

Strategies to Suppress Tumor Angiogenesis and Metastasis, Overcome Multi-Drug Resistance in Cancer, Target Telomerase and Apoptosis Pathways

Mohd Aleem, Deepti Sharma, Deepshikha Sharma, Siddhartha Dan, Pooja Gupta, Khalid Umar Fakhriand M. Moshahid Alam Rizvi (2021). *Handbook of Research on Advancements in Cancer Therapeutics (pp. 312-338).*

www.irma-international.org/chapter/strategies-to-suppress-tumor-angiogenesis-and-metastasis-overcome-multi-drugresistance-in-cancer-target-telomerase-and-apoptosis-pathways/267047

Feature Extraction

(2018). Electrocardiogram Signal Classification and Machine Learning: Emerging Research and Opportunities (pp. 59-66). www.irma-international.org/chapter/feature-extraction/205178