

Chapter 10

Towards a Model for Self-Disclosure on Social Network Sites: A Pilot Study

Mahamadou Kante

 <https://orcid.org/0000-0002-5544-8166>

Université Virtuelle de Côte d'Ivoire, Côte d'Ivoire

Joel Christian Adepo

Université Virtuelle de Côte d'Ivoire, Côte d'Ivoire

Michel Babri

Université Félix Houphouët-Boigny, Côte d'Ivoire

ABSTRACT

One of the current discussions is the resilience of health systems in developing countries. Online platforms users including health system users (patients, doctors) are worried about their privacy being violated. While the users of social media enjoy the opportunity to learn, connect, and share, their privacy on those platforms is at risk. A possible cause of this is the information privacy paradox, which describes a disconnect between users' stated concerns and actual behaviour. In the pilot phase of this study, the authors have used the partial least squares structural equation modelling technique for the analysis of the relationships postulated to explain self-disclosure in social network sites. The survey instrument's content validity and adapted model's constructs validity and reliability were confirmed, and the preliminary findings revealed that the derived model explains 32.9% of the user's self-disclosure intention on social network sites.

DOI: 10.4018/978-1-7998-8915-1.ch010

INTRODUCTION

Resilience is an important concept in the context of healthcare systems implementation. Resilience has been defined as the ability of health systems to adapt in the face of crises such as Covid-19 and to plan for future shocks (Heeks, 2018). Resilience in health system relies on the constituents of health information systems ecosystem such as Information technology, people (nurses, medical doctors, policymakers, patients and others) and processes with people being at the centre of building resilient health systems. However, people who are part of healthcare ecosystems are affected by factors related to privacy and security when engaging with healthcare systems that need further investigation.

Hoy & Milne (2010) and Yao (2011) argue that online platforms including health systems' users (patients, doctors) are worried about their privacy being violated. Further, on Social Network Sites (SNS) like Twitter and Facebook, self-disclosure of personal information is a critical aspect for the users, in terms of security and privacy. This was also supported by Marwick & Hargittai (2019) who posited that some SNS users in addition to their concerns about security and privacy infringement perceive privacy violations as inevitable. Hence, people (users) disclosing their personal information (self-disclosure) has become an issue as it poses a risk to their privacy.

Recent privacy violation cases such as the Cambridge Analytica (CA) data harvest have shown that it is to the best of SNS users to protect themselves by controlling what information they disclose. The tech company, CA, reportedly harvested over 50 million Facebook profiles with the purpose to build software to influence and predict choices during the United States 2016 presidential election (Graham-Harrison & Cadwalladr, 2018). In fact, it has been reported by the CA whistleblower Wylie Christopher that the company used the data to predict and influence voters during President Donald Trump's campaign in the 2016 presidential election.

Issues associated with self-disclosure have been reported in many studies. For instance, Krasnova et al., 2010 and Min & Kim, 2015) investigated online users' information (personal) sharing enticement. Moreover, self-disclosure has been investigated considering traits such as culture (Krasnova et al., 2012b), and social context (Cui, 2015). While there is an agreement amongst scholars on online users behaviour and self-disclosure, debates continue regarding the factors that may affect that behaviour and the extent to which these factors affect online users. It was argued by Yao (2011) that self-disclosure of SNS user may be caused by his/her behaviour online. In the same vein, Krasnova et al. (2010) stated that behavior is determined by factors like platform enjoyment and the quest for maintaining existing relationship. Factors such as perceived similarity, keeping up with trends or social ties have also been mentioned as driving factors for online self-disclosure behaviors (Mahamadou Kante, 2022). Additionally, Zlatolas et al. (2015) reported

24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/towards-a-model-for-self-disclosure-on-social-network-sites/298405

Related Content

Online Learning in Discussion Groups: A Sense-Making Approach¹

David J. Schaefer and Brenda Dervin (2011). *User-Driven Healthcare and Narrative Medicine: Utilizing Collaborative Social Networks and Technologies* (pp. 276-293). www.irma-international.org/chapter/online-learning-discussion-groups/49259

Aggregate Model-Based Performance Analysis of an Emergency Department

Ivo Adan, Erjen Lefeber, Jordi Timmermans, Annet van de Waarsenburg and Mireille Wolleswinkel-Schriek (2014). *International Journal of Privacy and Health Information Management* (pp. 1-21). www.irma-international.org/article/aggregate-model-based-performance-analysis-of-an-emergency-department/129020

From Healthcare Services to E-Health Applications: A Delivery System-Based Taxonomy

Riccardo Spinelli and Clara Benevolo (2018). *Health Care Delivery and Clinical Science: Concepts, Methodologies, Tools, and Applications* (pp. 909-940). www.irma-international.org/chapter/from-healthcare-services-to-e-health-applications/192711

Sustainable Development in Healthcare

Maria Gerali, Dimitra Paikopoulou and Marina Servitzoglou (2015). *International Journal of Reliable and Quality E-Healthcare* (pp. 31-38). www.irma-international.org/article/sustainable-development-in-healthcare/136782

CARMIE: A Conversational Medication Assistant for Heart Failure

Joana Lobo, Liliana Ferreira and Aníbal JS Ferreira (2017). *International Journal of E-Health and Medical Communications* (pp. 21-37). www.irma-international.org/article/carmie/187054