Chapter 3 Wavelets in Boundary Integral Equation: Applications in Radiation Problems

Mohamed Bayjja

LABTIC, ENSA of Tetouan, University of Abdelmalek Essaadi, Morocco

Jamal Zbitou

LABTIC ENSA of Tangier, University of Abdelmalek Essaadi Tetouan, Morocco

Ahmed El Oualkadi

b https://orcid.org/0000-0002-4953-1000 LABTIC, ENSA of Tetouan, University of Abdelmalek Essaadi, Morocco

ABSTRACT

Wavelet transforms and wavelet bases are widely used for analyzing and solving problems related to science and engineering techniques. This growth is mainly due to specific properties that result from decompositions on wavelet bases. In this chapter, the authors propose the electromagnetic modeling of wire antennas by two different methods: the method of moment's procedure matching point and the moments-wavelets method for solving the integral equation and modeling the characteristics of each structure. A detailed reminder on wavelet theory: definition, multi-resolution analysis, different families, wavelet properties, and use of wavelet bases in the method of moments. In the second part, the dipole antenna, loop antenna, and helix antenna are examined in order to demonstrate the advantages of MoM-wavelets compared to the method of moments with the traditional bases.

INTRODUCTION

The numerical approximation of Maxwell's equations, computational electromagnetics (CEM), has emerged as a crucial enabling technology for radio-frequency, microwave, and wireless engineering. The art of computation of electromagnetic (EM) problems has grown exponentially for three decades

DOI: 10.4018/978-1-6684-5955-3.ch003

Wavelets in Boundary Integral Equation

due to the availability of powerful computer resources. Solving electromagnetic problems requires the application of Maxwell's Equations with the appropriate formulation and boundary conditions. Many powerful numerical analysis techniques have been developed in this area in the last 50 years (Constantine, 2005), (J. Orfanidis, 2010), (F. Harrington, 1992).

The aim of this chapter is to provide an introduction to computational electromagnetics (CEM) with a focus on the most popular technique used in contemporary research and development projects. The focus is on the solution of Maxwell's equations by means of the method of moments (MoM) and wavelets. Wavelets found their application in solving integral equations, resulting in sparse impedance matrices. This is due to features of vanishing moments, orthogonality and multiresolution analysis in wavelets (Jaideva et al., 2009; Mallat, 2009; Rickard, 2007).

This chapter is designed to serve as an introduction to computational electromagnetics for radiofrequency applications. It assumes the reader has completed typical undergraduate courses in electromagnetic field theory, and has some basic knowledge of antenna design and microwave systems.

Solving electromagnetic problems requires the application of Maxwell's Equations with the appropriate formulation and boundary conditions. The chapter starts with a review of the electromagnetic theory pertinent to moment method problems. We will summarize Maxwell's Equations and formulations for radiation, and derive Green's functions introduced in those relationships (Wang, 1993).

Section 1 is devoted for formulation theories of the integral equation, using Green's function. In this section we introduce the method of moments (MOM), a numerical technique used to convert these integral equations into a linear system that can be solved numerically using a computer.

In Section 2 a detailed reminder on wavelet theory: definition, multiresolution analysis, different families, wavelet properties and use of wavelet bases in the method of moments. Section 3 presents applications of wavelets in solving integral equations. Several examples have been study to illustrate the method of moments-wavelets; it is applied to analysis and modeling of Dipole, circular and helix antenna.

Review of the Electromagnetic Theory

Electromagnetics, the study of electrical and magnetic fields and their interaction, has been one of the core technologies of the twentieth century, and shows every sign of continuing this into the twenty-first. Whilst there are many useful ways of subdividing the field, power frequency versus radio frequency, or alternatively quasi-static versus full-wave, is one of the most insightful here. This section focusses exclusively on radio-frequency, full-wave electromagnetic modeling, as typically encountered in communication systems (Balanis, 2005; Harrington, 1992).

Maxwell's Differential Equations

The core of modern electromagnetic engineering is of course Maxwell's equations. In the present thesis we will limit the analysis to the time-harmonic electromagnetic fields, described by the complex-valued vector fields $\vec{E} = \vec{E}(\vec{r})$ and $\vec{H} = \vec{H}(\vec{r})$ called the electric field strength vector and magnetic field strength vector, respectively.

$$\vec{E}\left(\vec{r},t\right) = Re[\vec{E}\left(\vec{r}\right)e^{i\omega t}, \ \vec{H}\left(\vec{r},t\right) = Re[\vec{H}\left(\vec{r}\right)e^{i\omega t}$$
(1)

29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/wavelets-in-boundary-integral-equation/317785

Related Content

Cultural Adaption of Hypermedia: A Contemporary State of the Art of Industrial Practice and Improvements by Multi-Trees

Judith Dödtmannand Ralf Wagner (2012). International Journal of Wireless Networks and Broadband Technologies (pp. 41-50).

www.irma-international.org/article/cultural-adaption-of-hypermedia/94553

Dynamic Priority Scheduling of Critical Data in Wireless Sensor Networks

Arvind Viswanathan, Garimella Rama Murthyand Naveen Chilamkurti (2016). *Emerging Innovations in Wireless Networks and Broadband Technologies (pp. 1-11).* www.irma-international.org/chapter/dynamic-priority-scheduling-of-critical-data-in-wireless-sensor-networks/148588

Synchronous Relaying in Vehicular Ad-hoc Networks

D. Moltchanov, A. Vinel, J. Jakubiakand Y. Koucheryavy (2011). *International Journal of Wireless Networks and Broadband Technologies (pp. 36-41).* www.irma-international.org/article/synchronous-relaying-vehicular-hoc-networks/55881

QoS-Aware Green Communication Strategies for Optimal Utilization of Resources in 5G Networks

Ganesh Prasad, Deepak Mishraand Ashraf Hossain (2019). *Paving the Way for 5G Through the Convergence of Wireless Systems (pp. 186-208).*

www.irma-international.org/chapter/qos-aware-green-communication-strategies-for-optimal-utilization-of-resources-in-5gnetworks/219145

Direction of Arrival Estimation with Compact Array Antennas: A Reactance Switching Approach

Eddy Taillefer, Jun Chengand Takashi Ohira (2009). *Handbook on Advancements in Smart Antenna Technologies for Wireless Networks (pp. 201-216).*

www.irma-international.org/chapter/direction-arrival-estimation-compact-array/8459