

Multi-Agent Reinforcement Learning-Based Resource Management for V2X Communication

Nan Zhao, Hubei University of Technology, China

Jiaye Wang, Hubei University of Technology, China

Bo Jin, Hubei University of Technology, China

Ru Wang, Hubei University of Technology, China

Minghu Wu, Hubei University of Technology, China*

Yu Liu, The First Construction and Installation Co., Ltd. of China Construction Third Engineering Bureau, China

Lufeng Zheng, The First Construction and Installation Co., Ltd. of China Construction Third Engineering Bureau, China

ABSTRACT

Cellular vehicle-to-everything (V2X) communication is essential to support future diverse vehicular applications. However, due to the dynamic characteristics of vehicles, resource management faces huge challenges in V2X communication. In this paper, the optimization problem of the comprehensive efficiency for V2X communication network is established. Considering the non-convexity of the optimization problem, this paper utilizes the markov decision process (MDP) to solve the optimization problem. The MDP is formulated with the design of state, action, and reward function for vehicle-to-vehicle links. Then, a multiagent deep Q network (MADQN) method is proposed to improve the comprehensive efficiency of V2X communication network. Simulation results show that the MADQN method outperforms other methods on performance with the higher comprehensive efficiency of V2X communication network.

KEYWORDS

Comprehensive Efficiency, Multi-Agent Deep Q Network, V2X Communication

INTRODUCTION

With the development of an intelligent transportation system, vehicle-to-everything (V2X) communication can improve traffic efficiency, road safety, and vehicle entertainment experience through wireless connection between road infrastructure and vehicles (Prathiba et al., 2021; Haapola et al., 2021). In V2X communication, vehicle-to-infrastructure (V2I) and vehicle-to-vehicle (V2V) links are used to support the various vehicle applications (Chen et al., 2017; Thunberg et al., 2021).

DOI: 10.4018/IJMCMC.320190

*Corresponding Author

This article published as an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and production in any medium, provided the author of the original work and original publication source are properly credited.

The different access requirements of vehicles and the special spectrum of V2X communication, make meeting the demands of massive data transmission difficult. Therefore, resource management is beneficial to improve the performance of a V2X communication network. Lee et al. (2017) used an efficient cluster-based resource management scheme to improve cellular user sum rate, average packet, and throughput. Bahonar et al. (2021) proposed a low-complexity resource allocation method for dense cellular V2X networks, and Bischoff et al. (2021) proposed a decentralized V2X resource allocation that can be used for cooperative driving. Zhou et al. (2021) described a multichannel access management approach for software defined in a cellular V2X network, and Pang et al. (2021) proposed an intelligent network resource management system to overcome the high-mobility edge computing problem of a 5G vehicle network. Although many documents describe the use of conventional optimization methods to solve the problem of V2X resource management, it is actually difficult to find the optimal solution by obtaining global channel status information.

To address the challenges caused by obtaining the global channel status information, we adopt the reinforcement learning (RL) method (Zhao et al., 2021; Zhao et al., 2020) in this paper. Currently one of the most powerful machine learning tools, RL is usually applied to time-varying dynamic systems (Wu et al., 2018; Yan et al., 2018) and the wireless network (Simsek et al., 2018; Zhao et al., 2018). Liang et al. (2019) proposed a multi-agent reinforcement learning (MARL) approach for spectrum sharing in a vehicle network. Zhang et al. (2019) proposed a deep reinforcement learning method to solve the problem of the resource allocation and the model selection in a cellular V2X network. Liu et al. (2020), described the use of a deep reinforcement learning method to optimize the spectrum efficiency and the energy efficiency of a V2X network. Choi et al. (2021) described a distributed congestion control method based on deep reinforcement learning to improve the traffic efficiency of a cellular V2X network.

However, most of the aforementioned literature lacks comprehensive consideration of the randomness of V2V link transmission data and vehicle dynamics in V2X communication networks. Therefore, this paper proposes a multi-agent depth Q network (MADQN) method to meet the aforementioned challenges.

In this paper, we propose the MADQN method to find the optimal solution of the optimization problem; that is, the optimal spectrum allocation and transmission power selection strategy of V2V link to maximize the comprehensive efficiency of the V2X communication network. The main contributions of this work are as follows:

- Combining spectrum efficiency and energy efficiency, we defined the ratio of spectrum efficiency to the total power consumption as the efficiency of a V2I link and a V2V link. Then, we formulated an optimization problem to maximize the comprehensive efficiency of a V2X communication network.
- To obtain better V2X communication network performance, we modeled the optimization problem as Markov decision process (MDP). Then, we defined the state, action and reward function of V2V links. Considering the non-convexity of the optimization problem, we proposed a new MARL strategy. We adopted the MADQN method to achieve the optimal strategy.
- Experimental results show that the MADQN method can improve the performances of V2I and V2V links, which can achieve the higher comprehensive efficiency of a V2X communication network.

In the rest of this article we introduce a system model, explain the problem formulation, describe the establishment of the MDP model to solve a series of problems caused by V2V link reliability, and illustrate the performance of the MADQN approach in V2X communications.

SYSTEM MODEL

As shown in Figure 1, the cellular V2X communication network consists of a base station (BS), MM V2V links, and NN V2I links. Assume that the spectrum of V2I links is divided into NN spectrum sub-bands with the bandwidth WW .

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/article/multi-agent-reinforcement-learning-based-resource-management-for-v2x-communication/320190

Related Content

An Empirical Study of the Factors Affecting Mobile Shopping in Taiwan

Yi-Fen Chen and Yu-Chen Lan (2018). *Mobile Commerce: Concepts, Methodologies, Tools, and Applications* (pp. 1329-1340).

www.irma-international.org/chapter/an-empirical-study-of-the-factors-affecting-mobile-shopping-in-taiwan/183344

Location Leveling

Ayşe Yasemin Seydim, Margaret H. Dunham and Yu Meng (2012). *International Journal of Mobile Computing and Multimedia Communications* (pp. 36-61).

www.irma-international.org/article/location-leveling/73719

Mobile Agents Security Protocols

Raja Al-Jaljouli and Jemal H. Abawajy (2012). *Mobile Computing Techniques in Emerging Markets: Systems, Applications and Services* (pp. 270-305).

www.irma-international.org/chapter/mobile-agents-security-protocols/62199

A Novel Adaptive Scanning Approach for Effective H.265/HEVC Entropy Coding

Wei Li, Fan Zhao, Peng Ren and Zheng Xiang (2016). *International Journal of Mobile Computing and Multimedia Communications* (pp. 17-27).

www.irma-international.org/article/a-novel-adaptive-scanning-approach-for-effective-h265hevc-entropy-coding/175318

Hardware and Software Implementation of an Artificial Pancreas System on a Mobile Device

Caterina Lazaro, Erdal Oruklu, Mert Sevil, Kamuran Turksoy and Ali Cinar (2017). *International Journal of Handheld Computing Research* (pp. 14-28).

www.irma-international.org/article/hardware-and-software-implementation-of-an-artificial-pancreas-system-on-a-mobile-device/181270