# Chapter 5 Policies for Advanced Dynamic Load Balancing in Cloud Computing

### **Dharmesh Dhabliya**

 https://orcid.org/0000-0002-6340-2993
Department of Information
Technology, Vishwakarma Institute of Information Technology, India

#### Sukhvinder Singh Dari

https://orcid.org/0000-0002-6218-6600 Symbiosis Law School, Symbiosis International University, India

### Nitin N. Sakhare

 https://orcid.org/0000-0002-1748-799X
Department of Computer Engineering, BRACT'S Vishwakarma Institute of Information Technology, India

Anish Kumar Dhablia Altimetrik India Pvt. Ltd., India

## **Digvijay Pandey**

b https://orcid.org/0000-0003-0353-174X Department of Technical Education, Government of Uttar Pradesh, India

#### A Shaji George

b https://orcid.org/0000-0002-8677-3682 Almarai Company, Riyadh, Saudi Arabia

### A. Shahul Hameed

Department of Telecommunication, Consolidated Techniques Co. Ltd., Riyadh, Saudi Arabia

#### Pankaj Dadheech

https://orcid.org/0000-0001-5783-1989 Swami Keshvaand Institute of Technology, Management, and Gramothan, India

## ABSTRACT

Cloud computing involves virtualization, distributed computers, networking, software, and web services. Clouds have servers, datacenters, and customers. It has fault tolerance, high availability, scalability, flexibility, little user overhead,

DOI: 10.4018/979-8-3693-0819-6.ch005

Copyright © 2024, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

#### Policies for Advanced Dynamic Load Balancing in Cloud Computing

low ownership cost, on-demand services, etc. These issues demand a robust load balancing mechanism. Balanced load distribution improves resource use and task response time by preventing some nodes from being completely loaded and others idle. Load balancers match processor and network node performance. A load balancing solution that improves throughput and latency for application-based virtual topologies with variable cloud sizes will apply the divisible load scheduling theorem.

## INTRODUCTION

By dispersing the entire load throughout the numerous nodes that make up the collective system, this approach hopes to cut down on the amount of time needed to complete a task while simultaneously improving the effectiveness with which resources are put to use. According to Yu, Shucheng, et al. (2010), the goal of this method is to cut down on the amount of time needed to complete the work. Because of this, there is no longer a chance that some nodes may be overloaded as well as underloaded at the same time. This predicament may arise if a few of the nodes are carrying more weight than they should be at any given time (Goyal, S., et al. (2022)). These objectives can be accomplished by enhancing not only the responsiveness of the system but also the effectiveness with which it makes use of the resources that are already available (Boopathi, S., et al. (2023)). A dynamic load balancing technique is one that is defined by the fact that it is based on the behaviour the system is displaying at the moment the approach is being implemented, rather than on the state of the system or its behaviour at any previous time. This is in contrast to a static load balancing strategy, which is defined as one that is based on the behaviour the system exhibited at any earlier time. This indicates that the system's past state or behaviour is not taken into consideration in any way, and that this is the case regardless of the situation (Pramanik, S. et al. (2023)). When developing such an algorithm, some of the most important factors to take into account include the following: load estimation, load comparison, system performance, stability of various systems, node interaction, the kind of work that is to be transferred, node selection, and a whole host of other variables (Shang, Ning, et al. (2010)). This load that is being investigated may be assessed in terms of the quantity of memory that is being consumed, the latency, or the stress that is being placed on the network. All three of these metrics may be taken into consideration. These three strategies are all workable options. There is a possibility that each of these factors will be taken into consideration.

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/chapter/policies-for-advanced-dynamic-load-

balancing-in-cloud-computing/337273

# **Related Content**

# Recent Advances in Waste Cooking Oil Management and Applications for Sustainable Environment

Ching Thian Tye (2021). Research Anthology on Food Waste Reduction and Alternative Diets for Food and Nutrition Security (pp. 635-651). www.irma-international.org/chapter/recent-advances-in-waste-cooking-oil-management-andapplications-for-sustainable-environment/268164

# Food Influencers in the Metaverse: Analysis of the Role of Food in Shaping Culinary Trends Within Virtual Communities

C. Selvamurugan, Parvathy Menon P. R., Manoj Prabhakar J., R. Lincy, Sneha Mole P.and M. Athira (2025). *Food in the Metaverse and Web 3.0 Era: Intersecting Food, Technology, and Culture (pp. 239-266).* 

www.irma-international.org/chapter/food-influencers-in-the-metaverse/370226

# Routate: Innovating Mindful Eating With Gamification in a Speculative Application Design

Swetha Margaret T. A., Renuka Devi D.and Rithika Repakula (2025). *Food in the Metaverse and Web 3.0 Era: Intersecting Food, Technology, and Culture (pp. 287-322).* 

www.irma-international.org/chapter/routate/370228

## Female Athletes and Energy Requirements

Shatakshiand Priya Mishra (2025). *Examining Physiology, Nutrition, and Body Composition in Sports Science (pp. 217-236).* www.irma-international.org/chapter/female-athletes-and-energy-requirements/359167

## Nano Approach: Indian Spices as Antimicrobial Agents

Arghya Chakravorty, Gulzar Ahmed Rather, Aarif Ali, Basharat Ahmad Bhat, Siva Sankar Sana, Nalluri Abhishekand Anima Nanda (2020). *Ethnopharmacological Investigation of Indian Spices (pp. 205-241).* 

www.irma-international.org/chapter/nano-approach/252460