

Easing the Integration and Communication in Ambient Intelligence

Javier Gómez, Universidad Autónoma de Madrid, Spain

Germán Montoro, Universidad Autónoma de Madrid, Spain

Pablo A. Haya, Universidad Autónoma de Madrid, Spain

Manuel García-Herranz, Universidad Autónoma de Madrid, Spain

Xavier Alamán, Universidad Autónoma de Madrid, Spain

ABSTRACT

In this article we present a middleware developed for Ambient Intelligence environments. The proposed model is based on the blackboard metaphor, which is logically centralized but physically distributed. Although it is based on a data-oriented model, some extra services have been added to this middle layer to improve the functionality of the modules that employ it. The system has been developed and tested in a real Ambient Intelligence environment. [Article copies are available for purchase from InfoSci-on-Demand.com]

Keywords: Ambient Intelligence; Blackboard Systems; Data Model; Middleware; Ubiquitous Computing; User Interface

INTRODUCTION

The Ubiquitous Computing term was coined by Mark Weiser in 1991 (Weiser, 1991). From that moment on, many problems and opportunities have

arisen from that vision of a world rich in information and interaction. Ambient intelligence environments (also called intelligent environments) are one of the fields where Ubiquitous Computing can be naturally applied. We can define an

active environment as a space limited by physical barriers, which is capable to sense and interact with its inhabitants. The definition leads to the necessity of some kind of physical infrastructure for sensing and acting into the real world. However, as we will show below, these environments present some particular problems beyond hardware issues. For instance, the environment configuration changes dynamically and client applications should be notified of these changes. Thus, a software infrastructure is also needed to solve these problems.

The approach that we present in this article tries to solve these issues, making easier the developing task and the interaction among applications. For this, it employs a common, normalized and formalized definition of the reality. This definition, and the information that it stores, should be accessible and shared by clients and applications.

Moreover, some extra features have been added to the system to provide additional services, such as an historical registry, which shows all the activity carried out by the system or a rule-based service, which changes the behaviour of the environment under some circumstances.

Another interesting feature is one that adds a description of the representation of the elements that compose the environment. This feature facilitates the definition and development of interfaces to interact with the environment. User Interfaces are becoming an important subject in the Ambient Intelligence field, because computers usually keep hidden

from users and system services are obtained by means of context awareness interaction. Moreover, this interaction must be adapted to the task, the environment, its occupants and the available resources (Paterno & Santoro, 2002; Rayner et al., 2001). The integration of this description with the rest of the elements of the model helps to fulfil this task.

Finally, as an important aspect of our development, this model and its services have been tested in a real intelligent environment. This article is organized as follows: after a short motivation, the middleware layer is presented and described under three different points of view: from the data model point of view, then from the application model view and finally under the communication model point of view. Then the set of basic operations is explained and finally some additional integrated features are presented.

INTELLIGENT ENVIRONMENTS

Any intelligent environment is composed by a heterogeneous set of software and hardware components (Haya, et al. 2001). This involves some challenges:

- **Heterogeneous components:** They must be integrated and managed, which increases its complexity. Users may interact with the environment in many different ways (talking, gestures, touching, etc.),

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/article/easing-integration-communication-ambient-intelligence/34035

Related Content

Road Traffic Congestion (TraCo) Estimation Using Multi-Layer Continuous Virtual Loop (MCVL)

Manipriya Sankaranarayanan, Mala C. (20ee293f-d4d9-47f8-8ce4-0ddfa2e6ff42) and Samson Mathew (2021). *International Journal of Intelligent Information Technologies* (pp. 1-26).

www.irma-international.org/article/road-traffic-congestion-traco-estimation-using-multi-layer-continuous-virtual-loop-mcvl/277072

Robots in Education

Muhammad Ali Yousuf (2009). *Encyclopedia of Artificial Intelligence* (pp. 1383-1388). www.irma-international.org/chapter/robots-education/10420

Web Text Categorization Based on Statistical Merging Algorithm in Big Data Environment

Rujuan Wang and Gang Wang (2019). *International Journal of Ambient Computing and Intelligence* (pp. 17-32).

www.irma-international.org/article/web-text-categorization-based-on-statistical-merging-algorithm-in-big-data-environment/233816

Trust Management Model based on Fuzzy Approach for Ubiquitous Computing

Nalini A. Mhetre, Arvind V. Deshpande and Parikshit Narendra Mahalle (2016). *International Journal of Ambient Computing and Intelligence* (pp. 33-46).

www.irma-international.org/article/trust-management-model-based-on-fuzzy-approach-for-ubiquitous-computing/160124

Review on AI-Based Diagnosis of Parkinson's Disorders

Avni Kuba, Brijanshi Rastogi, Anushree Sahand Saurabh Rawat (2023). *AI and IoT-Based Technologies for Precision Medicine* (pp. 236-246).

www.irma-international.org/chapter/review-on-ai-based-diagnosis-of-parkinsons-disorders/332837