

# Chapter 26

## An e-Healthcare Mobile Application: A Stakeholders' Analysis Experience of Reading

**Niki Panteli**

*University of Bath, UK*

**Barbara Pitsillides**

*Nicosia, Cyprus*

**Andreas Pitsillides**

*University of Cyprus, Cyprus*

**George Samaras**

*University of Cyprus, Cyprus*

### **ABSTRACT**

*This chapter presents a longitudinal study on the implementation of an e-health mobile application, DITIS, which supports network collaboration for home healthcare. By adopting the stakeholders' analysis, the study explores the various groups that have directly or indirectly supported the system during its implementation. The system was originally developed with a view to address the difficulties of communication and continuity of care between the members of a home healthcare multidisciplinary team and between the team and oncologists often hundreds of kilometers away. DITIS evolved to be much more than that and even though it was introduced 5 years ago, it is considered a novel application. Despite this, its implementation has been slow, and several challenges, including the system's sustainability, have to be faced. This chapter aims to understand these challenges and the results of the study point to a diversity of interests and different degrees of support.*

## **INTRODUCTION**

Healthcare is an environment that has been experiencing dramatic progress in computing technology in order to process and distribute all relevant patient information electronically and overall to improve the quality of care. In particular, mobile e-health involves a spectrum of information and telecommunication technologies to provide healthcare services to patients who are at some distance from the provider and also to provide supporting tools for the mobile healthcare professional. The benefits of such mobile applications are numerous, with the main one being improvements in access to medical resources and care.

Recently, the healthcare and related sectors have been found to embrace mobile technology in e-healthcare applications. Though there have also been cases of mobile workstations being implemented at small medical units to facilitate easier access to specialist medical advice (e.g., Salmon, Brint, Marshall, & Bradley, 2000), most of the applications have been introduced to support patients at home. These could either be patient centered where patients and/or caretakers are given direct access to a mobile phone for communicating with the provider (e.g., nurse, doctor, counselor, etc.), or nurse centered where nurses who visit and care for patients at home have direct access to mobile applications for communicating with other medical staff.

It follows that the practice of e-health projects is often a collaborative activity requiring extensive and interactive communication within and between members of specialized occupational groups to coordinate patient care services. This becomes necessary when dealing with patients requiring a multidisciplinary team approach to their care, and who are treated outside the hospital environment. In such a case, the team is mostly geographically dispersed and rarely sees the patient together. This requires the creation of virtual multidisciplinary teams of care whose management and coordination can be supported

by technology. In the study, we aim to explore the role of diverse stakeholders in an e-health application involving virtual multidisciplinary teams of care. Diverse stakeholders get involved at different stages of the project implementation and may experience different degrees of knowledge about the system itself, its significance, and its novelty. These along with their different backgrounds, interests, and expectations may contribute to different meanings and understanding about the system, its role, and its significance, which will ultimately affect system implementation.

## **BACKGROUND**

### **Stakeholders' Analysis**

The role of stakeholders in IS implementation has long been recognized in the literature, though it has only been during the last few years that the identification of different stakeholders as well as the roles and interrelationships between them was found to be important for uncovering some of the complexity in system implementation (Pouloudi & Whitley, 1997).

Despite this, researchers have given different definitions to stakeholders. Sauer (1993), for example, makes reference to stakeholders as supporters, those who provide funding, information, and influence, whilst Beynon-Davies (1999) argues that there is a need to broaden this definition. As he puts it, "...not all groups with an interest in the development of an information system necessarily support that development. Some stakeholder groups may have a definite negative interest in the success of a given project" (p. 710). Following from these, in this chapter, in an attempt to keep a broad definition, stakeholders are defined as those with a direct or an indirect interest in a project.

According to Mitchell, Agle, and Wood (1997), stakeholders can be distinguished in terms of three relationship attributes: power, legitimacy, and

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/healthcare-mobile-application/36396](http://www.igi-global.com/chapter/healthcare-mobile-application/36396)

## Related Content

---

### Personalized Experience Sharing of Cai's TCM Gynecology

Guo-Zheng Li, Mingyu You, Liaoyu Xuand Suying Huang (2012). *Quality Assurance in Healthcare Service Delivery, Nursing and Personalized Medicine: Technologies and Processes* (pp. 26-47).

[www.irma-international.org/chapter/personalized-experience-sharing-cai-tcm/58725](http://www.irma-international.org/chapter/personalized-experience-sharing-cai-tcm/58725)

### The Terahertz Channel Modeling in Internet of Multimedia Design In-Body Antenna

Bokang Francis Maphathe, Prabhat Thakur, Ghanshyam Singhand Hashimu E. Iddi (2022). *International Journal of E-Health and Medical Communications* (pp. 1-17).

[www.irma-international.org/article/the-terahertz-channel-modeling-in-internet-of-multimedia-design-in-body-antenna/309437](http://www.irma-international.org/article/the-terahertz-channel-modeling-in-internet-of-multimedia-design-in-body-antenna/309437)

### Classification of Thyroid Carcinoma in FNAB Cytological Microscopic Images

B. Gopinathand B. R. Gupta (2012). *Advancing Technologies and Intelligence in Healthcare and Clinical Environments Breakthroughs* (pp. 216-226).

[www.irma-international.org/chapter/classification-thyroid-carcinoma-fnab-cytological/67866](http://www.irma-international.org/chapter/classification-thyroid-carcinoma-fnab-cytological/67866)

### Semantic Integration of Patient Data for Clinical Decision Support in Breast Cancer Care

Leonardo Lezcano, Miguel-Ángel Siciliaand Eydel Rivero (2013). *Interoperability in Healthcare Information Systems: Standards, Management, and Technology* (pp. 250-267).

[www.irma-international.org/chapter/semantic-integration-of-patient-data-for-clinical-decision-support-in-breast-cancer-care/106581](http://www.irma-international.org/chapter/semantic-integration-of-patient-data-for-clinical-decision-support-in-breast-cancer-care/106581)

### Critical Condition Detection Using Lion Hunting Optimizer and SVM Classifier in a Healthcare WBAN

Madhumita Kathuriaand Sapna Gambhir (2020). *International Journal of E-Health and Medical Communications* (pp. 52-68).

[www.irma-international.org/article/critical-condition-detection-using-lion-hunting-optimizer-and-svm-classifier-in-a-healthcare-wban/240206](http://www.irma-international.org/article/critical-condition-detection-using-lion-hunting-optimizer-and-svm-classifier-in-a-healthcare-wban/240206)