

Chapter 3.8

Web & RFId Technology: New Frontiers in Costing and Process Management for Rehabilitation Medicine¹

Massimo Memmola

Catholic University, Italy

Giovanna Palumbo

Ospedale Valduce, Italy

Mauro Rossini

Ospedale Valduce, Italy

ABSTRACT

Radio frequency identification (RFId) has recently begun to receive increased interest from practitioners and academics. This type of technology has been widely used in healthcare organizations for different purposes, like to localize patients, devices, and medical instruments. This chapter presents the results of a study in which we used RFId technology and modern systems of cost management methodologies (e.g., activity-based costing, activity-based management, and process management) in a “proof of application” aimed at defining some specific data on care needs of a

person with a disability, costs of the main activities performed during the person’s rehabilitation process, and level of performance which could be reached in order to improve the “disability management” process, from a clinical as well as a managerial perspective.

INTRODUCTION

In recent times there has been a sustained trend of growth of healthcare and rehabilitation services demand coming from people affected by different types of psycho-physical disabilities related even

to genetic characteristics and/or different type of traumatic events (e.g., stroke, traumatic brain injury, spinal cord injuries, anoxia, etc.).

In order to have an idea about the “dimension” of this phenomenon, it is useful to refer to the World Health Organization (WHO), who has estimated a total of around 600 million people with some kind of disability all over the world.

Some reasons for this rapid growth may be found in the interaction among different variables:

- Demographic, referred to population growth and/or progressive aging.
- Social, mainly related to the higher probability of traumatic events related to traffic crashes, domestic and/or sportive accidents, work accidents, war-related, and/or violence-related event injuries.
- Medical, related to a higher surviving rate after critical events due to the use of new trauma management techniques mainly in the acute phase and in general, to the higher survival rate of subjects with some kind of disability coming from congenital and/or acquired malformation of the central nervous system.

As an answer to such a growing demand, rehabilitation medicine has become a specific discipline aimed at the integral recovery of physical, psychical, social, and functional capacities of people with disabilities.

These change-drivers have an important impact on the organization of activities in rehabilitation which, inevitably, follow different criteria if compared with acute care services. In rehabilitative medicine it is necessary to deal with “long term complexity” coming from the different potential development of a disability itself as time passes by. This characteristic, which is not present in acute care, is usually concentrated on short-term care. Furthermore this long-term

feature has promoted a progressive trend toward home care vs. the option of in-hospital stay. This trend has been supported by the development of technological devices able to guarantee an appropriate quality of life for the person with disability while staying at home.

Beside these issues, which are mainly referred to clinical factors, there are others mainly related to managerial aspects such as the way the healthcare service is organized, how much it costs, and how the rehabilitation process may be evaluated. In fact, rehabilitative medicine, as a fundamental aspect of disability treatment and even more than acute care field, poses some difficult questions about the measurement of type and quality of service offered and/or performed. Up to now those questions have received only partial answers through experimentation. Furthermore, experimentation in rehabilitation management has been considered a nonclear and nonprecise experimental field.

Obviously, it is not just a trivial problem of working-load identification. Rather, its objective is to know if the care service performed is suitable to the diverse needs a person with a disability presents. This includes in-hospital as well as home care, in a continuous-care perspective. In rehabilitative medicine it is necessary to define what to do, how many people should be involved, which kind of professional must be involved, how long they will be involved, during which part of the day-time service will be provided, and which type of knowledge should the caregiver have in order to be able to assist the person with a disability. Therefore, the critical points are: Which and how much care service should be provided, who should be responsible for each activity, how it must be performed, and, finally, how much it costs.

The answer to such questions depends on the possibility to measure costs through a structure that permits taking into consideration the specific nature of chronic care clinical paths. Those clinical paths may be considered as very complex “produc-

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/web-rfid-technology/37810

Related Content

Towards Personal, Social, and Urban Awareness

Bin Guo, Yunji Liang, Zhu Wang, Zhiwen Yu, Daqing Zhang and Xingshe Zhou (2014). *Creating Personal, Social, and Urban Awareness through Pervasive Computing* (pp. 1-20).

www.irma-international.org/chapter/towards-personal-social-and-urban-awareness/88793

New Optimal Preemptively Scheduling for Real-Time Reconfigurable Sporadic Tasks Based on Earliest Deadline First Algorithm

Hamza Gharsellaoui, Mohamed Khalgui and Samir Ben Ahmed (2012). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 65-81).

www.irma-international.org/article/new-optimal-preemptively-scheduling-real/71886

Computational Mobile Grid: A Computing Infrastructure on Mobile Devices

Deo Prakash Vidyarthi (2009). *Risk Assessment and Management in Pervasive Computing: Operational, Legal, Ethical, and Financial Perspectives* (pp. 40-51).

www.irma-international.org/chapter/computational-mobile-grid/28449

Privacy Automation in Context-Aware Services

Amr Ali Eldin, Semir Daskapan and Jan van den Berg (2009). *Context-Aware Mobile and Ubiquitous Computing for Enhanced Usability: Adaptive Technologies and Applications* (pp. 295-309).

www.irma-international.org/chapter/privacy-automation-context-aware-services/7126

Electronic Multi-User Randomized Circuit Training For Workout Motivation

Corey A. Graves, Sam Muldrew, Tiara Williams, Jerono Rotich and Eric A. Cheek (2009). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 26-43).

www.irma-international.org/article/electronic-multi-user-randomized-circuit/1385