

Chapter 2

Ubiquitous User Interfaces: Multimodal Adaptive Interaction for Smart Environments

Marco Blumendorf

Technische Universität Berlin, Germany

Grzegorz Lehmann

Technische Universität Berlin, Germany

Dirk Roscher

Technische Universität Berlin, Germany

Sahin Albayrak

Technische Universität Berlin, Germany

ABSTRACT

The widespread use of computing technology raises the need for interactive systems that adapt to user, device and environment. Multimodal user interfaces provide the means to support the user in various situations and to adapt the interaction to the user's needs. In this chapter we present a system utilizing design-time user interface models at runtime to provide flexible multimodal user interfaces. The server-based system allows the combination and integration of multiple devices to support multimodal interaction and the adaptation of the user interface to the used devices, the user and the environment. The utilization of the user interface models at runtime allows exploiting the design information for advanced adaptation possibilities. An implementation of the system has been successfully deployed in a smart home environment throughout the Service Centric Home project (www.sercho.de).

INTRODUCTION

Computer technology is currently changing our lives and the way we handle technology. The computer moves from a business machine dedicated to specific tasks in a well defined environment to a universal

problem solver in all areas of live. Powerful mobile devices that are always online, and the ongoing paradigm shift towards ubiquitous computing concepts (Weiser, 1993) provide increasingly complex functionality and allow remote access to additional services and information. Wireless ad-hoc network technologies and the upcoming Internet of Things

DOI: 10.4018/978-1-60566-978-6.ch002

(ITU, 2005) drive the trend to local networks and smart environments. This poses challenges to applications and their user interfaces that now have to support various situations instead of the well known scenario of the user sitting in front of his desk. The widespread use of computers in all areas of life also continuously affects new groups of users. As their number grows, so does their diversity, with each user having different personal preferences, different experience levels and different capabilities.

Smart environments confront user interfaces with a variety of available (mobile) interaction resources supporting diverse modalities, and heterogeneous users with different capabilities and preferences. A user interface supporting smart environments requires a high degree of adaptability to innumerable contexts of use. Unfortunately, today's user interfaces do not sufficiently support the creation of ubiquitous systems and smart environments and a significant improvement of the communication, interaction and adaptation capabilities is required. At the same time the user must be given the power of understanding and controlling her smart environment in a flexible and comprehensible way. We therefore see the need for Ubiquitous User Interfaces (UIs) addressing the challenges of the ubiquitous computing paradigm within the following dimensions:

- **multi-situation:** support of multiple UI layouts for different usage contexts;
- **multi-device:** support for the usage of multiple devices simultaneously (or sequentially);
- **multi-modal:** support for multiple interaction modalities according to the needs of the interaction;
- **multi-user:** support to share applications, information and interaction devices between multiple users;
- **multi-application:** support to use multiple applications per user and device simultaneously and sequentially.

Based on these five features we define Ubiquitous User Interfaces as *interfaces that are shapeable, distributable, multimodal, shareable and mergeable*. In the remainder of this chapter we focus mainly on the aspects related to multi-situation, multi-device, and multi-modal. Furthermore, we address the alteration of the user interface configuration at runtime, often denoted as adaptation. We thus address:

- The adaptation of the user interface to the used device(s), the user's needs and the environment either directly by the user or automatically by the application.
- The ability of the user interface to be distributed across multiple devices and modalities.
- The capability of the user interface to change the currently used devices by migrating the whole UI or parts of it to a different device.

Ubiquitous User Interfaces thus support the utilization of multiple modalities, devices and interaction concepts to provide robust interaction for different purposes. Furthermore they facilitate flexible interaction, mobile and stationary, within changing contexts and situations. Developing UIs now poses the challenge to express the increasingly complex interaction concepts and to handle the adaptive distributed multimodal interaction at runtime. Model-based User Interface Development (MBUID) has been identified as a promising approach to handle such increasing complexity. Modeling technologies are utilized to formalize distinct aspects of the user interface and the interaction on different levels of abstraction, ranging from abstract tasks to final user interface elements. Currently, the underlying user interface models are mostly used to generate multiple variants of static, final user interface code, which is then executed at runtime. To also address the increasing complexity of handling user input, approaches utilizing the models at runtime recently

26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/ubiquitous-user-interfaces/38535

Related Content

Identification of a Person From Live Video Streaming Using Machine Learning in the Internet of Things (IoT)

Sana Zebaand Mohammad Amjad (2021). *International Journal of Mobile Computing and Multimedia Communications* (pp. 44-59).

www.irma-international.org/article/identification-of-a-person-from-live-video-streaming-using-machine-learning-in-the-internet-of-things-iot/284393

A Hybrid Network Emergency Communication Model

Abdussalam Nuri Baryun, Khalid Al Begainand David Villa (2013). *International Journal of Handheld Computing Research* (pp. 17-39).

www.irma-international.org/article/a-hybrid-network-emergency-communication-model/79957

Behavioural Targeting in the Mobile Ecosystem

José Luis Gómez-Barrosoand Juan Ángel Ruiz (2016). *Emerging Perspectives on the Mobile Content Evolution* (pp. 44-57).

www.irma-international.org/chapter/behavioural-targeting-in-the-mobile-ecosystem/137988

Quality of Experience Models for Multimedia Streaming

Vlado Menkovski, Georgios Exarchakos, Antonio Liottaand Antonio Cuadra Sánchez (2010). *International Journal of Mobile Computing and Multimedia Communications* (pp. 1-20).

www.irma-international.org/article/quality-experience-models-multimedia-streaming/47328

Security in Wireless Metropolitan Area Networks: WiMAX and LTE

Lei Chen, Cihan Varol, Qingzhong Liuand Bing Zhou (2014). *Security, Privacy, Trust, and Resource Management in Mobile and Wireless Communications* (pp. 11-27).

www.irma-international.org/chapter/security-in-wireless-metropolitan-area-networks/86299