

Chapter 3

A Formal Approach to the Verification of Adaptability Properties for Mobile Multimodal User Interfaces

Nadjet Kamel

University of Moncton, Canada

Sid Ahmed Selouani

University of Moncton, Canada

Habib Hamam

University of Moncton, Canada

ABSTRACT

Multimodal User Interfaces (MUIs) offer to users the possibility to interact with systems using one or more modalities. In the context of mobile systems, this will increase the flexibility of interaction and will give the choice to use the most appropriate modality. These interfaces must satisfy usability properties to guarantee that users do not reject them. Within this context, we show the benefits of using formal methods for the specification and verification of multimodal user interfaces (MUIs) for mobile systems. We focus on the usability properties and specifically on the adaptability property. We show how transition systems can be used to model the MUI and temporal logics to specify usability properties. The verification is performed by using fully automatic model-checking technique. This technique allows the verification at earlier stages of the development life cycle which decreases the high costs involved by the maintenance of such systems.

INTRODUCTION

The development of new interactive devices and technologies such as speech recognition, visual

recognition and gesture recognition enriches User Interfaces (UIs) interactions and allows user to interact with systems in a more natural way. Multimodal User Interfaces (MUIs) are characterized by several possibilities, defined as modalities, to interact with the systems. The users can choose

DOI: 10.4018/978-1-60566-978-6.ch003

the most appropriate modality for a given situation which allows them interacting with systems anytime and anywhere. They can also use more than one modality to accomplish a given task. For example, they can use speech and gesture to move a graphical object from an initial to a target position. This was studied by R. Bold in (Bold, 1980) through the command “Put That There” using speech and gesture modalities. The gesture is used to indicate the initial and the target positions of the object to be moved.

With the emerging technologies such as ambient, intelligent and ubiquitous or pervasive computing, various input and output modalities are necessary to enable efficient interaction with these systems. The latter are mainly characterized by the multiplicity of users, variety of use contexts and user mobility. At present, MUIs are developed for many of such systems using mobile devices like PDAs and mobile phones. The degrees of freedom, offered to users to interact with these systems, enhance their flexibility and adaptability to different kinds of users, such as people with special needs, as well as to dynamic environments and ambient systems. The choice given to use one or more modalities improves their accessibility to various usage contexts, and enhances the performance stability, the robustness, as well as the efficiency of communication. For example, the user may interact with the system by using *speech* or, if the environment is too noisy, he/she can use *press keys*.

The development of such systems has been studied through different aspects. The usability of User Interfaces is a one of these aspects. It is a measure of the efficiency and satisfaction with which users can achieve their goals through these UIs. It is captured through a set of properties called usability properties. Many usability properties were defined for WIMP (Window, Icon, Mouse, and Pointing device) interfaces and MUIs, but the characteristics of mobile systems require the consideration of new properties that must be satisfied to increase their usability. For instance, in

a mobile environment users can switch between modalities according to their efficiency in a given environment. In an ambient system, users having different profiles must be able to interact with the system. The user profile and environment variations involve changes that must be considered for the interaction. This forces the UI developers to take into account new properties such as *adaptability*. The adaptability property states that the UI remains usable even if some changes have occurred within the interaction environment, like the disability of an interaction device or the user has special needs. This property is very useful for mobile systems since it increases the users’ satisfaction.

Many empirical approaches have been used to evaluate these systems. They are based on experimentations which mean that the system must be implemented before it is evaluated. To make this evaluation, observations are collected while participants are using the systems to accomplish some predefined scenarios. These observations are analyzed to deduce whether the desired properties are satisfied. The main disadvantage of such approaches is their imprecision and that they are not exhaustive. For example, we cannot state how many participants are sufficient to state that the required properties are satisfied. Besides, the used scenarios do not cover all possible situations. So, while the results are satisfactory nothing guarantees that the system is usable in every situation which is an issue for the security of these systems. As a consequent, new approaches based on formal methods are proposed as alternatives and in some circumstances as complementary to these empirical ones. Formal methods are based on mathematical models that allow modeling and specifying systems without ambiguities. Formal methods allow designers to conceive models by using analyzing techniques at an abstract level before the implementation. Properties can be verified at earlier stages which decreases the cost of the software development. The advantage of these methods is that they can be implemented in

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/formal-approach-verification-adaptability-properties/38536

Related Content

Designing Mobile Multimodal Applications

Marco de Sá, Carlos Duarte, Luís Carriço and Tiago Reis (2010). *Multimodality in Mobile Computing and Mobile Devices: Methods for Adaptable Usability* (pp. 106-135).

www.irma-international.org/chapter/designing-mobile-multimodal-applications/38538

Indoor Positioning Using FM Radio

Andrei Papiatseyeu, Venet Osmani and Oscar Mayora (2010). *International Journal of Handheld Computing Research* (pp. 19-31).

www.irma-international.org/article/indoor-positioning-using-radio/46085

Displaying Hidden Information in Glossaries

Marcela Ridao and Jorge Horacio Doorn (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 1373-1385).

www.irma-international.org/chapter/displaying-hidden-information-in-glossaries/214707

MIMO-Based Secret Key Generation Strategies: Rate Analysis

Kan Chen and Bala Natarajan (2014). *International Journal of Mobile Computing and Multimedia Communications* (pp. 22-55).

www.irma-international.org/article/mimo-based-secret-key-generation-strategies/130480

A New Intelligent Optimization Network Online Learning Behavior in Multimedia Big Data Environment

Shao Heng (2017). *International Journal of Mobile Computing and Multimedia Communications* (pp. 21-31).

www.irma-international.org/article/a-new-intelligent-optimization-network-online-learning-behavior-in-multimedia-big-data-environment/188621