

Chapter 20

Distributed Video Coding for Video Communication on Mobile Devices and Sensors

Peter Lambert
Ghent University, Belgium

Stefaan Mys
Ghent University, Belgium

Jozef Škorupa
Ghent University, Belgium

Jürgen Slowack
Ghent University, Belgium

Rik Van de Walle
Ghent University, Belgium

Christos Grecos
University of the West of Scotland, UK

ABSTRACT

In the context of digital video coding, recent insights have led to a new video coding paradigm called Distributed Video Coding, or DVC, characterized by low-complexity encoding and high-complexity decoding, which is in contrast to traditional video coding schemes. This chapter provides a detailed overview of DVC by explaining the underlying principles and results from information theory and introduces a number of application scenarios. It also discusses the most important practical architectures that are currently available. One of these architectures is analyzed step-by-step to provide further details of the functional building blocks, including an analysis of the coding performance compared to traditional coding schemes. Next to this, it is demonstrated that the computational complexity in a video coding scheme can be shifted dynamically from the encoder to the decoder and vice versa by combining conventional and distributed video coding techniques. Lastly, this chapter discusses some currently important research topics of which it is expected that they can further enhance the performance of DVC, i.e., side information generation, virtual channel noise estimation, and new coding modes.

DOI: 10.4018/978-1-61520-761-9.ch020

INTRODUCTION

In traditional video coding schemes, such as MPEG-2, H.264/AVC, or VC-1, it is the encoder that exploits the statistics of the source signal. As a result, encoding requires significantly more computational resources than decoding, which very well suits traditional application scenarios like broadcasting or video-on-demand, where video is compressed once and decoded many times.

However, emerging applications such as wireless low-power video surveillance, video conferencing with mobile devices, or video communications in sensor networks, require ultra low-complexity encoders, possibly at the expense of a more complex decoder.

Surprisingly, results from information theory established in the 1970s suggest that this should be possible without losing any coding efficiency. In the context of digital video coding, these insights have led to a new video coding paradigm called Distributed Video Coding (DVC), which is based on Distributed Source Coding (DSC), and characterized by low-complexity encoding and high-complexity decoding.

Distributed Source Coding

DSC is a coding paradigm based on two major results from information theory: the Slepian-Wolf theorem and the Wyner-Ziv theorem. Slepian and Wolf (1973) proved that two correlated random sequences generated by repeated independent drawings of a pair of discrete random variables X and Y can be coded as efficiently by two independent coders as by a joint encoder, provided that the resulting bit streams are jointly decoded (Figure 1). In particular, this result states that $R_X + R_Y \geq H(X, Y)$, $R_X + R_Y \geq H(X|Y)$, and $R_Y \geq H(Y|X)$. This means that the sum of the rates of the sources X and Y can indeed achieve the joint entropy, just as for joint encoding (Figure 2).

A special case of DSC is when a decoder makes use of so-called side information. Here, the source sequence X is correlated with some side information Y which is unavailable at the encoder, but available at the decoder (Figure 3). Since conventional encoding techniques can code Y at a rate $R_Y = H(Y)$, the above results indicate that $R_X = H(X|Y)$ is achievable. This case will be the starting point for DVC architectures, as discussed later in this chapter.

Figure 1. Joint source coding (left) vs. distributed source coding (right)





Figure 2. Achievable rate regions for the coding schemes from Figure 1



26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/distributed-video-coding-video-communication/41643

Related Content

Modeling and Analyzing User Contexts for Mobile Advertising

Nan Jing, Yong Yao and Yanbo Ru (2011). *International Journal of Handheld Computing Research* (pp. 38-52).

www.irma-international.org/article/modeling-analyzing-user-contexts-mobile/55890

Utilizing Mobile Learning for Orphans Aging Out: Orphan Youth Development in Peru With Universal Lessons

Tara Callen (2019). *Advancing Mobile Learning in Contemporary Educational Spaces* (pp. 292-316).

www.irma-international.org/chapter/utilizing-mobile-learning-for-orphans-aging-out/234056

Standard-Based Wireless Mesh Networks

M. Peng (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 921-927).

www.irma-international.org/chapter/standard-based-wireless-mesh-networks/17196

Insights into Students' Thinking with Handheld Computers

Wan Ng and Howard Nicholas (2011). *Mobile Technologies and Handheld Devices for Ubiquitous Learning: Research and Pedagogy* (pp. 79-98).

www.irma-international.org/chapter/insights-into-students-thinking-handheld/46560

Policy-Oriented City Networks in Cyberspace: A Methodological Approach to the Understanding of Social and Political Articulations between Cities Based on the Concept of Policy Web Spheres

Klaus Frey, Mário Procopiuck and Altair Rosa (2011). *ICTs for Mobile and Ubiquitous Urban Infrastructures: Surveillance, Locative Media and Global Networks* (pp. 24-47).

www.irma-international.org/chapter/policy-oriented-city-networks-cyberspace/48343