



701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.irm-press.com **ITB10091**

Chapter VIII

Modeling and Synthesis of Realistic Visual Speech in 3D

Gregor A. Kalberer BIWI – Computer Vision Lab, Switzerland

Pascal Müller BIWI – Computer Vision Lab, Switzerland

Luc Van Gool BIWI – Computer Vision Lab, Switzerland and VISICS, Belgium

Abstract

The problem of realistic face animation is a difficult one. This is hampering a further breakthrough of some high-tech domains, such as special effects in the movies, the use of 3D face models in communications, the use of avatars and likenesses in virtual reality, and the production of games with more subtle scenarios. This work attempts to improve on the current stateof-the-art in face animation, especially for the creation of highly realistic lip and speech-related motions. To that end, 3D models of faces are used and — based on the latest technology — speech-related 3D face motion will be learned from examples. Thus, the chapter subscribes to the surging field of image-based modeling and widens its scope to include animation. The exploitation of detailed 3D motion sequences is quite unique, thereby

This chapter appears in the book, *3D Modeling and Animation: Synthesis and Analysis Techniques for the Human Body* edited by Nikos Sarris and Michael G. Strintzis. Copyright © 2005, IRM Press, an imprint of Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

Figure 1. The workflow of our system: (a) An original face is (b) captured, (c) re-meshed, (d) analyzed and integrated for (e) an animation.



narrowing the gap between modeling and animation. From measured 3D face deformations around the mouth area, typical motions are extracted for different "visemes". Visemes are the basic motion patterns observed for speech and are comparable to the phonemes of auditory speech. The visemes are studied with sufficient detail to also cover natural variations and differences between individuals. Furthermore, the transition between visemes is analyzed in terms of co-articulation effects, i.e., the visual blending of visemes as required for fluent, natural speech. The work presented in this chapter also encompasses the animation of faces for which no visemes have been observed and extracted. The "transplantation" of visemes to novel faces for which no viseme data have been recorded and for which only a static 3D model is available allows for the animation of faces without an extensive learning procedure for each individual.

Introduction

Realistic face animation for speech still poses a number of challenges, especially when we want to automate it to a large degree. Faces are the focus of attention for an audience, and the slightest deviation from normal faces and face dynamics is noticed.

There are several factors that make facial animation so elusive. First, the human face is an extremely complex geometric form. Secondly, the face exhibits countless tiny creases and wrinkles, as well as subtle variations in color and texture, all of which are crucial for our comprehension and appreciation of facial

27 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/modeling-synthesis-realistic-visualspeech/4172

Related Content

Creating Characters for Various Interfaces

Anna Ursyn (2019). Interface Support for Creativity, Productivity, and Expression in Computer Graphics (pp. 49-81). www.irma-international.org/chapter/creating-characters-for-various-interfaces/213532

Designing Dynamic Logotypes to Represent Data

Jéssica Parente, Tiago Martins, João Bickerand Penousal Machado (2019). International Journal of Art, Culture, Design, and Technology (pp. 16-30). www.irma-international.org/article/designing-dynamic-logotypes-to-represent-data/233615

Embracing Non-Traditional Partnerships in Design Education: Breaking Down Myths and Stereotypes

Traci Rose Riderand Elizabeth Bowen (2017). *Collaboration and Student Engagement in Design Education (pp. 283-303).* www.irma-international.org/chapter/embracing-non-traditional-partnerships-in-designeducation/165686

Technological Social-ism

Judson Wright (2009). Handbook of Research on Computational Arts and Creative Informatics (pp. 343-374). www.irma-international.org/chapter/technological-social-ism/19728

Towards Multiple 3D Bone Surface Identification and Reconstruction Using Few 2D X-Ray Images for Intraoperative Applications

Simant Prakoonwit (2014). International Journal of Art, Culture and Design Technologies (pp. 13-31).

www.irma-international.org/article/towards-multiple-3d-bone-surface-identification-and-reconstruction-using-few-2d-x-ray-images-for-intraoperative-applications/116021