

## Chapter 3.8

# QoS–Aware Web Services Discovery with Federated Support for UDDI

**Chen Zhou**

*Nanyang Technological University, Singapore*

**Liang-Tien Chia**

*Nanyang Technological University, Singapore*

**Bu-Sung Lee**

*Nanyang Technological University, Singapore*

### ABSTRACT

Web services' discovery mechanism is one of the most important research areas in Web services because of the dynamic nature of Web services. In practice, UDDI takes an important role in service discovery since it is an online registry standard to facilitate the discovery of business partners and services. However, QoS related information is not naturally supported in UDDI. Service requesters can only choose good performance Web services by manual test and comparison. In addition, discovery among private UDDI registries in a federation is not naturally supported. To address these problems, we propose UDDI extension (UX), an enhancement for UDDI that facilitates requesters to discover services with QoS awareness. In this system the service requester invokes and generates feedback reports, which are received and stored in local domain's UX server for future usage. By sharing these experiences

from those requesters in the local domain, the UX server summarizes and predicts the service's performance. A general federated service is designed to manage the service federation. The discovery between different cooperating domains is based on this general federated service, and therefore the links between domains are maintained dynamically. The system handles the federated inquiry, predicates the QoS difference among different domains, and provides a simple view over the whole federation. Meanwhile, the UX server's inquiry interface still conforms to the UDDI specification.

### INTRODUCTION

With the industry's efforts on promoting the used Web services, a huge number of Web services are being developed and made available on the Web. Organizations now wish to offer electronic services worldwide and this creates several technical problems. First, being able to discover what services are

DOI: 10.4018/978-1-60566-370-8.ch018

available. Second, being able to determine which services match your specification. Third, being able to control which services are advertised to whom, and when. Fourth, being able to assess previous and current service usage for future selection.

There are three major roles in the Web services architecture: the service provider, the service requester and the service registry. The service provider is the business entity that provides software applications as Web services. The service requester is the entity who has a need that can be fulfilled by an available Web Service. The service registry is a searchable repository of Web services descriptions where service providers publish their Web services and service requesters locate Web services and obtain binding information to invoke the services. UDDI (Bellwood et al., 2002) stands for universal description, discovery and integration. It is a public specification that defines a service registry to publish information regarding the Web services and to make this information available to potential clients.

As more and more services appear on the Web, service requesters are presented with a group of service offers providing similar services. Different service offers may have different qualities of service. This will require sophisticated patterns of negotiation. For example, the trade-offs between quality and cost or invocation of another trade service determining the QoS of various service offers. Current UDDI registries are neither accountable nor responsible for the QoS descriptions in service offers.

Some extension can be made for UDDI to register the service's QoS description. However, even with the QoS descriptions registered on UDDI through extension, the QoS description may still be a bad prediction of the service's real performance. This is mainly caused by the following reasons. Firstly, the published description could use false information just to attract potential clients. Through the development of trust mechanism and digital signatures, this problem may be

solved. Secondly, the false prediction inherits from the architectural aspect of UDDI system. The most distinctive architectures of UDDI registry system contain centralized architecture and semicentralized model (the cloud model). Single public UDDI is a centralized architecture model. To this model, UDDI is a central point which mediates service publishing/discovering in the framework. All services are registered on it and can be accessed by all those potential requesters. Different service requesters have quite different connection conditions and routing paths. This difference leads to the requester's different experiences of service QoS even when the service's server side processing condition is not changed at all. The unique service QoS description in the central UDDI is therefore not a good prediction for requester's reference. To the semi-centralized model (the cloud model), where there's more than one UDDI registries, replication technology will be used to ensure consistent content in different registries. Service provider is required to publish the service descriptions to any one of the cloud nodes. After the replica, service requesters can discover the service from any one of the cloud nodes. Through replication, the service requester can choose the most suitable cloud node and this improves the inquiry speed. However, when the services continue to emerge and the cloud continues to grow, the total amount of service description in each registry increases quickly and will affect the registry's scalability. Furthermore, the replication may still suffer from the incorrect QoS description that occurs in the centralized model. Replication of the QoS description will still remain a problem, as the correct prediction is not possible since the requester's network condition is very likely to be different from the replicated registry.

The solution being proposed in this chapter is called UDDI extension (UX) (Zhou et al., 2003). The main motivation for this work is the need to provide QoS-awareness in UDDI and service discovery between enterprise domains. It assesses previous and current service usage for future ser-

21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/qos-aware-web-services-discovery/43973](http://www.igi-global.com/chapter/qos-aware-web-services-discovery/43973)

## Related Content

---

### Dealing With Context Awareness for Service-Oriented Systems: An Ontology-Based Approach

Hatim Guermah, Bassma Guermah, Tarik Fissaa, Hatim Hafiddiand Mahmoud Nassar (2021). *International Journal of Service Science, Management, Engineering, and Technology* (pp. 110-131).

[www.irma-international.org/article/dealing-with-context-awareness-for-service-oriented-systems/282143](http://www.irma-international.org/article/dealing-with-context-awareness-for-service-oriented-systems/282143)

### Complexity Analysis at Design Stages of Service Oriented Architectures as a Measure of Reliability Risks

Muhammad Sheikh Sadi, D. G. Myersand Cesar Ortega Sanchez (2011). *Engineering Reliable Service Oriented Architecture: Managing Complexity and Service Level Agreements* (pp. 292-314).

[www.irma-international.org/chapter/complexity-analysis-design-stages-service/52201](http://www.irma-international.org/chapter/complexity-analysis-design-stages-service/52201)

### Replication and Resubmission Based Adaptive Decision for Fault Tolerance in Real Time Cloud Computing: A New Approach

Prasenjit Kumar Patra, Harshpreet Singh, Rajwinder Singh, Saptarshi Das, Nilanjan Deyand Anghel Drugarin Cornelia Victoria (2016). *International Journal of Service Science, Management, Engineering, and Technology* (pp. 46-60).

[www.irma-international.org/article/replication-and-resubmission-based-adaptive-decision-for-fault-tolerance-in-real-time-cloud-computing/149898](http://www.irma-international.org/article/replication-and-resubmission-based-adaptive-decision-for-fault-tolerance-in-real-time-cloud-computing/149898)

### An Information and Cooperation Portal for Supporting Public Authorities and Organizations with Safety and Security Responsibilities Before and During Large Public Events

Sandra Frings, David López Remondesand Wolf Engelbach (2011). *International Journal of Service Science, Management, Engineering, and Technology* (pp. 98-107).

[www.irma-international.org/article/information-cooperation-portal-supporting-public/60738](http://www.irma-international.org/article/information-cooperation-portal-supporting-public/60738)

### Keeping Close From a Distance: The Nazarbayev University Library's Contactless Curbside and Book Delivery Services Amidst the Pandemic

April Ramos Manabat, Lazzat Arystanova, Gulnur Ussenovaand Alexandr Andryukov (2023). *Handbook of Research on Advancements of Contactless Technology and Service Innovation in Library and Information Science* (pp. 101-127).

[www.irma-international.org/chapter/keeping-close-from-a-distance/325020](http://www.irma-international.org/chapter/keeping-close-from-a-distance/325020)