

Chapter 13

Blind User Interfacing: Requirements, Models and a Framework

Fernando Alonso

Technical University of Madrid, Spain

José L. Fuertes

Technical University of Madrid, Spain

Ángel L. González

Technical University of Madrid, Spain

Loïc Martínez

Technical University of Madrid, Spain

ABSTRACT

There are specific usability requirements for developing dual interfaces, that is, graphical user interfaces that are also adapted for blind users. These include task adequacy, dimensional trade-off, behavior equivalence, semantic loss avoidance and device-independence. Consequently, the development of human-computer interfaces based on task, domain, dialog, presentation, platform and user models has to be modified to take into account these requirements. This paper presents the requirements for blind user interfacing, the changes to be made to the human-computer interface models and a framework that improves the development of dual user interfaces. The framework includes a set of guidelines for interface design, a toolkit for the low effort implementation of dual user interfaces, and a programming library for the inclusion of speech and Braille in applications. A case study of the development of one such dual interface application is also presented.

DOI: 10.4018/978-1-60566-206-0.ch013

INTRODUCTION

Graphical user interfaces were designed to increase the usability and improve the functionality of applications (Cox and Walker, 1993). These interfaces are generally user friendly and easy to use. However, blind and visually-impaired people may find them hard to manage. Not only does this group of people find the items on screen difficult to access, but also many items whose meaning is important for users to be able to understand the application are represented as images only and are, therefore, not directly accessible for blind users. On top of this, this group of users cannot operate a mouse. A graphical interface is, therefore, obviously a barrier for blind people, although screen readers solve many of the problems they come up against. Making an application accessible for blind users involves, firstly, putting each item into a proper text-based format and, secondly and more importantly, reproducing the visual interface in a structure that can be understood by users.

To do this, designers must be familiar with the needs and capabilities of blind users and with the assistive technologies they use. Synthesized speech, Braille displays, Braille and QWERTY keyboards and speech recognition are the major, albeit not the only, assistive technologies used by blind people. One feature that all these elements have in common is linearity (these devices can only interchange information sequentially). Nevertheless, they all have their own peculiarities and behaviors (think about the volatility of the information that the user receives through speech messages as opposed to the persistence of Braille displays). Therefore, these behaviors need to be analyzed when trying to develop effective interfaces.

Hence an adequate graphical user interface for blind people sets some specific usability requirements for these users. This means that the designer has to present the interface information

in an appropriate structure that blind users can understand, none of the meaning of the interface content should be lost during the adaptation and the information supplied should be adapted for the assistive technologies used by blind people. These requirements have an impact on HCI modeling, involving the creation of the task, domain, dialog, presentation, platform and user interface models (Szekely et al., 1993). Model design is therefore affected by this adaptation.

Based on the above, this chapter describes some usability requirements for blind users and sets out what actions have to be taken in each of the above-mentioned HCI models to incorporate these requirements to develop applications with a graphical interface that is also adapted for blind people. The paper also describes a framework for developing graphical user interfaces for blind people based on the actions described for each of the HCI models. The experience in developing this kind of applications (Alonso et al., 1997a; Alonso et al., 1997b; Alonso et al., 1998) gathered over the years has served as input for defining this framework.

The chapter is organized as follows. Section 2 shows the background about applications for blind people. Section 3 describes the requirements, models and framework for blind user interfacing. Section 4 describes the future trends. The chapter ends with some general conclusions.

BACKGROUND

The development of user interfaces for blind people has taken two complementary research and development paths: (1) adapting existing visual interfaces for blind users and (2) building dual interfaces or interfaces especially adapted for blind or visually impaired users.

The adaptation of visual interfaces for blind people emerged in response to the need to adapt

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/blind-user-interfacing/48283

Related Content

Laser Additive Manufacturing of Titanium-Based Implants: A Review

Martin Ruthandi Maina (2018). *Biomedical Engineering: Concepts, Methodologies, Tools, and Applications* (pp. 1028-1037).

www.irma-international.org/chapter/laser-additive-manufacturing-of-titanium-based-implants/186716

EMG Analysis of Lumbar Muscle Activations During Resisted and Unresisted Core Strength Exercises

S. Saranya, S. Poonguzhali, N. Madhu Baalaand S. Karunakaran (2020). *International Journal of Biomedical and Clinical Engineering* (pp. 12-24).

www.irma-international.org/article/emg-analysis-of-lumbar-muscle-activations-during-resisted-and-unresisted-core-strength-exercises/253093

Sensors and their Application for Disabled and Elderly People

Jesus Tomas, Jaime Lloret, Diana Briand Sandra Sendra (2011). *Handbook of Research on Personal Autonomy Technologies and Disability Informatics* (pp. 311-330).

www.irma-international.org/chapter/sensors-their-application-disabled-elderly/48290

Classification of Sleep Apnea Types Using Clustering with SVM Classifier

Faiza Charfiand Ali Kraiem (2012). *International Journal of Biomedical and Clinical Engineering* (pp. 39-48).

www.irma-international.org/article/classification-sleep-apnea-types-using/73692

Prediction of Parkinson's Disease Using Deep Learning in TensorFlow

Sameena Naaz, Arooj Hussainand Farheen Siddiqui (2022). *International Journal of Biomedical and Clinical Engineering* (pp. 1-19).

www.irma-international.org/article/prediction-parkinson-disease-using-deep/290389