

## Chapter 4.7

# Consistency and Modularity in Mediated Service-Based Data Integration Solutions

**Yaoling Zhu**

*Dublin City University, Ireland*

**Claus Pahl**

*Dublin City University, Ireland*

### ABSTRACT

A major aim of the Web service platform is the integration of existing software and information systems. Data integration is a central aspect in this context. Traditional techniques for information and data transformation are, however, not sufficient to provide flexible and automatable data integration solutions for Web service-enabled information systems. The difficulties arise from a high degree of complexity in data structures in many applications and from the additional problem of heterogeneity of data representation in applications that often cross organisational boundaries. The authors present an integration technique that embeds a declarative data transformation technique based

on semantic data models as a mediator service into a Web service-oriented information system architecture. Automation through consistency-oriented semantic data models and flexibility through modular declarative data transformations are the key enablers of the approach.

### INTRODUCTION

A major aim of the Web service platform is the integration of existing software and information systems (Alonso et al., 2004). Information and data integration is a central aspect in this context. Traditional techniques based on XML for data representation and XSLT for transformations between XML documents are not sufficient to provide a flexible and automatable data integra-

DOI: 10.4018/978-1-60566-330-2.ch006

tion solution for Web service-enabled information systems. Difficulties arise from the high degree of complexity in data structures in many business and technology applications and from the problem of heterogeneity of data representation in applications that cross organisational boundaries.

The emergence of the Web services platform and service-oriented architecture (SOA) as an architecture paradigm has provided a unified way to expose the data and functionality of an information system (Stal, 2002). The Web services platform has the potential to solve the problems in the data integration domain such as heterogeneity and interoperability (Orriens, Yang and Papazoglou, 2003; Haller, Cimpian, Mocan, Oren and Bussler, 2005; Zhu et al., 2004). Our contribution is an integration technology framework for Web-enabled information systems comprising of

- Firstly, a data integration technique based on semantic, ontology-based data models and the declarative specification of transformation rules and
- Secondly, a mediator architecture based on information services and the construction of connectors that handle the transformations to implement the integration process.

A data integration technique in the form of a mediator service can dynamically perform transformations based on a unified semantic data model built on top of individual data models in heterogeneous environments (Wiederhold, 1992). Abstraction has been used successfully to address flexibility problems in data processing (Rouvelou, Degenaro, Rasmus, Ehnebuske and McKee, 2000). With recent advances in abstract, declarative XML-based data query and transformation languages (Zhu et al., 2004) and Semantic Web and ontology technology (Daconta, Obrst and Smith, 2003), the respective results are ready to be utilised in the Web application context. The combination of declarative and semantic specification and automated support of architecture

implementations provides the necessary flexibility and modularity to deal with complexity and consistency problems. Two central questions to the data integration problem and its automation shall be addressed in this investigation:

- How to construct data model transformation rules and how to express these rules in a formal, but also accessible and maintainable way is central.
- How integration can be facilitated through service composition to enable interoperability through connector and relationship modelling.

We show how ontology-based semantic data models and a specific declarative data query and transformation language called Xcerpt (Bry and Schaffert, 2002) and its execution environment can be combined in order to allow dynamic data transformation and integration. We focus on technical solutions to semantically enhance data modelling and adapt Xcerpt and its support environment so that it can facilitate the dynamic generation of Xcerpt query programs (in response to user requests) from abstract transformation rules.

## **BACKGROUND**

Information integration is the problem of combining heterogeneous data residing at different sources in order to provide the user with a unified view (Lenzerini, 2002). This view is central in any attempt to adapt services and their underlying data sources to specific client and provider needs. One of the main tasks in information integration is to define the mappings between the individual data sources and the unified view of these sources and vice versa to enable this required adaptation. Figure 1 shows two sample schemas, which might represent the views of client and provider on a collection of customers, that require integration.

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/consistency-modularity-mediated-service-based/48593](http://www.igi-global.com/chapter/consistency-modularity-mediated-service-based/48593)

## Related Content

---

### An Integrated Project Management System for Facilitating Knowledge Learning

Toly Chen and Yu-Cheng Wang (2012). *International Journal of Enterprise Information Systems* (pp. 30-51).

[www.irma-international.org/article/integrated-project-management-system-facilitating/67120](http://www.irma-international.org/article/integrated-project-management-system-facilitating/67120)

### User Acceptance of Emergency and Disaster Response Mobile Application in the Philippines: An Investigation Based on the Unified Theory of Acceptance and Use of Technology Model

Markdy Y. Orong and Alexander A. Hernandez (2019). *International Journal of Enterprise Information Systems* (pp. 85-99).

[www.irma-international.org/article/user-acceptance-of-emergency-and-disaster-response-mobile-application-in-the-philippines/220400](http://www.irma-international.org/article/user-acceptance-of-emergency-and-disaster-response-mobile-application-in-the-philippines/220400)

### Enterprise Systems Strategic Alignment and Business Value

Euripidis Loukis, Ioakim Sapounas and Konstantinos Aivalis (2009). *Handbook of Research on Enterprise Systems* (pp. 152-168).

[www.irma-international.org/chapter/enterprise-systems-strategic-alignment-business/20279](http://www.irma-international.org/chapter/enterprise-systems-strategic-alignment-business/20279)

### A Language-Action Approach to the Design of UML Models

Peter Rittgen (2007). *Enterprise Modeling and Computing with UML* (pp. 135-152).

[www.irma-international.org/chapter/language-action-approach-design-uml/18406](http://www.irma-international.org/chapter/language-action-approach-design-uml/18406)

### Developing Medium and Small Technological Enterprises in China: Informatization Issues and Counter-Measures

Zhimin Huang and Shuqin Cai (2005). *International Journal of Enterprise Information Systems* (pp. 20-38).

[www.irma-international.org/article/developing-medium-small-technological-enterprises/2089](http://www.irma-international.org/article/developing-medium-small-technological-enterprises/2089)