# Chapter 2.1 A Service Oriented Ontological Framework for the Semantic Validation of Web Accessibility

Rui Lopes

LaSIGE, University of Lisbon, Portugal

**Konstantinos Votis** 

Pattern Recognition Laboratory, University of Patras, Greece & Informatics and Telematics Institute, CERTH, Greece

> **Luís Carriço** LaSIGE, University of Lisbon, Portugal

**Spiridon Likothanassis** Pattern Recognition Laboratory, University of Patras, Greece

**Dimitrios Tzovaras** Informatics and Telematics Institute, CERTH, Greece

# ABSTRACT

The Web serves as the principal mediator for information sharing and communication on a worldwide scale. Its highly decentralized nature affords a scale free growth, where each endpoint (i.e., Web site) is created and maintained independently. Web designers and developers have the onus of making sure that users can interact without accessibility problems. However, coping with users with disabilities poses challenges on kind of user. When (and if) this is done, designers and developers do it in a post-hoc way, (i.e., verify and tweak Web sites according to guidelines such as WCAG). In this Chapter the authors present SWAF, the Semantic Web Accessibility Framework, a base framework for supporting the integration of accessibility services into Web design and development processes. SWAF affords both tailoring accessibility to user needs and specifying the semantic validation of accessibility guidelines in different application situations.

how to ensure that a Web site is accessible for any

DOI: 10.4018/978-1-60566-650-1.ch003

## INTRODUCTION

The increasing adoption of technologies from users puts the Internet in a central spotlight. The Web, as its major application, is accessed and interacted by users at constantly increasing pace, allowing them to quickly seek information, interact with their peers through social networks, or perform transactions from the comfort of their homes. For this reason, the way information is structured and presented is critical for the success of accessing it.

However, users have their own specific characteristics (e.g., abilities, impairments, preferences, knowledge). Consequently, the accessibility of each piece of information – such as a Web page– can differ significantly from user to user. While often dismissed in the Internet realm and, more specifically, on the Web, people with disabilities are not just a small population minority. If one takes into account people with mild disabilities, the slice of the population that requires some sort of software-based accessibility ramp is of the uttermost importance.

The most important way to mitigate this problem is making sure that information providers (ranging from the individual to large corporations) do not overlook such accessibility issues. Internationally recognized organizations such as the World Wide Web Consortium (W3C, n.d.) play a critical role on helping information providers to cope with accessibility. Traditionally, this goes in the form of specifying accessibility-centric best practices, guidelines, and vocabularies to augment already existing Web languages.

Evangelization of accessibility practices, coped with the progressive intertwining of accessibility features in Web languages has brought Web accessibility more close to information providers. Consequently, each day, Web accessibility is gaining awareness. Guidelines such as WCAG, the Web Content Accessibility Guidelines (Chisholm, Vanderheiden, & Jacobs, 1999), are being followed more often, leading more users with disabilities to have access to information without barriers. In order to be so, these guidelines are presented as straightforward as possible, geared towards the largest set of Web designers and developers. However, mostly due to financial, human resources, and technological expertise problems, several companies (and individuals) totally dismiss the adequacy of Web sites to the different requirements of accessibility-dependent audiences, despite the fact that legislation is being pushed in several countries, in order to promote the rights of people with disabilities.

The dismissal of accessibility from information providers leverages the fact that such guidelines and standards for accessibility have inherent problems. Since they are specified in such a way that they require manual inspection of their conformance, developers have an increased effort on coping with accessibility issues. Furthermore, by being informally described (i.e., in natural language), they tend to lead to different interpretations from developers and accessibility experts and, for this reason, different and incoherent ways to ensure that a given Webpage is accessible.

When Webpages and Websites require an additional effort of supporting more specific and fine-grained audiences, the development of accessibility-centric solutions becomes cumbersome. Guidelines have an implicit assumption of which audiences they target to (and more often than not, in a very informal and loose way). Typically, these are often geared towards people with visually impairments (e.g., different kinds of blindness). The way users from this audience interact with a webpage is also left implicit, but often assumed to include specific devices (e.g., screen readers). This leads to a lack of understanding what is the role of guideline checkpoints for each user and device characteristic they are tackling, thus posing more difficulties on developers on how to tackle fine-grained accessibility analysis and consequent development of accessible Websites and Webpages. Consequently, software developers need to have a conceptual framework in which to situate disabled-related guidelines, which they

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/service-oriented-ontological-frameworksemantic/48681

## **Related Content**

#### Preparing for the Forthcoming Industrial Revolution: Beyond Virtual Worlds Technologies for Competence Development and Learning

Albena Antonova (2017). *International Journal of Virtual and Augmented Reality (pp. 16-28).* www.irma-international.org/article/preparing-for-the-forthcoming-industrial-revolution/169932

#### Digital Twin for Amyotrophic Lateral Sclerosis: A System for Patient Engagement

Matteo Del Giudice, Roberta Surianand Anna Osello (2022). *Handbook of Research on Implementing Digital Reality and Interactive Technologies to Achieve Society 5.0 (pp. 620-639).* www.irma-international.org/chapter/digital-twin-for-amyotrophic-lateral-sclerosis/311773

### Using a Design Science Research Approach in Human-Computer Interaction (HCI) Project: Experiences, Lessons and Future Directions

Muhammad Nazrul Islam (2017). International Journal of Virtual and Augmented Reality (pp. 42-59). www.irma-international.org/article/using-a-design-science-research-approach-in-human-computer-interaction-hciproject/188480

#### Mutual Value in Business Relationships

Rita de Cássia Pereira, Carlo Gabriel Porto Belliniand Fernando Bins Luce (2008). *Encyclopedia of Networked and Virtual Organizations (pp. 971-981).* www.irma-international.org/chapter/mutual-value-business-relationships/17714

### Lessons Learned from the Design and Development of Vehicle Simulators: A Case Study with Three Different Simulators

Sergio Casasand Silvia Rueda (2018). International Journal of Virtual and Augmented Reality (pp. 59-80). www.irma-international.org/article/lessons-learned-from-the-design-and-development-of-vehicle-simulators/203068