

Chapter 3.1

A Virtual Community for Mobile Agents

Sheng-Uei Guan
Brunel University, UK

Fangming Zhu
National University of Singapore, Singapore

INTRODUCTION

Electronic commerce (e-commerce) is booming with the increasing accessibility of the Internet. E-commerce is revolutionizing the concept of carrying out business functions. By using a Web browser, buyers are able to access numerous e-commerce Web sites, where they can make purchases within a reasonable price range. Suppliers realize that e-commerce is essential to the success and competitiveness of their businesses. The benefits of conducting business online include reduction of the cost for many transactions and streamlining of operations.

However, there are also some obstacles to the success of e-commerce. Firstly, buyers may be lost

in the ocean of the items available. Secondly, it is a tedious task to search for a specific product through the Internet and it is difficult to bargain within the current infrastructure. Thirdly, some transactions are so complicated that they are too difficult to be dealt with. For instance, merchants often negotiate transactions with multiple issues of concern such as price, quantity, and method of delivery. Many strategies are adopted to accomplish these tasks, and both the negotiating counterparts and the environment can affect the choice of the strategies. However, in many existing auction Web sites, price is the main focus for both bidders and sellers. Bidders and sellers are seldom given a chance to negotiate the other issues, and many commercial opportunities are neglected.

This chapter discusses SAFER for e-commerce (secure agent fabrication, evolution & roaming

DOI: 10.4018/978-1-59904-885-7.ch233

for e-commerce), which uses secure agents to alleviate problems in e-commerce

BACKGROUND

Software agents have demonstrated potential in conducting transactional tasks in e-commerce through the Internet. It acts on behalf of an entity to carry out a delegated task. One of the earliest agents in e-commerce is the shopping agent, which carries out automatic comparative price shopping on the Web. A client can assign one or many shopping agents to carry out the shopping task. Agents can gather price information and present it to the client for a decision. Certainly, the task of a software agent involves more than online data gathering and filtering. For example, software agents are also used in negotiation (Guttman & Maes, 1998; Krishna & Ramesh, 1998). Negotiation agents are instructed with expected prices, quantities, delivery modes, and/or negotiation strategies (Oliver, 1996; Kang, 1998). Besides, software agents can also undertake other tasks, such as payment (Guan & Hua, 2003; Guan et al., 2004), mediation, distribution, interaction and sales promotion in e-commerce.


Software agents (Bradshaw, 1997; Poh & Guan, 2000; Wang et al., 2002; Guan & Zhu, 2002; 2004; Guan et al., 2004) can be endowed with attributes such as mobility, intelligence and autonomy. To

alleviate concerns such as authorization, traceability, integrity, and security in e-commerce and the Internet, constructing appropriate architecture for agent systems in e-commerce is a fundamental consideration in facilitating agent-based transactions (Lee, 1997; Guan & Yang, 2004). As software agents become more common, there is a need for skilled programmers and even ordinary e-commerce clients to manipulate them. A practical way is to provide sites with methods to fabricate various agents according to the requirements of the clients. Agents should have an evolutionary ability to enhance its intelligence and survivability. Roaming is one of the basic capabilities for agents so that they can fully utilize the power of network computing. They can achieve timesaving and cost cutting in completing its task without compromising security by roaming from one host to another (Yang & Guan, 2000; Guan & Yang, 2002).

THE SAFER ARCHITECTURE

SAFER is an infrastructure to serve agents in e-commerce and establish the necessary mechanisms to manipulate them. The goal of SAFER is to recommend standard, dynamic and evolutionary agent systems for e-commerce. The SAFER architecture comprises different communities as described in Figure 1. Each community consists of the following components: owner, butler, agent,

Figure 1. SAFER architecture



8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/virtual-community-mobile-agents/48699

Related Content

A Proposed Grayscale Face Image Colorization System using Particle Swarm Optimization

Abul Hasnat, Santanu Halder, Debotosh Bhattacharjee and Mita Nasipuri (2017). *International Journal of Virtual and Augmented Reality* (pp. 72-89).

www.irma-international.org/article/a-proposed-grayscale-face-image-colorization-system-using-particle-swarm-optimization/169936

Virtual Reality in Healthcare: A Survey

Dorota Kamiska, Grzegorz Zwolinski, Anna Laska-Leniewicz and Luis Pinto Coelho (2022). *Emerging Advancements for Virtual and Augmented Reality in Healthcare* (pp. 1-10).

www.irma-international.org/chapter/virtual-reality-in-healthcare/294194

Seeking Accessible Physiological Metrics to Detect Cybersickness in VR

Takuro Magaki and Michael Vallance (2020). *International Journal of Virtual and Augmented Reality* (pp. 1-18).

www.irma-international.org/article/seeking-accessible-physiological-metrics-to-detect-cybersickness-in-vr/262621

An Interactive Space as a Creature: Mechanisms of Agency Attribution and Autotelic Experience

Ulysses Bernardet, Jaume Subirats Aleixandri and Paul F.M.J. Verschure (2017). *International Journal of Virtual and Augmented Reality* (pp. 1-15).

www.irma-international.org/article/an-interactive-space-as-a-creature/169931

XR Journalism Lab: An Innovative Space for Research and Training in Immersive Journalism

Manuel Gertrudix, José Luis Rubio-Tamayo, Daniel Wuebben and Alberto Sanchez-Acedo (2022). *Methodologies and Use Cases on Extended Reality for Training and Education* (pp. 1-20).

www.irma-international.org/chapter/xr-journalism-lab/308895