# Chapter 4 Images, Associations and Conscious Experience

This chapter describes our model of "emergence" of conscious experience, as correlated with neural and quantum-(like) processes, by taking neuroscience and the holonomic theory optimally into account. We present arguments why neural nets might not be sufficient to "explain" consciousenss, and that sub-cellular and quantum processes within dendritic webs might be necessary. Presentation of characteristics of (visual) consciousness should make evident that contemporary models can hardly be satisfactory, since consciousness is an ego-centered qualitative experience.

# 4.1 CONVOLUTION, CORRELATION, AND MATRIX-PROCESSING

Pribram (1991, Lecture 10) presents indications that the far-frontal cortex prefers continuous processing and thus convolution / correlation processing. On the other hand, the posterior cerebral convexity prefers discrete processing and thus matrix (interference) processing. The model of section 1.2 is convolutional, as is evident from equation (1.1). My quantum associative net of section 1.4 and all the related models presented in detail in Auxil. Chapters (HNeT, the Hopfield and Haken ANN

DOI: 10.4018/978-1-61520-785-5.ch004

#### 74 Images, Associations and Conscious Experience

models) have a matrix-core, as in equation (1.4) where the elements of matrix G (similar to J) are given, but they take part in a sort of convolutional process – as in equation (1.5). Convolutional and matrix operations are thus often combined, and both can involve correlation-processing.

Convolution/correlation processing is more appropriate for configural perception, while matrix (interference) processing is more convenient for modeling associative cognitive processes like formation of prototypes.

**Inner versus outer product.** The key-difference is that convolutional computing incorporates the *scalar or inner products* of pattern-vectors, and matrix-computing uses a Hebb-based *tensor or outer product* of pattern-vectors. Computing scalar (inner) products gives an "enfolded" code — the result is a single number, i.e. an activity-parameter or probability-coefficient. Computing tensor (outer) products gives a distributed, "unfolded" encoding — the result is a whole matrix, i.e. an array of numbers–weights (which is like description of a hologram).<sup>1</sup>

The convolutional processing, as executed along the retino-geniculo-striate visual pathway<sup>2</sup>, is more economic and up-to-date than the matrix-processing is. Namely, a single coefficient, i.e. the scalar product which describes *global* correlation of images, is a much more economic code than the matrix of many elements where each of them describes a *local* correlation of image-patches (and the matrix as a whole represent the combined, overall correlation). Economic refers to a lower amount of used processing elements, and this brings abstraction and condensation of information. Up-to-date refers to *serial* convolving of the current input with the memory (encoded in weights which are often matrix-elements).

In a brief summary: convolutions are used in early abstraction and perception (which is configural and serial); tensor-product matrix-computations are used for description of associative memory and top-down- or memory-based operations including cognitive associations and categorization.<sup>3</sup>

The holonomic theory views imaging as based on convolving the various stages of primary visual processing. In contrast, "[...] Object perception [...] depends on correlations among patterns in which centers of symmetry are determined by operations performed in the superior colliculus and the visuomotor system." (Pribram, 1991, p. 261)

### 4.2 ATTEMPT OF AN INTEGRATED MODEL OF IMAGE PROCESSING IN V1 AND BEYOND

**Synopsis.** The holonomic theory of the retino-geniculo-striate image processing was presented in section 1.2. It uses Gabor wavelets, eq. (1.2.), as "weighting"- or "filtering"-functions while performing convolution, eq. (1.1), with the retinal

37 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/images-associations-conscious-</u> experience/50503

#### **Related Content**

#### From Bench to Bedside: BACE1, Beta-Site Amyloid Precursor Protein Cleaving Enzyme 1, From Basic Science to Clinical Investigation

Yong Shen (2013). *Bioinformatics: Concepts, Methodologies, Tools, and Applications* (pp. 322-328).

www.irma-international.org/chapter/bench-bedside-bace1-beta-site/76070

## The Research on the Effects of Geothermal Water Resources in Modern Georgia

Emma Axtjan (2020). International Journal of Applied Research in Bioinformatics (pp. 46-54).

www.irma-international.org/article/the-research-on-the-effects-of-geothermal-water-resources-inmodern-georgia/260826

#### Biological and Medical Big Data Mining

George Tzanis (2014). International Journal of Knowledge Discovery in Bioinformatics (pp. 42-56). www.irma-international.org/article/biological-and-medical-big-data-mining/105100

## Implementation of n-gram Methodology for Rotten Tomatoes Review Dataset Sentiment Analysis

Prayag Tiwari, Brojo Kishore Mishra, Sachin Kumarand Vivek Kumar (2017). International Journal of Knowledge Discovery in Bioinformatics (pp. 30-41). www.irma-international.org/article/implementation-gram-methodology-rotten-tomatoes/178605

### Connecting Microbial Population Genetics with Microbial Pathogenesis: Engineering Microfluidic Cell Arrays for High-Throughput Interrogation of Host-Pathogen Interaction

Palaniappan Sethu, Kalyani Putty, Yongsheng Lianand Awdhesh Kalia (2013). Bioinformatics: Concepts, Methodologies, Tools, and Applications (pp. 745-760). www.irma-international.org/chapter/connecting-microbial-population-genetics-microbial/76092